The LONGWAY General Series small batteries (less than 24Ah) are designed and developed using AGM technology and valve controlled sealing technology. They can meet conventional performance requirements, with a designed float charging life of over 5 years. The valve controlled non-spillable structure design allows safe use in any direction and is certified by sea and air freight. The battery performance also meets international standards, such as IEC61056-2012, JIS C8702-1-2003, UL1989, etc.



General Feature

- High reliability, safe without leakage, can be used in any position
- Excellent recovery performance after deep discharge
- Environmentally friendly products.
 Meet EU battery directive RoHS and REACH standards
- · Maintenance free
- Widely applicable temperature range, can be used at -20 °C~60°C
- Low self-discharge rate. The average monthly self-discharge rate of the battery is less than 2.5%

(It is recommended to recharge after storage for 6 months or before use)


Applications

- Emergency lights; Alarm system
- Electrical test equipment; communication Equipment
- Uninterruptible power supply; Fire & Security
- · Electric toys; Control instruments
- · Portable Movie & Video lights
- · Electric tools; Solar system
- · Robots and control machines and other

Performance

| Nominal Voltage | 6V (3cells) | | | | | |
|--------------------------------|--|--|--|--|--|--|
| Capacity | @25 ℃ | | | | | |
| 20hr Rate (0.20A) | 4.00Ah @ to 1.75V/ceII | | | | | |
| 3hr Rate (1.00A) | 3.00Ah @ to 1.70V/ceII | | | | | |
| 27min Rate (4.00A) | 2.00Ah @ to 1.60V/ceII | | | | | |
| Weight | Approx (0.62 \pm 3%)kg (1.37lbs) | | | | | |
| Internal Resistance | Approx 17. $0m\Omega$ fully charged @25°C | | | | | |
| Maximum Discharge Current | 45A(3sec) | | | | | |
| Terminal | F1/F2 | | | | | |
| Operating Temperature Range | Discharge:-20℃~60℃;Charge:0℃~50℃ Storage:-20℃~40℃ | | | | | |
| Container Material | ABS(UL94 HB)/UL94-V0 Optional | | | | | |

Dimensions



Battery use

Cycle use

- 1. Limit the initial charging current to no more than 1.2A
- 2. Keep charging voltage at 7.20-7.50V/unit.and continue charging at least 3 hours after the charging current reduces to 0.08A to ensure full charge
- 3. The compensation coefficient of charging voltage and temperature is -5mv/cell/ $^{\circ}$

Float use

- 1. Limit the initial charging current to no more than 1.2A
- 2. Keep charging voltage at 6.75-6.90V/unit.When the voltage reaches the constant voltage, the current gradually decreases until the battery is fully charged and continues to charge
- 3. The compensation coefficient of charging voltage and temperature is -3mv/cell/ $^{\circ}$ C








Kaiying Power Supply & Electrical Equip Co., Ltd Email: sales@longwaybattery.com Tel:0595-68782266 Fax:0595-68782222 Website: http://www.longwaybattery.com Add: Kaiying Industrial Area, Chengxiang Town, Anxi, Quanzhou, Fujian Province, China KY-IOP-LW6-4C B0. May 2023




General VRLA Battery 3FM4 (6V4Ah)


Floating Charging Life VS Temperature




Floating Charging Characteristics Diagram




Cycle Life




Cycle charging characteristic diagram



Temperature and capacity characteristics



Self-discharge characteristic



Constant current characteristics(A,25°C)

| F.V/TIME | 5m in | 10min | 15min | 30min | 60min | 90min | 2h | 3h | 5h | 10h | 20h |
|----------|-------|-------|-------|-------|-------|-------|------|------|------|------|------|
| 4.80 | 14.0 | 7.60 | 6.00 | 4.00 | 2.40 | 1.68 | 1.38 | 1.02 | 0.69 | 0.38 | 0.20 |
| 4.95 | 13.6 | 7.37 | 5.82 | 3.88 | 2.33 | 1.65 | 1.37 | 1.01 | 0.68 | 0.38 | 0.20 |
| 5.10 | 13.3 | 7.22 | 5.76 | 3.84 | 2.30 | 1.61 | 1.36 | 1.00 | 0.68 | 0.37 | 0.20 |
| 5.25 | 12.9 | 6.99 | 5.52 | 3.68 | 2.21 | 1.58 | 1.35 | 0.99 | 0.67 | 0.35 | 0.20 |
| 5.40 | 12.5 | 6.79 | 5.47 | 3.65 | 2.19 | 1.55 | 1.33 | 0.98 | 0.67 | 0.37 | 0.20 |

Constant power discharge characteristic (W,25°C)

| | • | | | | • | | | | | | |
|----------|------|-------|-------|-------|-------|-------|------|------|------|------|------|
| F.V/TIME | 5min | 10min | 15min | 30min | 60min | 90min | 2h | 3h | 5h | 10h | 20h |
| 4.80 | 78.1 | 42.9 | 34.2 | 22.9 | 13.9 | 9.83 | 8.08 | 6.03 | 4.12 | 2.27 | 1.22 |
| 4.95 | 75.8 | 41.6 | 33.2 | 22.2 | 13.5 | 9.63 | 8.00 | 5.97 | 4.08 | 2.25 | 1.21 |
| 5.10 | 74.2 | 40.7 | 32.8 | 22.0 | 13.3 | 9.43 | 7.96 | 5.94 | 4.06 | 2.25 | 1.21 |
| 5.25 | 71.9 | 39.4 | 31.5 | 21.1 | 12.8 | 9.24 | 7.88 | 5.88 | 4.02 | 2.08 | 1.20 |
| 5.40 | 69.8 | 38.3 | 31.2 | 20.9 | 12.7 | 9.04 | 7.80 | 5.82 | 3.98 | 2.23 | 1.20 |







Kaiying Power Supply & Electrical Equip Co., Ltd Email: sales@longwaybattery.com Tel:0595-68782266 Fax:0595-68782222 Website: http://www.longwaybattery.com Add: Kaiying Industrial Area, Chengxiang Town, Anxi, Quanzhou, Fujian Province, China KY-IOP-LW6-4C B0. May 2023