The LONGWAY General Series small batteries (less than 24Ah) are designed and developed using AGM technology and valve controlled sealing technology. They can meet conventional performance requirements, with a designed float charging life of over 5 years. The valve controlled non-spillable structure design allows safe use in any direction and is certified by sea and air freight. The battery performance also meets international standards, such as IEC61056-2012, JIS C8702-1-2003, UL1989, etc.



General Feature

- High reliability, safe without leakage, can be used in any position
- Excellent recovery performance after deep discharge
- Environmentally friendly products.
 Meet EU battery directive RoHS and REACH standards
- · Maintenance free
- Widely applicable temperature range, can be used at -20 °C~60°C
- Low self-discharge rate. The average monthly self-discharge rate of the battery is less than 2.5%

(It is recommended to recharge after storage for 6 months or before use)


Applications

- · Emergency lights; Alarm system
- Electrical test equipment; communication Equipment
- Uninterruptible power supply; Fire & Security
- · Electric toys; Control instruments
- · Portable Movie & Video lights
- · Electric tools; Solar system
- · Robots and control machines and other

Performance

| Nominal Voltage | 12V (6cells) | | | | | | |
|--------------------------------|--|--|--|--|--|--|--|
| Capacity | @25 °C | | | | | | |
| 20hr Rate (0.65A) | 14.0 Ah @ to 1.75V/ceII | | | | | | |
| 3hr Rate (3.25A) | 9.75 Ah @ to 1.70V/ceII | | | | | | |
| 27min Rate (13.0A) | 8.23 Ah @ to 1.60V/cell | | | | | | |
| Weight | Approx (4.50 $\pm3\%$)kg (9.92lbs) | | | | | | |
| Internal Resistance | Approx 12.5mΩfully charged @25℃ | | | | | | |
| Maximum Discharge Current | 140A(3sec) | | | | | | |
| Terminal | F5 | | | | | | |
| Operating Temperature Range | Discharge:-20℃~60℃;Charge:0℃~50℃ Storage:-20℃~40℃ | | | | | | |
| Container Material | ABS(UL94 HB)/UL94-V0 Optional | | | | | | |

Dimensions



Battery use

Cycle use

- 1. Limit the initial charging current to no more than 3.9A
- 2. Keep charging voltage at 14.4-15.0V/unit.and continue charging at least 3 hours after the charging current reduces to 0.26A to ensure full charge
- 3. The compensation coefficient of charging voltage and temperature is -5mv/cell/ $^{\circ}$

Float use

- 1. Limit the initial charging current to no more than 3.9A
- 2. Keep charging voltage at 13.5-13.8V/unit.When the voltage reaches the constant voltage, the current gradually decreases until the battery is fully charged and continues to charge
- 3. The compensation coefficient of charging voltage and temperature is -3mv/cell/ $\!\!\!\!^{\rm C}$








Kaiying Power Supply & Electrical Equip Co., Ltd Email: sales@longwaybattery.com
Tel:0595-68782266 Fax:0595-68782222 Website: http://www.longwaybattery.com
Add: Kaiying Industrial Area, Chengxiang Town, Anxi, Quanzhou, Fujian Province, China KY-IOP-LW12-13NB B0. May 2023




General VRLA Battery 6FM13 (12V13Ah)


Floating Charging Life VS Temperature




Floating Charging Characteristics Diagram




Cycle Life




Cycle charging characteristic diagram



Temperature and capacity characteristics



Self-discharge characteristic



Constant current characteristics(A,25°C)

| · · · · · · · · · · · · · · · · · · · | | | | | | | | | | | |
|---------------------------------------|------|-------|-------|-------|-------|-------|------|------|------|------|------|
| F.V/TIME | 5min | 10min | 15min | 30min | 60min | 90min | 2h | 3h | 5h | 10h | 20h |
| 9.6 | 56.0 | 36.4 | 28.0 | 14.4 | 9.10 | 5.92 | 3.55 | 2.56 | 1.56 | 1.32 | 0.71 |
| 9.9 | 54.3 | 35.3 | 27.3 | 14.0 | 8.87 | 5.09 | 3.54 | 2.55 | 1.56 | 1.32 | 0.71 |
| 10.2 | 53.2 | 34.6 | 26.9 | 13.8 | 8.65 | 5.04 | 3.50 | 2.52 | 1.55 | 1.31 | 0.70 |
| 10.5 | 51.5 | 33.5 | 26.0 | 13.3 | 8.46 | 4.99 | 3.47 | 2.49 | 1.54 | 1.31 | 0.70 |
| 10.8 | 50.0 | 32.5 | 25.5 | 13.1 | 8.30 | 4.94 | 3.43 | 2.47 | 1.54 | 1.30 | 0.70 |

Constant power discharge characteristic (W,25°C)

| Constant power discharge characteristic (| | | | | (**,23 \(\)) | | | | | | | |
|---|----------|------|-------|-------|-----------------|-------|-------|------|------|------|------|------|
| | F.V/TIME | 5min | 10min | 15min | 30min | 60min | 90min | 2h | 3h | 5h | 10h | 20h |
| | 9.6 | 608 | 411 | 336 | 164 | 105 | 69.3 | 42.2 | 30.5 | 18.8 | 15.9 | 8.53 |
| | 9.9 | 606 | 398 | 311 | 161 | 103 | 59.6 | 42.0 | 30.4 | 18.7 | 15.9 | 8.53 |
| | 10.2 | 594 | 390 | 306 | 158 | 100 | 59.0 | 41.6 | 30.1 | 18.6 | 15.7 | 8.45 |
| | 10.5 | 575 | 378 | 297 | 153 | 98.0 | 58.4 | 41.2 | 29.8 | 18.5 | 15.7 | 8.43 |
| | 10.8 | 558 | 367 | 291 | 150 | 96.1 | 57.8 | 40.7 | 29.5 | 18.5 | 15.6 | 8.40 |







Kaiying Power Supply & Electrical Equip Co., Ltd Email: sales@longwaybattery.com Tel:0595-68782266 Fax:0595-68782222 Website: http://www.longwaybattery.com Add: Kaiying Industrial Area, Chengxiang Town, Anxi, Quanzhou, Fujian Province, China KY-IOP-LW12-13NB B0. May 2023