The LONGWAY General Series middle batteries (more than 24Ah) are designed and developed using AGM technology and valve controlled sealing technology. They can meet conventional performance requirements, with a designed float charging life of over 8 years. The valve controlled non-spillable structure design allows safe use in any direction and is certified by sea and air freight. The battery performance also meets international standards. such as IEC60896-2012, UL1989.etc.



General Feature

- High reliability, safe without leakage, can be used in any position
- Excellent recovery performance after deep discharge
- Environmentally friendly products.
 Meet EU battery directive RoHS and REACH standards
- · Maintenance free
- Widely applicable temperature range, can be used at -20 °C~60 °C
- Low self-discharge rate. The average monthly self-discharge rate of the battery is less than 2.5%

(It is recommended to recharge after storage for 6 months or before use)


Applications

- Emergency lights; Alarm system
- Electrical test equipment; communication Equipment
- Uninterruptible power supply; Fire & Security
- Electric toys; Control instruments
- · Portable Movie & Video lights
- · Electric tools; Solar system
- · Robots and control machines and other

Performance

Nominal Voltage	12V (6cells)					
Capacity	@25 ℃					
10hr Rate (3.30A)	33.0 Ah @ to 1.75V/cell					
5hr Rate (5.95A)	29.7 Ah @ to 1.70V/cell					
3hr Rate (8.75 A)	26.2 Ah @ to 1.60V/ceII					
Weight	Approx (10.3 \pm 3%)kg (22.71lbs)					
Internal Resistance	Approx 8.00mΩfully charged @25℃					
Maximum Discharge Current	175A(3sec)					
Terminal	13					
Operating Temperature Range	Discharge:-20°C~60°C;Charge:0°C~50°C Storage:-20°C~40°C					
Container Material	ABS(UL94 HB)/UL94-V0 Optional					

Dimensions



Length	196mm	7.72inch
Width	130mm	5.12inch
Height	161mm	6.34inch
Totalheight	167mm	6.57inch

Battery use

Cycle use

- 1. Limit the initial charging current to no more than 8.75A
- 2. Keep charging voltage at 14.4-15.0V/unit.and continue charging at least 3 hours after the charging current reduces to 0.7A to ensure full charge
- 3. The compensation coefficient of charging voltage and temperature is -5mv/cell/ $^{\circ}$

Float use

- 1. Limit the initial charging current to no more than 8.75A
- 2. Keep charging voltage at 13.5-13.8V/unit.When the voltage reaches the constant voltage, the current gradually decreases until the battery is fully charged and continues to charge
- 3. The compensation coefficient of charging voltage and temperature is -3mv/cell/ $\!\!\!\!\!\!^{\rm C}$








Kaiying Power Supply & Electrical Equip Co., Ltd Email: sales@longwaybattery.com
Tel:0595-68782266 Fax:0595-68782222 Website: http://www.longwaybattery.com
Add: Kaiying Industrial Area, Chengxiang Town, Anxi, Quanzhou, Fujian Province, China KY-IOP-LW12-35 B0. May 2023




General VRLA Battery 6FM35G (12V35Ah)







Floating Charging Characteristics Diagram




Cycle Life




Cycle charging characteristic diagram



Temperature and capacity characteristics



Self-discharge characteristic



Constant current characteristics(A,25°C)

F.V/TIME	5min	10min	15min	30min	60min	90min	2h	3h	5h	10h	20h
9.60	133.0	91.0	66.5	38.5	22.8	16.3	12.79	8.95	6.04	3.41	1.78
9.90	129.0	88.3	64.5	37.3	22.1	15.9	12.66	8.86	5.98	3.39	1.77
10.2	126.4	86.5	63.8	37.0	21.8	15.6	12.60	8.82	5.95	3.38	1.76
10.5	122.4	83.7	61.2	35.4	20.9	15.3	12.47	8.73	5.89	3.37	1.75
10.8	118.8	81.3	60.6	35.1	20.7	15.0	12.35	8.64	5.83	3.36	1.75

Constant power discharge characteristic (W,25℃)

	•				•	•					
F.V/TIME	5min	10min	15min	30min	60min	90min	2h	3h	5h	10h	20h
9.60	1484	1026	758	441	263	190	149.6	106.4	72.1	40.9	21.3
9.90	1440	996	735	428	256	187	148.2	105.3	71.4	40.7	21.2
10.2	1410	975	728	424	253	183	147.4	104.8	71.0	40.6	21.1
10.5	1366	944	697	406	242	179	145.9	103.7	70.3	40.4	21.0
10.8	1325	917	691	402	240	175	144.5	102.7	69.6	40.3	21.0







Kaiying Power Supply & Electrical Equip Co., Ltd Email: sales@longwaybattery.com Tel:0595-68782266 Fax:0595-68782222 Website: http://www.longwaybattery.com Add: Kaiying Industrial Area, Chengxiang Town, Anxi, Quanzhou, Fujian Province, China KY-IOP-LW12-35 B0. May 2023