



# ALUMINUM PROFILES FOR LED LIGHTING SOLUTIONS

Constructed With Aluminum For  
Long-Lasting, Like-new Performance





# COMPANY INTRODUCTION

Professional Production and Manufacturing Base

## About yaoxing aluminum

Founded in 1993, Yaoxing Aluminum has over 30 years of expertise in high-quality aluminum profiles, focusing on aluminum linear lighting systems and aluminum-based decorative lighting solutions. We provide professional OEM/ODM services and one-stop solutions—from custom profile R&D and mold development to integrated lighting design and technical support—tailored to global clients' architectural and decorative needs.

Our production base spans 40,000 square meters, equipped with advanced manufacturing facilities: 6 extrusion lines, 1 anodizing line, 1 modern powder coating line, 2 wood grain transfer lines, and 1 sandblasting line. Complemented by supporting workshops for CNC precision processing and door/window assembly, our production capacity exceeds 1,500 tons per month, ensuring efficient delivery of premium products.

Our diverse portfolio covers embedded, surface-mounted, bending, and application-specific linear lamps for residential, commercial, and architectural scenarios. Crafted with high-grade aluminum profiles and reliable LED technology, our products offer durability, flexible installation, and sleek aesthetics—ideal for offices, malls, hotels, residences, and high-end projects.

Rooted in professionalism and innovation, we leverage aluminum's inherent advantages (corrosion resistance, easy maintenance, structural stability, thermal conductivity) and cutting-edge lighting technology to deliver reliable, energy-efficient solutions that enhance spaces.


## PRODUCTION PROCESS



01 Raw Materials



02 Extrusion Of The Front Section



03 Into The Aging Furnace



04 Sandblasting Process



05 Oxidation Process



06 Packaing Process


## INDEX 目录索引

LINEAR LAMP SERIES 线性灯系列	P04-P13
CLOTHES CABINET SERIES 衣橱柜系列	P14-P16
SILICONE RUBBER SLEEVE SLOT SERIES 硅胶套管卡槽系列	P17-P18
EMBEDDED LACE LINEAR LIGHT SERIES 预埋花边线性灯系列	P19-P23
LIGHT RETURN GROOVE/WAIST LINE/TOP ANGLE LINEAR LAMP SERIES 回光槽 / 腰线 / 顶角线性灯系列	P24-P28
FOOTLINE LIGHT SERIES 踢脚线灯系列	P29-P30
GROUND STEP LINEAR LAMP SERIES 地踩线性灯系列	P31-P32
OFFICE LINEAR LAMP SERIES 办公线性灯系列	P33-P38
BENDING LINEAR LAMP SERIES 折弯线性灯系列	P39-P46
LED PROFILE KIT INSTALLATION METHOD LED 型材套件安装方式	P47-P48



## LINEAR LAMP SERIES

线性灯系列




### ■ Aluminum Profile Kits


The function and application mode of linear aluminum kit breaks through the constraints of traditional lighting system. Lamps and building materials, decorative materials, clever fusion, to create a “space lighting integration” of the scene application, can realize more creative modeling.

## LINE SERIES FOR HIDDEN LAYERS


暗装款线条系列




**Model: 101B**  
Size: 12x9mm  
Apply: 6mm soft light strip / hard light strip




**Model: 624B**  
Size: 17x3mm  
Apply: 8mm soft light strip / hard light strip




**Model: 618B**  
Size: 19x7.8mm  
Apply: 10mm soft light strip / hard light strip




**Model: 102B**  
Size: 15x10mm  
Apply: 8mm soft light strip / hard light strip




**Model: 618C**  
Size: 14x6mm  
Apply: 8mm soft light strip / hard light strip




**Model: 618**  
Size: 21.7x5.7mm  
Apply: 11mm soft light strip / hard light strip




**Model: 102D**  
Size: 15x10mm  
Apply: 8mm soft light strip / hard light strip




**Model: 1210B**  
Size: 16x10mm  
Apply: 10mm soft light strip / hard light strip




**Model: 530B**  
Size: 18.4x8.5mm  
Apply: 13mm soft light strip / hard light strip




**Model: 108B**  
Size: 15.6x10mm  
Apply: 8mm soft light strip / hard light strip




**Model: 1212A**  
Size: 17.4x12mm  
Apply: 10mm soft light strip / hard light strip




**Model: 530B**  
Size: 22.4x14.5mm  
Apply: 12mm soft light strip / hard light strip




**Model: 1510B**  
Size: 20.95x10mm  
Apply: 12mm soft light strip / hard light strip




**Model: 1312B**  
Size: 17x12mm  
Apply: 10mm soft light strip / hard light strip



**Model: 508**  
Size: 24.7x7mm  
Apply: 12mm soft light strip / hard light strip



**Model: 605A**  
Size: 21x12mm  
Apply: 12mm soft light strip / hard light strip




**Model: 127B**  
Size: 24x12mm  
Apply: 12mm soft light strip / hard light strip




## LINE SERIES FOR HIDDEN LAYERS

暗装款线条系列




## LINE SERIES FOR HIDDEN LAYERS

暗装款线条系列




## LINE SERIES FOR OPEN INSTALLATION

明装款线条系列




## LINE SERIES FOR OPEN INSTALLATION

明装款线条系列




## LINE SERIES FOR OPEN INSTALLATION

明装款线条系列




## LINE SERIES FOR OPEN INSTALLATION

明装款线条系列




## LINE SERIES FOR OPEN INSTALLATION

明装款线条系列




TRIANGULAR LINE SERIES  
三角线条系列



CLOTHES CABINET SERIES


衣櫥柜系列




Aluminum Profile Kits

The function and application mode of linear aluminum kit breaks through the constraints of traditional lighting system. Lamps and building materials, decorative materials, clever fusion, to create a “space lighting integration” of the scene application, can realize more creative modeling.


CLOTHES CABINET SERIES  
衣櫥柜系列




**Model: A001**  
Size: 11x11mm  
Apply: 5mm soft light strip / hard light strip




**Model: A004**  
Size: 18x8.5mm  
Apply: 5mm soft light strip / hard light strip



**Model: 201**  
Size: 24x9mm  
Apply: 6mm soft light strip / hard light strip




**Model: A035**  
Size: 18x9.3mm  
Apply: 5mm soft light strip / hard light strip




**Model: A002**  
Size: 14.5x9.5mm  
Apply: 5mm soft light strip / hard light strip




**Model: 204**  
Size: 31.5x12.5mm  
Apply: 8mm soft light strip / hard light strip




**Model: A019**  
Size: 20x10.7mm  
Apply: 8mm soft light strip / hard light strip




**Model: CNA066**  
Size: 11.6x10.4mm  
Apply: 5mm soft light strip / hard light strip




**Model: A102**  
Size: 23.5x11.7mm  
Apply: 5mm soft light strip / hard light strip




**Model: 104**  
Size: 30x20mm  
Apply: 12mm soft light strip / hard light strip




**Model: A025**  
Size: 10x5.6mm  
Apply: 8mm soft light strip / hard light strip




**Model: A002-A**  
Size: 15x8.7mm  
Apply: 5mm soft light strip / hard light strip



**Model: A003**  
Size: 6.7x9.3mm  
Apply: 5mm soft light strip / hard light strip



**Model: A017**  
Size: 12.7x10mm  
Apply: 8mm soft light strip / hard light strip




**Model: A027**  
Size: 28x8.6mm  
Apply: 5mm soft light strip / hard light strip



# NR3

## SILICONE RUBBER SLEEVE SLOT SERIES

硅胶套管卡槽系列




### Aluminum Profile Kits

The function and application mode of linear aluminum kit breaks through the constraints of traditional lighting system. Lamps and building materials, decorative materials, clever fusion, to create a “space lighting integration” of the scene application, can realize more creative modeling.

## SILICONE RUBBER SLEEVE SLOT SERIES


硅胶套管卡槽系列



# EA

## EMBEDDED LACE LINEAR LIGHT SERIES

预埋花边线性灯系列



### Aluminum Profile Kits

The function and application mode of linear aluminum kit breaks through the constraints of traditional lighting system. Lamps and building materials, decorative materials, clever fusion, to create a “space lighting integration” of the scene application, can realize more creative modeling.

























## EMBEDDED LACE LINEAR LIGHT SERIES

预埋花边线性灯系列

	<p><b>Model: 1312</b> Size: 52.5x12.5mm Apply: 10mm soft light strip / hard light strip</p>		<p><b>Model: 1312 External Corner</b> Size: 48x21.5mm Apply: 10mm soft light strip / hard light strip</p>		<p><b>Model: 1512A</b> Size: 35x12.5mm Apply: 15mm soft light strip / hard light strip</p>
	<p><b>Model: 1312B</b> Size: 52.5x12.5mm Apply: 10mm soft light strip / hard light strip</p>		<p><b>Model: 1312 Internal Corner</b> Size: 48x26.5mm Apply: 10mm soft light strip / hard light strip</p>		<p><b>Model: 1512C</b> Size: 35x12.5mm Apply: 13mm soft light strip / hard light strip</p>
	<p><b>Model: 1312A</b> Size: 32.5x12.5mm Apply: 10mm soft light strip / hard light strip</p>		<p><b>Model: 1512</b> Size: 55x12.5mm Apply: 13mm soft light strip / hard light strip</p>		<p><b>Model: 2012</b> Size: 60x12.5mm Apply: 18mm soft light strip / hard light strip</p>
	<p><b>Model: 1312C</b> Size: 32.5x12.5mm Apply: 10mm soft light strip / hard light strip</p>		<p><b>Model: 1512B</b> Size: 55x12.5mm Apply: 13mm soft light strip / hard light strip</p>		<p><b>Model: 2012B</b> Size: 60x12.5mm Apply: 18mm soft light strip / hard light strip</p>

























## EMBEDDED LACE LINEAR LIGHT SERIES

预埋花边线性灯系列























 <p><b>Model: 2012A</b> Size: 40x12.5mm Apply: 18mm soft light strip / hard light strip</p> 	 <p><b>Model: HB152</b> Size: 33x13mm Apply: 10mm soft light strip / hard light strip</p> 	 <p><b>Model: 639C</b> Size: 55.5x13mm Apply: 12mm soft light strip / hard light strip</p> 
 <p><b>Model: 2012C</b> Size: 40x12.5mm Apply: 18mm soft light strip / hard light strip</p> 	 <p><b>Model: HB147</b> Size: 32x13mm Apply: 10mm soft light strip / hard light strip</p> 	 <p><b>Model: 639D</b> Size: 55.5x13mm Apply: 12mm soft light strip / hard light strip</p> 
 <p><b>Model: HB144</b> Size: 52.5x13mm Apply: 13mm soft light strip / hard light strip</p> 	 <p><b>Model: HB148</b> Size: 33x12mm Apply: 10mm soft light strip / hard light strip</p> 	 <p><b>Model: 639B</b> Size: 55.5x14.5mm Apply: 12mm soft light strip / hard light strip</p> 
 <p><b>Model: HB143</b> Size: 52.5x13mm Apply: 9mm soft light strip / hard light strip</p> 	 <p><b>Model: HB639</b> Size: 56x15mm Apply: 13mm soft light strip / hard light strip</p> 	 <p><b>Model: HB03B</b> Size: 35x15mm Apply: 13mm soft light strip / hard light strip</p> 

## EMBEDDED LACE LINEAR LIGHT SERIES

预埋花边线性灯系列

 <p><b>Model: 2001</b> Size: 35x14mm Apply: 13mm soft light strip / hard light strip</p> 	 <p><b>Model: 649</b> Size: 40x32mm Apply: 12mm soft light strip / hard light strip</p> 	 <p><b>Model: 125A</b> Size: 62x14mm Apply: 20mm soft light strip / hard light strip</p> 
 <p><b>Model: HB646</b> Size: 53x24mm Apply: 13mm soft light strip / hard light strip</p> 	 <p><b>Model: 2006D</b> Size: 60x13mm Apply: 17mm soft light strip / hard light strip</p> 	 <p><b>Model: 125C</b> Size: 63x14mm Apply: 20mm soft light strip / hard light strip</p> 
 <p><b>Model: HB647</b> Size: 48x27mm Apply: 13mm soft light strip / hard light strip</p> 	 <p><b>Model: 2006E</b> Size: 60x13mm Apply: 17mm soft light strip / hard light strip</p> 	 <p><b>Model: 1312 Decorative Trim</b> Size: 70x20mm Apply: 27mm soft light strip / hard light strip</p> 
 <p><b>Model: 648</b> Size: 64x21mm Apply: 12mm soft light strip / hard light strip</p> 	 <p><b>Model: HB25B</b> Size: 64x14mm Apply: 21mm soft light strip / hard light strip</p> 	 <p><b>Model: 2002</b> Size: 76x25mm Apply: 28mm soft light strip / hard light strip</p> 

EMBEDDED LACE LINEAR  
LIGHT SERIES  
预埋花边线性灯系列

 <p><b>Model: CN642</b> Size: 72x35mm Apply: 29mm soft light strip / hard light strip</p> 	 <p><b>Model: 4320</b> Size: 44x18.5mm Apply: 13mm soft light strip / hard light strip</p> 	 <p><b>Model: 1312</b> Single-Layer Decorative Trim Size: 33x16mm Apply: 8mm soft light strip / hard light strip</p> 
 <p><b>Model: C2005A</b> Size: 96x50mm Apply: 44mm soft light strip / hard light strip</p> 	 <p><b>Model: 4320A</b> Size: 42.5x18.6mm Apply: 13mm soft light strip / hard light strip</p> 	 <p><b>Model: YQ005A</b> Size: 44x27.6mm Apply: 14mm soft light strip / hard light strip</p> 
 <p><b>Model: 2005</b> Size: 96x25mm Apply: 48mm soft light strip / hard light strip</p> 	 <p><b>Model: 149</b> Size: 19.5x38.5mm Apply: 12mm soft light strip / hard light strip</p> 	 <p><b>Model: YQ005</b> Size: 19x40mm Apply: 14mm soft light strip / hard light strip</p> 
 <p><b>Model: 4125</b> Size: 41x24.5mm Apply: 15mm soft light strip / hard light strip</p> 	 <p><b>Model: HB2010</b> Size: 13x38mm Apply: 10mm soft light strip / hard light strip</p> 	

05

LIGHT RETURN GROOVE/WAIST  
LINE/TOP ANGLE LINEAR LAMP  
SERIES

























回光槽 / 腰线 / 顶角线性灯系列



























Aluminum Profile Kits

The function and application mode of linear aluminum kit breaks through the constraints of traditional lighting system. Lamps and building materials, decorative materials, clever fusion, to create a “space lighting integration” of the scene application, can realize more creative modeling.

LIGHT RETURN GROOVE/WAIST LINE/TOP  
ANGLE LINEAR LAMP SERIES  
回光槽 / 腰线 / 顶角线性灯系列


 <p><b>Model: HB003</b> Size: 37x50mm Apply: 14mm soft light strip / hard light strip</p> 	 <p><b>Model: 129</b> Size: 77x52.4mm Apply: 14mm soft light strip / hard light strip</p> 	 <p><b>Model: HB38A</b> Size: 40.6x49mm Apply: 12mm soft light strip / hard light strip</p> 
 <p><b>Model: 195</b> Size: 81x22mm Apply: 10mm soft light strip / hard light strip</p> 	 <p><b>Model: 3009</b> Size: 99x34.4mm Apply: 12mm soft light strip / hard light strip</p> 	 <p><b>Model: 187</b> Size: 79.4x50mm Apply: 12mm soft light strip / hard light strip</p> 
 <p><b>Model: 195A</b> Size: 97x25mm Apply: 12mm soft light strip / hard light strip</p> 	 <p><b>Model: 128</b> Size: 95.5x72mm Apply: 20mm soft light strip / hard light strip</p> 	 <p><b>Model: 137</b> Size: 76x45mm Apply: 11mm soft light strip / hard light strip</p> 
 <p><b>Model: 195B</b> Size: 100x43mm Apply: 20mm soft light strip / hard light strip</p> 	 <p><b>Model: 138</b> Size: 41x51mm Apply: 12mm soft light strip / hard light strip</p> 	 <p><b>Model: 188A</b> Size: 70x68mm Apply: 10mm soft light strip / hard light strip</p> 

LIGHT RETURN GROOVE/WAIST LINE/TOP  
ANGLE LINEAR LAMP SERIES  
回光槽 / 腰线 / 顶角线性灯系列

 <p><b>Model: 188</b> Size: 70x68mm Apply: 10mm soft light strip / hard light strip</p> 	 <p><b>Model: 9058</b> Size: 90.5x58mm Apply: 12mm soft light strip / hard light strip</p> 	 <p><b>Model: 115-1</b> Size: 32x16mm Apply: 15mm soft light strip / hard light strip</p> 
 <p><b>Model: 185</b> Size: 85.5x57mm Apply: 20mm soft light strip / hard light strip</p> 	 <p><b>Model: YQ011C</b> Size: 86x75mm Apply: 18mm soft light strip / hard light strip</p> 	 <p><b>Model: 115A-1</b> Size: 50x16mm Apply: 15mm soft light strip / hard light strip</p> 
 <p><b>Model: HB011</b> Size: 86x57mm Apply: 20mm soft light strip / hard light strip</p> 	 <p><b>Model: 115</b> Size: 38x11mm Apply: 9mm soft light strip / hard light strip</p> 	 <p><b>Model: 115-2</b> Size: 59x11.4mm Apply: 9mm soft light strip / hard light strip</p> 
 <p><b>Model: HB011A</b> Size: 86x57mm Apply: 20mm soft light strip / hard light strip</p> 	 <p><b>Model: 115A</b> Size: 38x11mm Apply: 9mm soft light strip / hard light strip</p> 	 <p><b>Model: 115A-2</b> Size: 59x57mm Apply: 9mm soft light strip / hard light strip</p> 


## LIGHT RETURN GROOVE/WAIST LINE/TOP ANGLE LINEAR LAMP SERIES

回光槽 / 腰线 / 顶角线性灯系列



## LIGHT RETURN GROOVE/WAIST LINE/TOP ANGLE LINEAR LAMP SERIES


回光槽 / 腰线 / 顶角线性灯系列





# FOOTLINE LIGHT SERIES

踢脚线灯系列



## FOOTLINE LIGHT SERIES

踢脚线灯系列

	<p><b>Model: YQ013</b> Size: 46x13mm Apply: 10mm soft light strip / hard light strip</p>		<p><b>Model: 2009</b> Size: 13.6x60mm Apply: 10mm soft light strip / hard light strip</p>		<p><b>Model: 4817BD</b> Size: 48x17mm Apply: 15mm soft light strip / hard light strip</p>
	<p><b>Model: YQ010</b> Size: 50x13mm Apply: 10mm soft light strip / hard light strip</p>		<p><b>Model: 6016</b> Size: 15x60mm Apply: 8mm soft light strip / hard light strip</p>		<p><b>Model: 7525BD</b> Size: 75x25mm Apply: 20mm soft light strip / hard light strip</p>
	<p><b>Model: YQ090</b> Size: 50x12.7mm Apply: 8mm soft light strip / hard light strip</p>		<p><b>Model: YQ012</b> Size: 15x80mm Apply: 8mm soft light strip / hard light strip</p>		<p><b>Model: 205</b> Size: 64x27.5mm Apply: 12mm soft light strip / hard light strip</p>
	<p><b>Model: 7114</b> Size: 71x14mm Apply: 10mm soft light strip / hard light strip</p>		<p><b>Model: 2635</b> Size: 26x37mm Apply: 13mm soft light strip / hard light strip</p>		


### Aluminum Profile Kits

The function and application mode of linear aluminum kit breaks through the constraints of traditional lighting system. Lamps and building materials, decorative materials, clever fusion, to create a "space lighting integration" of the scene application, can realize more creative modeling.

# n7










## GROUND STEP LINEAR LAMP SERIES

地踩线性灯系列



## GROUND STEP LINEAR LAMP SERIES

地踩线性灯系列

	<p><b>Model: CN4001</b> Size: 20x10mm Apply: 12mm soft light strip / hard light strip</p> 		<p><b>Model: CN635</b> Size: 30x20mm Apply: 26mm soft light strip / hard light strip</p> 		<p><b>Model: CN632B</b> Size: 25x26mm Apply: 13mm soft light strip / hard light strip</p> 
	<p><b>Model: CN633</b> Size: 20x20mm Apply: 13mm soft light strip / hard light strip</p> 		<p><b>Model: CN4002</b> Size: 30x25mm Apply: 21mm soft light strip / hard light strip</p> 		<p><b>Model: CN635A</b> Size: 41.6x20mm Apply: 26mm soft light strip / hard light strip</p> 
	<p><b>Model: CN634</b> Size: 20x15mm Apply: 13mm soft light strip / hard light strip</p> 		<p><b>Model: CN632A</b> Size: 28x11mm Apply: 12mm soft light strip / hard light strip</p> 		
	<p><b>Model: CN632</b> Size: 19.5x26mm Apply: 12mm soft light strip / hard light strip</p> 				


### Aluminum Profile Kits

The function and application mode of linear aluminum kit breaks through the constraints of traditional lighting system. Lamps and building materials, decorative materials, clever fusion, to create a “space lighting integration” of the scene application, can realize more creative modeling.



# OFFICE LINEAR LAMP SERIES

办公线性灯系列



























## Aluminum Profile Kits

The function and application mode of linear aluminum kit breaks through the constraints of traditional lighting system. Lamps and building materials, decorative materials, clever fusion, to create a “space lighting integration” of the scene application, can realize more creative modeling.


## OFFICE LAMP SERIES WITH HIDDEN LAMP

暗装办公灯系列

	<p><b>Model: 131B</b> Size: 63.5x35mm Apply: 44mm soft light strip / hard light strip</p> 		<p><b>Model: 4035B</b> Size: 56x35mm Apply: 38mm soft light strip / hard light strip</p> 		<p><b>Model: 7535B</b> Size: 90x35mm Apply: 72mm soft light strip / hard light strip</p> 
	<p><b>Model: 151B</b> Size: 71x32mm Apply: 37mm soft light strip / hard light strip</p> 		<p><b>Model: 5035B</b> Size: 65x35mm Apply: 47mm soft light strip / hard light strip</p> 		<p><b>Model: 8035B</b> Size: 96x35mm Apply: 78mm soft light strip / hard light strip</p> 
	<p><b>Model: 156B</b> Size: 75x35mm Apply: 50mm soft light strip / hard light strip</p> 		<p><b>Model: 6035B</b> Size: 76x34mm Apply: 58mm soft light strip / hard light strip</p> 		<p><b>Model: 10035B</b> Size: 116x35mm Apply: 98mm soft light strip / hard light strip</p> 
	<p><b>Model: 3535B</b> Size: 51x35mm Apply: 33mm soft light strip / hard light strip</p> 		<p><b>Model: 7035B</b> Size: 86x35mm Apply: 68mm soft light strip / hard light strip</p> 		<p><b>Model: 12035B</b> Size: 136x35mm Apply: 118mm soft light strip / hard light strip</p> 


## OFFICE LAMP SERIES WITH HIDDEN LAMP

暗装办公灯系列




## OFFICE LIGHTING SERIES WITH INTEGRATED LIGHTING

明装办公灯系列




## OFFICE LIGHTING SERIES WITH INTEGRATED LIGHTING

明装办公灯系列




## OFFICE LIGHTING SERIES WITH INTEGRATED LIGHTING

明装办公灯系列



## DOUBLE-LAYER OFFICE LIGHT SERIES

双层办公灯系列





## BENDING LINEAR LAMP SERIES

折弯线性灯系列

### ■ Aluminum Profile Kits



The function and application mode of linear aluminum kit breaks through the constraints of traditional lighting system. Lamps and building materials, decorative materials, clever fusion, to create a “space lighting integration” of the scene application, can realize more creative modeling.



1312 Decorative Trim  
1512 Decorative Trim  
2012 Decorative Trim




**BENDING DIRECTION**  
折弯方向




**BENDING LINEAR LIGHT**  
折弯线性灯

**BENTABLE PROFILE**  
可折弯型材




40-200 Width also can be customized

Both Aluminum Profiles And PC Covers Are Assembled,  
With Customizable Width, Detachable For Maintenance.  
Material Length: 2.9/3.5/4.1m  
Minimum Bending Radius: Inner Dimension R≥120mm  
Lamp Cover: PC Cover




**L067**

Available In 40/50/55/70/80/100mm Widths,  
Compatible With CN901/CN902/I067A/CN903  
/CN904/CN905 Straight Bars For Versatile  
Shaping & Cutting, With PC Cover Included.




**L068A**

Available In 40/50/70/80/100/120mm Widths,  
Compatible With CN901B/CN902B/CN903B/CN904B  
/CN905B/CN906B Straight Bars For Versatile  
Shaping & Cutting, With Pc Cover Included.




**L068B**


Available In 40/50/70/80/100/120mm Widths,  
Compatible With CN901A/CN902A/CN903A/CN904A  
/CN905A/CN906A Straight Bars For Versatile  
Shaping & Cutting, With Pc Cover Included.



**L068G L068K O35 O35B L067B**



**L068A L068B L067 L067C L088K**




**CN908B** Material Length: 6m  
Minimum Bending Radius:  
Only For Inner And Outer Bends R > 2000  
No Side Bending  
With PC Cover

**CN907B** Material Length: 6m  
Minimum Bending Radius:  
Only For Inner And Outer Bends R > 1500  
No Side Bending  
With PC Cover

**CN906B** Material Length: 6m  
Minimum Bending Radius:  
Only For Inner And Outer Bends R > 800  
No Side Bending  
With PC Cover

**CN905B** Material Length: 6m  
Minimum Bending Radius:  
Only For Inner And Outer  
Bends R > 400  
No Side Bending  
With PC Cover

**CN904B** Material Length: 6m  
Minimum Bending Radius:  
Only For Inner And Outer  
Bends R > 400  
No Side Bending  
With Pc Cover



**CN903B** Material Length: 6m  
Minimum Bending Radius:  
Only For Inner And Outer  
Bends R > 400  
No Side Bending  
With PC Cover


**CN902B** Material Length: 6m  
Minimum Bending Radius:  
Only For Inner And Outer  
Bends R > 400  
No Side Bending  
With PC Cover

**CN901B** Material Length: 6m  
Minimum Bending Radius:  
Only For Inner And Outer  
Bends R > 400  
No Side Bending  
With PC Cover

**L3020A** Material Length: 3.06m  
Minimum Bending Radius:  
Side Bend R>200mm  
Inner And Outer Bend R>150mm  
PC/silicone Cover/PP

**L3020A** Material Length: 3.06m  
Minimum Bending Radius:  
Side Bend R>200mm  
Inner And Outer Bend R>150mm  
PC/silicone Cover/PP

**L3010B** Material Length: 3.06m  
Minimum Bending Radius:  
Side Bend R>300mm  
Inner And Outer Bend R>150mm  
PC/silicone Cover/PP



**L2020A** Material Length: 3.06m  
Minimum Bending Radius:  
Side Bend R>150mm  
Inner And Outer Bend  
R>120mm  
PC/silicone Cover/PP

**L2020B** Material Length: 3.06m  
Minimum Bending Radius:  
Side Bend R>150mm  
Inner And Outer Bend  
R>120mm  
PC/silicone Cover/PP


**L2015A** Material Length: 3.06m  
Minimum Bending Radius:  
Side Bend R>300mm  
Inner And Outer Bend  
R>150mm  
PC/silicone Cover/PP

**L2015B** Material Length: 3.06m  
Minimum Bending Radius:  
Side Bend R>300mm  
Inner And Outer Bend  
R>150mm  
PC/silicone Cover/PP

**L2010A** Material Length: 3.06m  
Minimum Bending Radius:  
Side Bend R>300mm  
Inner And Outer Bend  
R>150mm  
PC/silicone Cover/PP

**L2010B** Material Length: 3.06m  
Minimum Bending Radius:  
Side Bend R>300mm  
Inner And Outer Bend  
R>150mm  
PC/silicone Cover/PP

**L1515A** Material Length: 3.06m  
Minimum Bending Radius:  
Side Bend R>200mm  
Inner And Outer Bend  
R>150mm  
PC/silicone Cover



**L1515B** Material Length: 3.06m  
Minimum Bending Radius:  
Side Bend R>200mm  
Inner And Outer Bend  
R>150mm  
PC/silicone Cover

**L1409A** Material Length: 3.06m  
Minimum Bending Radius:  
Side Bend R>200mm  
Inner And Outer Bend  
R>150mm  
PC/silicone Cover


**L1409B** Material Length: 3.06m  
Minimum Bending Radius:  
Side Bend R>200mm  
Inner And Outer Bend  
R>150mm  
PC/silicone Cover

**L124** Material Length: 2.9/3.5/4.1m  
Minimum Bending Radius:  
Side Bend R > 200mm  
Inner And Outer Bend R > 200mm  
Lamp Cover: Silicone Cover/PP


**L124B** Material Length: 2.9/3.5/4.1m  
Minimum Bending Radius:  
Side Bend R > 250mm  
Inner And Outer Bend R > 250mm  
Lamp Cover: Silicone Cover/PP

**L125** Material Length: 2.9/3.5/4.1m  
Minimum Bending Radius:  
Side Bend R > 350mm  
Inner And Outer Bend R > 200mm  
Lamp Cover: Silicone Cover/PP


**L126** Material Length: 2.9/3.5/4.1m  
Minimum Bending Radius:  
Side Bend R > 300mm  
Inner And Outer Bend R > 200mm  
Lamp Cover: Silicone Cover/PP




**L706B**  
Material Length: 2.9/3.5/4.1m  
Minimum Bending Radius:  
Side Bend R > 400mm  
Inner And Outer Bend R > 300mm  
Lamp Cover: PP




**L126A**  
Material Length: 2.9/3.6/4.1m  
Minimum Bending Radius:  
Side Bend R > 300mm  
Inner And Outer Bend R > 200mm  
Lamp Cover: Silicone/PP (Ground Step)



**L126B**  
Material Length: 2.9/3.6/4.1m  
Minimum Bending Radius:  
Side Bend R > 300mm  
Inner And Outer Bend R > 200mm  
Lamp Cover: Silicone/PP (Ground Step)




**L127**  
Material Length: 2.9/3.5/4.1m  
Minimum Bending Radius:  
Side Bend R > 450mm  
Inner And Outer Bend R > 300mm  
Lamp Cover: Silicone/PP



**L127B**  
Material Length: 2.9/3.5/4.1m  
Minimum Bending Radius:  
Side Bend R > 450mm  
Inner And Outer Bend R > 300mm  
Lamp Cover: Silicone/PP




**BENDING LINEAR LIGHT | STANDARD**  
折弯线性灯 库存标准尺寸




Lighting up/down  
上下发光


Magnetic track  
磁吸轨道




**L078**  
Material Length: 2.9/3.5/4.1m  
Minimum Bending Radius:  
Side Bend R > 200mm  
Inner And Outer Bend R > 200mm  
Lamp Cover: PC/Silicone Cover




**L079**  
Material Length: 2.9/3.5/4.1m  
Minimum Bending Radius:  
Side Bend R > 400mm  
Inner And Outer Bend R > 300mm  
Lamp Cover: PC/Silicone Cover




**R20**  
Material Length: 3.06m  
Minimum Bending Radius: R > 300  
Magnetic Track For Side Bend Splint




**S20**  
Material Length: 3.06m  
Minimum Bending Radius: R > 300  
Exposed Magnetic Track For Side Bend Splint




**WW3010B**  
Material Length: 3.06m  
Minimum Bending Radius: R > 300  
Silicone Cover




**HK3020**  
Material Length: 3.06m  
Minimum Bending Radius: R > 300  
Silicone Cover/Ground Step  
Reinforced Thickened PP




ZDW067-R200/R300/R400



Rimless profile




**HB1515**  
Material Length: 3.06m  
Minimum Bending Radius: R > 400  
Silicone Cover




**HB2015**  
Material Length: 3.06m  
Minimum Bending Radius: R > 400  
With Silicone Cover


Skirting line




**T40**  
Material Length: 3.06m  
Minimum Bending Radius: R > 300  
Silicone Cover/Ground Step  
Reinforced Thickened PP/PC Cover



**T70**  
Material Length: 3.06m  
Minimum Bending Radius: R > 300  
PC Cover




**WW5020**  
Material Length: 3.06m  
Minimum Bending Radius: R > 400  
Silicone Cover/Ground Step  
Reinforced Thickened PP




**WW6020**  
Material Length: 3.06m  
Minimum Bending Radius: R > 400  
Only For Inner And Outer Bends  
No Side Bending  
With Silicone Cover

# 10 LED PROFILE KIT INSTALLATION METHOD

## LED 型材套件安装方式



### ▲ 安装配件



### ■ Aluminum Profile Kits

The function and application mode of linear aluminum kit breaks through the constraints of traditional lighting system. Lamps and building materials, decorative materials, clever fusion, to create a “space lighting integration” of the scene application, can realize more creative modeling.