

UPKTECH ULF-M-TN L Type Loader

I. Product description

This equipment is used to operate the upper board or lower board of the circuit board on SMT production line.




II. Features

- Strong, firm and stable design
- User friendly 'soft touch' LED membrane control panel
- Top&bottom pneumatic clamps to secure magazine rack
- No PCB breakage guaranty because of special gas circuit design
- Automatic diagnosing fault code display function
- Wear-resistant cable and have long service life
- SMEMA compatible

III. Technical Parameters

UPKTECH ULF-M-TN	
Description	This equipment is used for board loading operations of circuit boards of SMT production line manufacturers.
No of magazine	1
Time feed PCB	About 6 seconds or customer specified
Magazine replacement time	About 30 seconds or customer specified
Indexing pitch	10.20.30.40mm or customer specified
Power supply	AC1P 110V/220V
Power	Max 300VA
Transmission height	900±20 or customer specified
Air pressure and air flow	4-6bar, 10L/1min max
Transmission direction	left-right or right-left

IV. Operation diagram



V. Customer scenario application diagram





UPKTECH TECHNOLOGY LIMITED

2nd Floor, Building 2, No. 5, 8th Road, Songgang Street, Bao'an District,
Shenzhen, Guangdong

Tel: +86 138 2525 8612 Postcode: 518105

