

Type	kW Rated Power	V Rated Voltage	A Rated Current	r/min Rated Speed	% Efficiency	Cosφ Power Factor	Locked Torque	Locked Current	Max Torque	N.m Rated Torque	dB(A) NO-Load Noise	Kg Weight
							Rated Torque	Rated Current	Rated Torque			
Synchronous Speed 3000r/min												
YE4-80M1-2	0.75	380	1.6	2880	83.5	0.83	2.2	8.5	2.3	2.4	62	19
YE4-80M2-2	1.1	380	2.4	2880	85.2	0.83	2.2	8.5	2.3	3.5	62	20
YE4-90S-2	1.5	380	3.1	2890	86.5	0.85	2.2	9.0	2.3	4.8	67	25
YE4-90L-2	2.2	380	4.4	2890	88.0	0.86	2.2	9.0	2.3	7.0	67	26
YE4-100L-2	3	380	5.9	2910	89.1	0.87	2.2	9.5	2.3	9.6	74	36
YE4-112M-2	4	380	7.7	2910	90.0	0.88	2.2	9.5	2.3	12.8	77	48
YE4-132S1-2	5.5	380	10.4	2945	90.9	0.88	2.0	9.5	2.3	17.5	79	63
YE4-132S2-2	7.5	380	14.0	2940	91.7	0.89	2.0	9.5	2.3	23.9	79	67
YE4-160M1-2	11	380	20.3	2950	92.6	0.89	2.0	9.5	2.3	35.0	81	125
YE4-160M2-2	15	380	27.4	2950	93.3	0.89	2.0	9.5	2.3	47.8	81	138
YE4-160L-2	18.5	380	33.7	2950	93.7	0.89	2.0	9.5	2.3	58.9	81	162
YE4-180M-2	22	380	40.0	2965	94.0	0.89	2.0	9.5	2.3	70.0	83	170
YE4-200L1-2	30	380	54.2	2970	94.5	0.89	2.0	9.0	2.3	95.5	84	235
YE4-200L2-2	37	380	66.6	2975	94.8	0.89	2.0	9.0	2.3	117.8	84	260
YE4-225M-2	45	380	80.9	2975	95.0	0.89	2.0	9.0	2.3	143.3	86	330
YE4-250M-2	55	380	98.5	2980	95.3	0.89	2.0	9.0	2.3	175.1	89	410
YE4-280S-2	75	380	134	2980	95.6	0.89	1.8	8.5	2.3	238.8	91	466
YE4-280M-2	90	380	160	2980	95.8	0.89	1.8	8.5	2.3	286.5	91	559
YE4-280L-2	110	380	196	2975	96.0	0.89	1.8	8.5	2.3	350.2	92	660
YE4-315S-2	110	380	196	2975	96.0	0.89	1.8	8.5	2.3	350.2	92	895
YE4-315M-2	132	380	234	2975	96.2	0.89	1.8	8.5	2.3	420.2	92	975
YE4-315L1-2	160	380	284	2975	96.3	0.89	1.8	8.5	2.2	509.3	92	1040
YE4-315L-2	185	380	328	2975	96.4	0.89	1.8	8.5	2.2	588.9	92	1090

YE4-315L2-2	200	380	354	2975	96.5	0.89	1.8	8.5	2.2	636.7	92	1090
YE4-315L3-2	220	380	385	2985	96.5	0.90	1.6	8.5	2.2	700.3	100	1190
YE4-355M1-2	220	380	385	2985	96.5	0.90	1.6	8.5	2.2	700.3	100	1600
YE4-355M-2	250	380	433	2985	96.5	0.91	1.6	8.5	2.2	795.8	100	1670
YE4-355L1-2	280	380	484	2985	96.5	0.91	1.6	8.5	2.2	891.3	100	1790
YE4-355L-2	315	380	545	2985	96.5	0.91	1.6	8.5	2.2	1003	100	1820
YE4-355L2-2	355	380	621	2985	96.5	0.90	0.9	8.6	1.8	1130	100	1860
YE4-3551-2	355	380	621	2985	96.5	0.90	0.9	8.6	1.8	1130	97	2665
YE4-3552-2	400	380	700	2985	96.5	0.90	0.9	8.6	1.8	1273	97	2730
YE4-3553-2	450	380	787	2985	96.5	0.90	0.8	8.6	1.8	1433	97	2775
YE4-4001-2	500	380	875	2985	96.5	0.90	0.8	8.6	1.8	1592	97	3330
YE4-4002-2	560	380	969	2985	96.5	0.91	0.8	8.7	1.8	1783	97	3595
YE4-4003-2	630	660	628	2985	96.5	0.91	0.8	8.7	1.8	2006	97	3675
YE4-4501-2	710	660	707	2985	96.5	0.91	0.6	8.0	1.8	2260	97	4475
YE4-4502-2	800	660	797	2985	96.5	0.91	0.6	8.0	1.8	2547	97	4850
YE4-4503-2	900	660	897	2985	96.5	0.91	0.6	8.0	1.8	2865	97	5220
YE4-4504-2	1000	660	985	2985	96.5	0.92	0.6	8.1	1.8	3183	97	5595
Synchronous Speed 1500r/min												
YE4-80M1-4	0.55	380	1.4	1435	83.9	0.73	2.3	8.5	2.3	4.7	56	18
YE4-80M2-4	0.75	380	1.8	1435	85.7	0.74	2.3	8.5	2.3	4.8	56	18
YE4-90S-4	1.1	380	2.6	1440	87.2	0.75	2.3	8.5	2.3	7.0	59	24
YE4-90L-4	1.5	380	3.4	1440	88.2	0.76	2.3	9.0	2.3	9.6	59	28
YE4-100L1-4	2.2	380	4.7	1450	89.5	0.79	2.3	9.0	2.3	14.0	64	30
YE4-100L2-4	3	380	6.3	1450	90.4	0.80	2.3	9.5	2.3	19.0	64	35
YE4-112M-4	4	380	8.3	1450	91.1	0.80	2.2	9.5	2.3	25.5	65	42
YE4-132S-4	5.5	380	11.4	1470	91.9	0.80	2.0	9.5	2.3	35.0	71	69
YE4-132M-4	7.5	380	15.2	1470	92.6	0.81	2.0	9.5	2.3	47.8	71	79
YE4-160M-4	11	380	21.6	1475	93.3	0.83	2.0	9.5	2.3	70	73	137

YE4-160L-4	15	380	28.9	1475	93.9	0.84	2.0	9.5	2.3	95.5	73	152
YE4-180M-4	18.5	380	35.1	1480	94.2	0.85	2.0	9.5	2.3	117.8	76	183
YE4-180L-4	22	380	41.6	1480	94.5	0.85	2.0	9.5	2.3	140.1	76	212
YE4-200L-4	30	380	56.5	1485	94.9	0.85	2.0	9.0	2.3	191.0	76	257
YE4-225S-4	37	380	69.5	1485	95.2	0.85	2.0	9.0	2.3	235.6	78	327
YE4-225M-4	45	380	84.3	1485	95.4	0.85	2.0	9.0	2.3	286.5	78	360
YE4-250M-4	55	380	102	1485	95.7	0.86	2.0	9.0	2.3	350.1	79	430
YE4-280S-4	75	380	136	1490	96.0	0.87	2.0	8.5	2.3	477.2	80	541
YE4-280M-4	90	380	162	1490	96.1	0.88	2.0	8.5	2.3	573.0	80	580
YE4-280L-4	110	380	195	1485	96.3	0.89	1.8	8.5	2.2	700.3	80	660
YE4-315S-4	110	380	195	1485	96.3	0.89	1.8	8.5	2.2	700.3	88	980
YE4-315M-4	132	380	234	1485	96.4	0.89	1.8	8.5	2.2	840.4	88	985
YE4-315L1-4	160	380	280	1485	96.6	0.90	1.8	8.5	2.2	1019	88	1150
YE4-315L-4	185	380	323	1485	96.7	0.90	1.8	8.5	2.2	1178	88	1185
YE4-315L2-4	200	380	349	1485	96.7	0.90	1.8	8.5	2.2	1273	88	1185
YE4-315L3-4	220	380	384	1490	96.7	0.90	1.8	8.5	2.2	1401	88	1285
YE4-355M1-4	220	380	384	1490	96.7	0.90	1.8	8.5	2.2	1401	92	1630
YE4-355M-4	250	380	436	1490	96.7	0.90	1.8	8.5	2.2	1592	92	1680
YE4-355L1-4	280	380	489	1490	96.7	0.90	1.8	8.5	2.2	1783	92	1750
YE4-355L-4	315	380	550	1490	96.7	0.90	1.8	8.5	2.2	2006	92	1820
YE4-355L2-4	355	380	634	1490	96.7	0.88	0.9	8.5	1.8	2260	92	1860
YE4-3551-4	355	380	634	1490	96.7	0.88	0.9	8.5	1.8	2260	92	2885
YE4-3552-4	400	380	714	1490	96.7	0.88	0.9	8.5	1.8	2547	92	3015
YE4-3553-4	450	380	803	1490	96.7	0.88	0.8	8.5	1.8	2865	92	3045
YE4-4001-4	500	380	893	1490	96.7	0.88	0.8	8.5	1.8	3183	93	3510
YE4-4002-4	560	380	989	1490	96.7	0.89	0.8	8.6	1.8	3565	93	3605
YE4-4003-4	630	660	640	1490	96.7	0.89	0.8	8.6	1.8	4011	93	3725
YE4-4501-4	710	660	722	1490	96.7	0.89	0.6	7.8	1.8	4520	95	4820

YE4-4502-4	800	660	804	1490	96.7	0.90	0.6	7.9	1.8	5093	95	5140
YE4-4503-4	900	660	905	1490	96.7	0.90	0.6	7.9	1.8	5730	95	5480
YE4-4504-4	1000	660	1005	1490	96.7	0.90	0.6	7.9	1.8	6367	95	5810
Synchronous Speed 1000r/min												
YE4-90S-6	0.75	380	2.0	950	82.7	0.70	2.1	7.5	2.1	7.2	57	32
YE4-90L-6	1.1	380	2.8	950	84.5	0.70	2.1	7.5	2.1	10.5	57	34
YE4-100L-6	1.5	380	3.7	955	85.9	0.71	2.1	7.5	2.1	14.3	61	41
YE4-112M-6	2.2	380	5.4	955	87.4	0.71	2.1	7.5	2.1	21.0	65	4
YE4-132S-6	3	380	7.2	970	88.6	0.71	2.0	7.5	2.1	28.7	69	60
YE4-132M1-6	4	380	9.4	970	89.5	0.72	2.0	8.0	2.1	38.2	69	70
YE4-132M2-6	5.5	380	12.8	970	90.5	0.72	2.0	8.0	2.1	52.5	69	80
YE4-160M-6	7.5	380	16.4	980	91.3	0.76	2.0	8.0	2.1	71.6	73	130
YE4-160L-6	11	380	23.5	980	92.3	0.77	2.0	8.5	2.1	105.1	73	157
YE4-180L-6	15	380	30.7	985	92.9	0.80	2.0	8.5	2.1	143.3	73	190
YE4-200L1-6	18.5	380	37.6	985	93.4	0.80	2.0	8.5	2.3	176.7	73	246
YE4-200L2-6	22	380	44.0	985	93.7	0.81	2.0	8.5	2.1	210.1	73	270
YE4-225M-6	30	380	59.0	990	94.2	0.82	2.0	8.5	2.1	286.5	74	315
YE4-250M-6	37	380	71.7	990	94.5	0.83	2.0	8.3	2.1	353.3	76	395
YE4-280S-6	45	380	86.9	990	94.8	0.83	2.0	8.5	2.0	429.8	78	530
YE4-280M-6	55	380	105	990	95.1	0.84	2.0	8.5	2.0	525.3	78	603
YE4-280L-6	75	380	142	990	94.4	0.84	1.6	8.0	2.0	716.3	78	736
YE4-315S-6	75	380	142	990	95.4	0.84	1.6	8.0	2.0	716.3	83	850
YE4-315M-6	90	380	168	990	95.6	0.85	1.6	8.0	2.0	859.5	83	925
YE4-315L1-6	110	380	205	990	95.8	0.85	1.6	8.0	2.0	1051	83	1085
YE4-315L2-6	132	380	243	990	96.0	0.86	1.6	8.0	2.0	1261	83	1220
YE3-315L3-6	160	380	294	990	96.2	0.86	1.6	8.0	2.0	1528	83	1300
YE4-355M1-6	160	380	294	990	96.2	0.86	1.6	8.0	20	1528	85	1630
YE4-355M-6	185	380	340	990	96.2	0.86	1.6	8.0	2.0	1767	85	1680

YE4-355M2-6	200	380	367	990	96.3	0.86	1.6	8.0	2.0	1910	85	1750
YE4-355L1-6	220	380	404	990	96.3	0.86	1.6	8.0	2.0	2101	85	1830
YE4-355L-6	250	380	458	990	96.5	0.86	1.6	8.0	2.0	2387	85	1920
YE4-355L2-6	280	380	538	990	96.5	0.82	1.6	8.0	2.2	2674	85	1960
YE4-3552-6	315	380	604	996	96.6	0.82	0.9	7.9	1.8	3008	91	2875
YE4-3553-6	355	380	681	995	96.6	0.82	0.9	7.9	1.8	3390	91	2985
YE4-4001-6	400	380	758	995	96.6	0.83	0.9	8.0	1.8	3820	92	3390
YE4-4002-6	450	380	853	995	96.6	0.83	0.8	8.0	1.8	4298	92	3555
YE4-4003-6	500	660	546	995	96.6	0.83	0.8	8.0	1.8	4775	92	3755
YE4-4501-6	560	660	604	995	96.6	0.84	0.8	8.1	1.8	5348	95	4760
YE4-4502-6	630	660	679	995	96.6	0.84	0.8	8.1	1.8	6017	95	5090
YE4-4503-6	710	660	765	995	96.6	0.84	0.6	7.4	1.8	6781	95	5300
YE4-4504-6	800	660	862	995	96.6	0.84	0.6	7.4	1.8	7640	95	5515
Synchronous Speed 750r/min												
YE4-100L1-8	0.75	380	2.2	710	78.4	0.66	2.0	7.0	2.0	9.6	59	48
YE4-100L2-8	1.1	380	3.1	710	80.8	0.67	2.0	7.0	2.0	14.0	59	49
YE4-112M-8	1.5	380	4.0	710	82.6	0.69	2.0	7.0	2.0	19.1	61	50
YE4-132S-8	2.2	380	5.7	710	84.5	0.70	1.8	7.5	2.0	28.2	64	60
YE4-132M-8	3	380	7.6	710	85.9	0.70	1.8	7.8	2.0	38.2	64	72
YE4-160M1-8	4	380	9.8	720	87.1	0.71	1.8	7.9	2.0	50.9	68	123
YE4-160M2-8	5.5	380	13.1	720	88.3	0.72	1.8	8.1	2.0	70.0	68	139
YE4-160L-8	7.5	380	17.2	720	89.3	0.74	1.8	7.8	2.0	95.5	68	152
YE4-180L-8	11	380	25.0	730	90.4	0.74	1.8	7.9	2.0	140.1	70	180
YE4-200L-8	15	380	33.3	730	91.2	0.75	1.8	8.0	2.0	191.0	73	230
YE4-225S-8	18.5	380	40.9	730	91.7	0.75	1.8	8.1	2.0	235.6	73	273
YE4-225M-8	22	380	47.8	730	92.1	0.76	1.8	8.3	2.0	280.1	73	313
YE4-250M-8	30	380	63.9	730	92.7	0.77	1.8	7.9	2.0	382.0	75	392
YE4-280S-8	37	380	77.4	735	93.1	0.78	1.8	7.9	2.0	471.1	76	485

YE4-280M-8	45	380	93.9	735	93.4	0.78	1.8	7.9	2.0	573.0	76	576
YE4_2801-8	55	380	111	740	93.7	0.80	1.6	8.2	2.0	700.3	76	630
YE4-315S-8	55	380	111	740	93.7	0.80	1.6	8.2	2.0	700.3	82	1000
YE4-315M-8	75	380	151	740	94.2	0.80	1.6	7.6	2	955.0	82	1005
YE4-315L1-8	90	380	179	740	94.4	0.81	1.6	7.7	2.0	1146	82	1090
YE4-315L2-8	110	380	218	740	94.7	0.81	1.6	7.7	2.0	1401	82	1160
YE4-315L3-8	132	380	261	740	94.9	0.81	1.6	7.7	2.0	1681	89	1225
YE4-355M1-8	132	380	261	740	94.9	0.81	1.6	7.7	2.0	1681	89	1580
YE4-355M2-8	160	380	312	740	95.1	0.82	1.6	7.7	2.0	2037	89	1690
YE4-355L1-8	185	380	359	740	95.4	0.82	1.6	7.7	2.0	2356	89	1840
YE4-355L-8	200	380	393	740	95.4	0.81	1.6	7.7	2.0	2547	89	1940
YE4-3551.2-8	220	380	438	740	95.4	0.82	1.6	7.8	2.0	2801	89	2070
YE4-3552-8	250	380	498	740	95.4	0.80	1.1	7.6	1.8	3183	89	2840
YE4-3553-8	315	380	627	740	95.4	0.80	0.9	7.6	1.8	4011	89	3035
YE4-4001-8	355	380	707	745	95.4	0.80	0.9	7.6	1.8	4520	91	3625
YE4-4002-8	400	660	458	745	94.5	0.80	0.9	7.6	1.8	5093	91	3820
YE4-4501-8	450	660	509	745	95.4	0.81	0.8	7.8	1.8	5730	93	4740
YE4-4502-8	500	660	566	745	95.4	0.81	0.8	7.8	1.8	6367	93	5005
YE4-4503-8	560	660	634	745	95.4	0.81	0.8	7.8	1.8	7131	93	5305
YE4-4504-8	630	660	713	745	95.4	0.81	0.8	7.8	1.8	8022	93	5610
Synchronous Speed 600r/min												
YE4-315S-10	45	380	98.0	590	93.0	0.75	1.5	6.2	2.0	716.2	82	785
YE4-315M-10	55	380	120	590	93.0	0.75	1.5	5.8	2.0	875.4	82	925
YE4-315L1-10	75	380	160	590	93.8	0.76	1.5	5.9	2.0	1194	82	1030
YE4-315L2-10	90	380	189	590	93.8	0.77	1.5	6.0	2.0	1433	82	1080
YE4-355M-10	90	380	188	590	93.3	0.77	1.45	6.0	2.0	1433	89	1510
YE4-355M1-10	110	380	228	590	94.1	0.78	1.45	6.0	2.0	1433	89	1630
YE4-355M2-10	132	380	272	590	94.6	0.78	1.45	6.0	2.0	1751	89	1750

YE4-355L-10	160	380	329	590	94.6	0.78	1.45	6.0	2.0	2547	89	1910
YE4-355L2-10	185	380	381	590	94.6	0.78	1.45	6.0	2.0	2945	89	2040
YE4-3552-10	200	380	433	590	94.9	0.74	1.1	7.0	1.8	3183	89	2915
YE4-3553-10	250	380	541	590	94.9	0.74	1.1	7.0	1.8	3979	89	3045
YE4-4002-10	315	380	655	595	94.9	0.77	1.1	7.1	1.8	5014	91	3680
YE4-4003-10	355	380	738	595	94.9	0.77	0.9	7.1	1.8	5650	91	3930
YE4-4502-10	400	380	832	595	94.9	0.77	0.9	7.1	1.8	6367	93	4915
YE4-4503-10	450	380	936	595	94.9	0.77	0.8	7.1	1.8	7163	93	5250
YE4-4504-10	500	380	1040	595	94.9	0.77	0.8	7.1	1.8	7958	93	5585

manager@chinasi mo . com