

| Type | kW Rated Power | V Rated Voltage | A Rated Current | r/min Rated Speed | % Efficiency | Cosφ Power Factor | Locked Torque | Locked Current | Max Torque | N.m Rated Torque | dB(A) NO-Load Noise | Kg Weight |
|------------------------------------|-------------------|--------------------|--------------------|----------------------|-----------------|----------------------|------------------|-------------------|-----------------|------------------------|------------------------|--------------|
| | | | | | | | Rated Torque | Rated Current | Rated Torque | | | |
| Synchronous Speed 3000r/min | | | | | | | | | | | | |
| YE5-80M1-2 | 0.75 | 380 | 1.6 | 2880 | 86.3 | 0.83 | 2.2 | 8.5 | 2.3 | 2.4 | 56 | 20 |
| YE5-80M2-2 | 1.1 | 380 | 2.3 | 2880 | 87.8 | 0.83 | 2.2 | 8.5 | 2.3 | 3.5 | 59 | 21 |
| YE5-90S-2 | 1.5 | 380 | 3.0 | 2890 | 88.9 | 0.85 | 2.2 | 9.0 | 2.3 | 4.8 | 59 | 26 |
| YE5-90L-2 | 2.2 | 380 | 4.3 | 2890 | 90.2 | 0.86 | 2.2 | 9 | 2.3 | 7.0 | 64 | 30 |
| YE5-100L-2 | 3 | 380 | 5.8 | 2910 | 91.1 | 0.87 | 2.2 | 9.5 | 2.3 | 9.6 | 64 | 38 |
| YE5-112M-2 | 4 | 380 | 7.5 | 2910 | 91.8 | 0.88 | 2.2 | 9.5 | 2.3 | 12.8 | 65 | 51 |
| YE5-132S1-2 | 5.5 | 380 | 10.3 | 2945 | 92.6 | 0.88 | 2.0 | 9.5 | 2.3 | 17.5 | 71 | 76 |
| YE5-132S2-2 | 7.5 | 380 | 13.7 | 2940 | 93.3 | 0.89 | 2.0 | 9.5 | 2.3 | 23.9 | 71 | 82 |
| YE5-160011-2 | 11 | 380 | 20.0 | 2950 | 94.0 | 0.89 | 2.0 | 9.5 | 2.3 | 35.0 | 73 | 139 |
| YE5-160M2-2 | 15 | 380 | 27.1 | 2950 | 94.5 | 0.89 | 2.0 | 9.5 | 2.3 | 47.8 | 73 | 152 |
| YE5-160L-3 | 18.5 | 380 | 33.3 | 2950 | 94.9 | 0.89 | 2.0 | 9.5 | 2.3 | 58.9 | 76 | 171 |
| YE5-180M-2 | 22 | 380 | 39.5 | 2965 | 95.1 | 0.89 | 2.0 | 9.5 | 2.3 | 70.0 | 76 | 230 |
| YE5-200L1-2 | 30 | 380 | 53.6 | 2970 | 95.5 | 0.89 | 2.0 | 9.0 | 2.3 | 95.5 | 76 | 281 |
| YE5-200L2-2 | 37 | 380 | 65.9 | 2975 | 95.8 | 0.89 | 2.0 | 9.0 | 2.3 | 117.8 | 78 | 301 |
| YE5-225M-2 | 45 | 380 | 80.0 | 2975 | 96.0 | 0.89 | 2.0 | 9.0 | 2.3 | 143.3 | 78 | 354 |
| YE5-250M-2 | 55 | 380 | 97.6 | 2980 | 96.2 | 0.89 | 2.0 | 9.0 | 2.3 | 175.1 | 79 | 496 |
| YE5-280S-2 | 75 | 380 | 133 | 2980 | 96.5 | 0.89 | 1.8 | 8.5 | 2.3 | 238.8 | 80 | 578 |
| YE5-280M-2 | 90 | 380 | 159 | 2980 | 96.6 | 0.89 | 1.8 | 8.5 | 2.3 | 286.5 | 80 | 665 |
| YE5-315S-2 | 110 | 380 | 194 | 2975 | 96.8 | 0.89 | 1.8 | 8.5 | 2.3 | 350.2 | 88 | 870 |
| YE5-315M-2 | 132 | 380 | 233 | 2975 | 96.9 | 0.89 | 1.8 | 8.5 | 2.3 | 420.2 | 88 | 960 |
| YE5-315L1-2 | 160 | 38d | 282 | 2975 | 97.0 | 0.89 | 1.8 | 8.5 | 2.2 | 509.3 | 88 | 1045 |
| YE5-315L-2 | 185 | 380 | 325 | 2975 | 97.1 | 0.89 | 1.8 | 8.5 | 2.2 | 588.9 | 88 | 1095 |
| YE5-315L2-2 | 200 | 380 | 351 | 2975 | 97.2 | 0.89 | 1.8 | 8.5 | 2.2 | 636.7 | 88 | 1095 |

| | | | | | | | | | | | | |
|------------------------------------|------|-----|------|------|------|------|-----|-----|-----|-------|----|------|
| YE5-355M1-2 | 220 | 380 | 382 | 2985 | 97.2 | 0.90 | 1.6 | 8.5 | 2.2 | 700.3 | 92 | 1650 |
| YE5-355M-2 | 250 | 380 | 429 | 2985 | 97.2 | 0.91 | 1.6 | 8.5 | 2.2 | 795.8 | 92 | 1710 |
| YE5-355L1-2 | 280 | 380 | 481 | 2985 | 97.2 | 0.91 | 1.6 | 8.5 | 2.2 | 891.3 | 92 | 1810 |
| YE5-355L-2 | 316 | 380 | 541 | 2985 | 97.2 | 0.91 | 1.6 | 8.5 | 2.2 | 1003 | 92 | 1860 |
| YE5-3551-2 | 355 | 380 | 617 | 2985 | 97.2 | 0.90 | 0.9 | 8.6 | 1.8 | 1130 | 97 | 2710 |
| YE5-3552-2 | 400 | 380 | 695 | 2985 | 97.2 | 0.90 | 0.9 | 8.6 | 1.8 | 1273 | 97 | 2770 |
| YE5-3553-2 | 450 | 380 | 782 | 2985 | 97.2 | 0.90 | 0.8 | 8.6 | 1.8 | 1433 | 97 | 2820 |
| YE5-4001-2 | 500 | 380 | 868 | 2985 | 97.2 | 0.90 | 0.8 | 8.6 | 1.8 | 1592 | 97 | 3380 |
| YE5-4002-2 | 560 | 380 | 962 | 2985 | 97.2 | 0.91 | 0.8 | 8.7 | 1.8 | 1783 | 97 | 3645 |
| YE5-4003-2 | 630 | 660 | 623 | 2985 | 97.2 | 0.91 | 0.8 | 8.7 | 1.8 | 2006 | 97 | 3730 |
| YE5-4501-2 | 710 | 660 | 702 | 2985 | 97.2 | 0.91 | 0.6 | 8.0 | 1.8 | 2260 | 97 | 4550 |
| YE5-4502-2 | 800 | 660 | 791 | 2985 | 97.2 | 0.91 | 0.6 | 8.0 | 1.8 | 2547 | 97 | 4920 |
| YE5-4503-2 | 900 | 660 | 890 | 2985 | 97.2 | 0.91 | 0.6 | 8.0 | 1.8 | 2865 | 97 | 5300 |
| YE5-4504-2 | 1000 | 660 | 978 | 2985 | 97.2 | 0.92 | 0.6 | 8.1 | 1.8 | 3183 | 97 | 5680 |
| Synchronous Speed 1500r/min | | | | | | | | | | | | |
| YE5-80M-4 | 0.75 | 380 | 1.7 | 1435 | 88.2 | 0.74 | 2.3 | 8.5 | 2.3 | 4.8 | 57 | 20 |
| YE5-90S-4 | 1.1 | 380 | 2.5 | 1440 | 89.5 | 0.75 | 2.3 | 8.5 | 2.3 | 7.0 | 57 | 25 |
| YE5-90L-4 | 1.5 | 380 | 3.3 | 1440 | 90.4 | 0.76 | 2.3 | 9.0 | 2.3 | 9.6 | 61 | 30 |
| YE5-100L1-4 | 2.2 | 380 | 4.6 | 1450 | 91.4 | 0.79 | 2.3 | 9.0 | 2.3 | 14.0 | 65 | 38 |
| YE5-100L2-4 | 3 | 380 | 6.2 | 1450 | 92.1 | 0.80 | 2.3 | 9.5 | 2.3 | 19.0 | 69 | 42 |
| YE5-112M-4 | 4 | 380 | 8.2 | 1450 | 92.8 | 0.80 | 2.2 | 9.5 | 2.3 | 25.5 | 69 | 55 |
| YE5-132S-4 | 5.5 | 380 | 11.2 | 1470 | 93.4 | 0.80 | 2.0 | 9.5 | 2.3 | 35.0 | 69 | 87 |
| YE5-132M-4 | 7.5 | 380 | 15.0 | 1470 | 94.0 | 0.81 | 2.0 | 9.5 | 2.3 | 47.8 | 73 | 99 |
| YE5-160M-4 | 11 | 380 | 21.3 | 1475 | 94.6 | 0.83 | 2.0 | 9.5 | 2.3 | 70.0 | 73 | 139 |
| YE5-160L-4 | 15 | 380 | 28.5 | 1475 | 95. | 0.84 | 2.0 | 9.5 | 2.3 | 95.5 | 73 | 154 |
| YE5-180M-4 | 18.5 | 380 | 34.7 | 1480 | 95.3 | 0.85 | 2.0 | 9.5 | 2.3 | 117.8 | 73 | 220 |
| YE5-180L-4 | 22 | 380 | 41.2 | 1480 | 95.5 | 0.85 | 2.0 | 9.5 | 2.3 | 140.1 | 73 | 240 |
| YE5-200L-4 | 30 | 380 | 55.9 | 1485 | 95.9 | 0.85 | 2.0 | 9.0 | 2.3 | 191.0 | 74 | 286 |

| | | | | | | | | | | | | |
|------------------------------------|------|-----|------|------|------|------|-----|-----|-----|-------|----|------|
| YE5-225S-4 | 37 | 380 | 68.8 | 1485 | 96.1 | 0.85 | 2.0 | 9.0 | 2.3 | 235.6 | 76 | 356 |
| YE5-225M-4 | 45 | 380 | 83.5 | 1485 | 96.3 | 0.85 | 2.0 | 9.0 | 2.3 | 286.5 | 78 | 369 |
| YE5-250M-4 | 55 | 380 | 101 | 1485 | 96.5 | 0.86 | 2.0 | 9.0 | 2.3 | 350.1 | 78 | 450 |
| YE5-280S 4 | 75 | 380 | 135 | 1490 | 96.7 | 0.87 | 2.0 | 8.5 | 2.3 | 477.2 | 83 | 619 |
| YE5-280M-4 | 90 | 380 | 160 | 1490 | 96.9 | 0.88 | 2.0 | 8.5 | 2.3 | 573.0 | 83 | 688 |
| YE5-315S-4 | 110 | 380 | 194 | 1485 | 97.0 | 0.89 | 1.8 | 8.5 | 2.2 | 700.3 | 83 | 870 |
| YE5-315M-4 | 132 | 38d | 232 | 1485 | 97. | 0.89 | 1.8 | 8.5 | 2.2 | 840.4 | 83 | 1070 |
| YE5-315L1-4 | 160 | 380 | 278 | 1485 | 97.2 | 0.90 | 1.8 | 8.5 | 2.2 | 1019 | 85 | 1160 |
| YE5-315L-4 | 185 | 380 | 321 | 1485 | 97.3 | 0.90 | 1.8 | 8.5 | 2.2 | 1178 | 85 | 1245 |
| YE5-315L2-4 | 200 | 380 | 347 | 1485 | 97.4 | 0.90 | 1.8 | 8.5 | 2.2 | 1273 | 85 | 1245 |
| YE5-355M1-4 | 220 | 380 | 381 | 1490 | 97.4 | 0.90 | 1.8 | 8.5 | 2.2 | 1401 | 85 | 1650 |
| YE5-355M-4 | 250 | 380 | 433 | 1490 | 97.4 | 0.90 | 1.8 | 8.5 | 2.2 | 1592 | 85 | 1806 |
| YE5-35511-4 | 280 | 380 | 485 | 1490 | 97.4 | 0.90 | 1.8 | 8.5 | 2.2 | 1783 | 92 | 1820 |
| YE5-355L-4 | 315 | 380 | 546 | 1490 | 97.4 | 0.90 | 1.8 | 8.5 | 2.2 | 2006 | 92 | 1890 |
| YE5-3551-4 | 355 | 38d | 629 | 1490 | 97.4 | 0.88 | 0.9 | 8.5 | 1.8 | 2260 | 92 | 2925 |
| YE5-3552-4 | 400 | 380 | 709 | 1490 | 97.4 | 0.88 | 0.9 | 8.5 | 1.8 | 2547 | 92 | 3060 |
| YE5-3553-4 | 450 | 380 | 798 | 1490 | 97.4 | 0.88 | 0.8 | 8.5 | 1.8 | 2865 | 92 | 3090 |
| YE5-4001-4 | 500 | 380 | 886 | 1490 | 97.4 | 0.88 | 0.8 | 8.5 | 1.8 | 3183 | 93 | 3660 |
| YE5-4002-4 | 560 | 380 | 982 | 1490 | 97.4 | 0.89 | 0.8 | 8.6 | 1.8 | 3565 | 93 | 3700 |
| YE5-4003-4 | 630 | 660 | 636 | 1490 | 97.4 | 0.89 | 0.8 | 8.6 | 1.8 | 4011 | 93 | 3780 |
| YE5-4501-4 | 710 | 660 | 716 | 1490 | 97.4 | 0.89 | 0.6 | 7.8 | 1.8 | 4520 | 95 | 4893 |
| YE5-4502-4 | 800 | 660 | 798 | 1490 | 97.4 | 0.90 | 0.6 | 7.9 | 1.8 | 5093 | 95 | 4895 |
| YE5-4503-4 | 900 | 660 | 898 | 1490 | 97.4 | 0.90 | 0.6 | 7.9 | 1.8 | 5730 | 95 | 5560 |
| YE5-4504-4 | 1000 | 660 | 998 | 1490 | 97.4 | 0.90 | 0.6 | 7.9 | 1.8 | 6367 | 95 | 5900 |
| Synchronous Speed 1000r/min | | | | | | | | | | | | |
| YE5-90S-6 | 0.75 | 380 | 1.9 | 950 | 85.7 | 0.70 | 2.1 | 7.5 | 2.1 | 7.2 | 67 | 34 |
| YE5-90L-6 | 1.1 | 380 | 2.7 | 950 | 87.2 | 0.70 | 2.1 | 7.5 | 2.1 | 10.5 | 67 | 36 |
| YE5-100L-6 | 1.5 | 380 | 3.6 | 955 | 88.4 | 0.7 | 2.1 | 7.5 | 2.1 | 14.3 | 74 | 42 |

| | | | | | | | | | | | | |
|-------------|------|-----|------|-----|------|------|-----|-----|-----|-------|----|------|
| YE5-112M-6 | 2.2 | 380 | 5.2 | 955 | 89.7 | 0.71 | 2.0 | 7.5 | 2.1 | 21.0 | 77 | 51 |
| YE5-132S-6 | 3 | 380 | 7.1 | 970 | 90.6 | 0.71 | 2.0 | 7.5 | 2.1 | 28.7 | 69 | 62 |
| YE5-132M1-6 | 4 | 380 | 9.2 | 970 | 91.4 | 0.72 | 2.0 | 8.0 | 2.1 | 38.2 | 69 | 77 |
| YE5-132M2-6 | 5.5 | 380 | 12.6 | 970 | 92.2 | 0.72 | 2.0 | 8.0 | 2.1 | 52.5 | 69 | 88 |
| YE5-160M-6 | 7.5 | 380 | 16.1 | 980 | 92.9 | 0.76 | 2.0 | 8.0 | 2.1 | 71.6 | 73 | 143 |
| YE5-160L-6 | 11 | 380 | 23.2 | 980 | 93.7 | 0.77 | 2.0 | 8.5 | 2.1 | 105.1 | 73 | 163 |
| YE5-180L-6 | 15 | 380 | 30.2 | 985 | 94.3 | 0.80 | 2.0 | 8.5 | 2.1 | 143.3 | 73 | 220 |
| YES-200L1-6 | 18.5 | 380 | 37.1 | 985 | 94.6 | 0.80 | 2.0 | 8.5 | 2.3 | 176.7 | 73 | 268 |
| YE5-200L2-6 | 22 | 380 | 43.5 | 985 | 94.9 | 0.81 | 2.0 | 8.5 | 2.1 | 210.1 | 73 | 295 |
| YE5-225M-6 | 30 | 380 | 58.3 | 990 | 95.3 | 0.82 | 2.0 | 8.5 | 2.1 | 286.5 | 74 | 326 |
| YE5-250M-6 | 37 | 380 | 70.8 | 99d | 95.6 | 0.83 | 2.0 | 8.3 | 2.1 | 353.3 | 76 | 429 |
| YE5-280S-6 | 45 | 380 | 86.0 | 990 | 95.8 | 0.83 | 2.0 | 8.5 | 2.0 | 429.8 | 78 | 537 |
| YE5-280M-6 | 55 | 380 | 104 | 990 | 96.0 | 0.84 | 2.0 | 8.5 | 2.0 | 525.3 | 78 | 605 |
| YE5-315S-6 | 75 | 380 | 141 | 990 | 96.3 | 0.84 | 1.6 | 8.0 | 2.0 | 716.3 | 83 | 925 |
| YE5-315M-6 | 90 | 380 | 167 | 990 | 96.5 | 0.85 | 1.6 | 8.0 | 2.0 | 859.5 | 83 | 950 |
| YE5-315L1-6 | 110 | 380 | 204 | 990 | 96.6 | 0.85 | 1.6 | 8.0 | 2.0 | 1051 | 83 | 1100 |
| YE5-315L2-6 | 132 | 380 | 241 | 990 | 96.8 | 0.86 | 1.6 | 8.0 | 2.0 | 1261 | 83 | 1240 |
| YE5-355M1-6 | 160 | 380 | 292 | 990 | 96.9 | 0.86 | 1.6 | 8.0 | 2.0 | 1528 | 85 | 1640 |
| YE5-355M-6 | 185 | 380 | 337 | 99d | 97.0 | 0.86 | 1.6 | 8.0 | 2.0 | 1767 | 85 | 1690 |
| YE5-355M2-6 | 200 | 380 | 364 | 990 | 97.0 | 0.86 | 1.6 | 8.0 | 2.0 | 1910 | 85 | 1760 |
| YE5-355L1-6 | 220 | 380 | 401 | 990 | 97.0 | 0.86 | 1.6 | 8.0 | 2.0 | 2101 | 85 | 1840 |
| YE5-3551-6 | 250 | 380 | 455 | 990 | 97.0 | 0.86 | 1.6 | 8.0 | 2.0 | 2387 | 85 | 1930 |
| YE5-3552-6 | 315 | 380 | 602 | 995 | 97.0 | 0.82 | 0.9 | 7.9 | 1.8 | 3008 | 91 | 2915 |
| YE5-3553-6 | 355 | 380 | 678 | 995 | 97.0 | 0.82 | 0.9 | 7.9 | 1.8 | 3390 | 91 | 3030 |
| YE5-4001-6 | 400 | 380 | 755 | 995 | 97.0 | 0.83 | 0.9 | 8.0 | 1.8 | 3820 | 92 | 3440 |
| YE5-4002-6 | 450 | 380 | 849 | 995 | 97.0 | 0.83 | 0.8 | 8.0 | 1.8 | 4298 | 92 | 3605 |
| YE5-4003-6 | 500 | 660 | 543 | 995 | 97.0 | 0.83 | 0.8 | 8.0 | 1.8 | 4775 | 92 | 3810 |
| YE5-4501-6 | 560 | 660 | 601 | 995 | 97.0 | 0.84 | 0.8 | 8.1 | 1.8 | 5348 | 95 | 4835 |

| | | | | | | | | | | | | |
|-----------------------------------|------|-----|------|-----|------|------|-----|-----|-----|-------|----|------|
| YE5-4502-6 | 630 | 660 | 676 | 995 | 97.0 | 0.84 | 0.8 | 8.1 | 1.8 | 6017 | 95 | 5165 |
| YE5-4503-6 | 710 | 660 | 762 | 995 | 97.0 | 0.84 | 0.6 | 7.4 | 1.8 | 6781 | 95 | 5380 |
| YE5-4504-6 | 800 | 660 | 859 | 995 | 97.0 | 0.84 | 0.6 | 7.4 | 1.8 | 7640 | 95 | 5600 |
| Synchronous Speed 750r/min | | | | | | | | | | | | |
| YE5-100L1-8 | 0.75 | 380 | 2.1 | 710 | 82.0 | 0.66 | 2.0 | 7.0 | 2.0 | 9.6 | 59 | 51 |
| YE5-100L2-8 | 1.1 | 380 | 3.0 | 710 | 84.0 | 0.67 | 2.0 | 7.0 | 2.0 | 14.0 | 59 | 52 |
| YE5-112M-8 | 1.5 | 380 | 3.9 | 710 | 85.5 | 0.69 | 2.0 | 7.0 | 2.0 | 19.1 | 61 | 53 |
| YE5-132S-8 | 2.2 | 380 | 5.5 | 710 | 87.2 | 0.70 | 1.8 | 7.5 | 2.0 | 28.2 | 64 | 63 |
| YE5-132M-8 | 3 | 38d | 7.4 | 710 | 88.4 | 0.70 | 1.8 | 7.8 | 2.0 | 38.2 | 64 | 76 |
| YE5-160M1-8 | 4 | 380 | 9.6 | 720 | 89.4 | 0.71 | 1.8 | 7.9 | 2.0 | 50.9 | 68 | 135 |
| YE5-160M2-8 | 5.5 | 380 | 12.8 | 720 | 90.4 | 0.72 | 1.8 | 8.1 | 2.0 | 70.0 | 68 | 145 |
| YE5-160L-8 | 7.5 | 380 | 16.9 | 720 | 91.3 | 0.74 | 1.8 | 7.8 | 2.0 | 95.5 | 68 | 154 |
| YE5-180L-8 | 11 | 380 | 24.5 | 730 | 92.2 | 0.74 | 1.8 | 7.9 | 2.0 | 140.1 | 70 | 207 |
| YE5-200L-8 | 15 | 380 | 32.7 | 730 | 92.9 | 0.75 | 1.8 | 8.0 | 2.0 | 191.0 | 73 | 270 |
| YE5-225S-8 | 18.5 | 380 | 40.2 | 730 | 93.3 | 0.75 | 1.8 | 8.1 | 2.0 | 235.6 | 73 | 289 |
| YE5-225M-8 | 22 | 380 | 47.0 | 730 | 93.6 | 0.76 | 1.8 | 8.3 | 2.0 | 280.1 | 73 | 341 |
| YE5-250M-8 | 30 | 380 | 62.9 | 730 | 94.1 | 0.77 | 1.8 | 7.9 | 2.0 | 382.0 | 75 | 400 |
| YE5-280S-8 | 37 | 380 | 76.3 | 735 | 94.4 | 0.78 | 1.8 | 7.9 | 2.0 | 471.1 | 76 | 559 |
| YE5-280M-8 | 45 | 380 | 92.6 | 735 | 94.7 | 0.78 | 1.8 | 7.9 | 2.0 | 573.0 | 76 | 672 |
| YE5-315S-8 | 55 | 380 | 110 | 740 | 94.9 | 0.80 | 1.6 | 8.2 | 2.0 | 700.3 | 82 | 1000 |
| YE5-315M-8 | 75 | 380 | 149 | 740 | 95.3 | 0.80 | 1.6 | 7.6 | 2.0 | 955.0 | 82 | 1100 |
| YE5-315L1-8 | 90 | 380 | 177 | 740 | 95.5 | 0.81 | 1.6 | 7.7 | 2.0 | 1146 | 82 | 1160 |
| YE5-315L2-8 | 110 | 380 | 216 | 740 | 95.7 | 0.81 | 1.6 | 7.7 | 2.0 | 1401 | 82 | 1280 |
| YE5-355M1-8 | 132 | 380 | 258 | 740 | 95.9 | 0.81 | 1.6 | 7.7 | 2.0 | 1681 | 89 | 1640 |
| YE5-355M2-8 | 160 | 380 | 308 | 740 | 96.1 | 0.82 | 1.6 | 7.7 | 2.0 | 2037 | 89 | 1740 |
| YE5-355L1-8 | 185 | 380 | 356 | 740 | 96.2 | 0.82 | 1.6 | 7.7 | 2.0 | 2356 | 89 | 1840 |
| YE5-355L-8 | 200 | 380 | 385 | 740 | 96.3 | 0.82 | 1.6 | 7.7 | 2.0 | 2547 | 89 | 1950 |
| YE5-3552-8 | 250 | 380 | 493 | 740 | 96.3 | 0.80 | 1.1 | 7.6 | 1.8 | 3183 | 89 | 2885 |

| | | | | | | | | | | | | |
|------------------------------------|-----|-----|------|-----|------|------|------|-----|-----|-------|----|------|
| YE5-3553-8 | 315 | 3B0 | 621 | 740 | 96.3 | 0.80 | 0.9 | 7.6 | 1.8 | 4011 | 89 | 3080 |
| YE5-4001-8 | 355 | 380 | 700 | 745 | 96.3 | 0.80 | 0.9 | 7.6 | 1.8 | 4520 | 91 | 3680 |
| YE5-4002-8 | 400 | 660 | 454 | 745 | 96.3 | 0.80 | 0.9 | 7.6 | 1.8 | 5093 | 91 | 3890 |
| YE5-4501-8 | 450 | 660 | 505 | 748 | 96.3 | 0.81 | 0.8 | 7.8 | 1.8 | 5730 | 93 | 4810 |
| YE5-4502-8 | 500 | 660 | 561 | 745 | 96.3 | 0.81 | 0.8 | 7.8 | 1.8 | 6367 | 93 | 5080 |
| YE5-4503-8 | 560 | 660 | 628 | 745 | 96.3 | 0.81 | 0.8 | 7.8 | 1.8 | 7131 | 93 | 5385 |
| YE5-4504-8 | 630 | 660 | 707 | 745 | 96.3 | 0.8 | 0.8 | 7.8 | 1.8 | 8022 | 93 | 5695 |
| Synchronous Speed 600 r/min | | | | | | | | | | | | |
| YE5-315S-10 | 45 | 380 | 97.2 | 590 | 93.8 | 0.75 | 1.5 | 6.2 | 2.0 | 716.2 | 82 | 1000 |
| YE5-315M-10 | 55 | 380 | 119 | 590 | 93.8 | 0.75 | 1.9 | 5.8 | 2.0 | 875.4 | 82 | 1110 |
| YE5-315L1-10 | 75 | 380 | 159 | 590 | 94.4 | 0.76 | 1.5 | 5.9 | 2.0 | 1194 | 82 | 1160 |
| YE5-315L2-10 | 90 | 380 | 188 | 590 | 94.4 | 0.77 | 1.5 | 6.0 | 2.0 | 1433 | 82 | 1280 |
| YE5-355M1-10 | 110 | 380 | 226 | 590 | 94.7 | 0.78 | 1.45 | 6.0 | 2.0 | 1433 | 89 | 1650 |
| YE5-355M2-10 | 132 | 380 | 270 | 590 | 95.2 | 0.78 | 1.45 | 6.0 | 2.0 | 1751 | 89 | 1760 |
| YE5-3551-10 | 160 | 380 | 327 | 590 | 95.2 | 0.78 | 1.45 | 6.0 | 2.0 | 2547 | 89 | 1920 |
| YE5-3552-10 | 200 | 380 | 428 | 590 | 95.9 | 0.74 | 1.1 | 7.0 | 1.8 | 3183 | 89 | 2956 |
| YE5-3553-10 | 250 | 380 | 535 | 590 | 95.9 | 0.74 | 1.1 | 7.0 | 1.8 | 3979 | 89 | 3090 |
| YE5-4002-10 | 315 | 380 | 648 | 595 | 95.9 | 0.77 | 1.1 | 7.1 | 1.8 | 5014 | 91 | 3734 |
| YE5-4003-10 | 355 | 380 | 730 | 595 | 95.9 | 0.77 | 0.9 | 7.1 | 1.8 | 5650 | 91 | 3986 |
| YE5-4502-10 | 400 | 380 | 823 | 595 | 95.9 | 0.77 | 0.9 | 7.1 | 1.8 | 6367 | 93 | 4985 |
| YE5-4503-10 | 450 | 380 | 926 | 595 | 95.9 | 0.77 | 0.8 | 7.1 | 1.8 | 7163 | 93 | 5325 |
| YE5-4504-10 | 500 | 380 | 1029 | 595 | 95.9 | 0.77 | 0.8 | 7.1 | 1.8 | 7958 | 93 | 5665 |