

Type	Power kW	Rated Current (A) 380V	Rated Current (A) 400V	Rated Current (A) 415V	Speed r/min	Efficiency %	Power Factor	Locked Torque	Locked /Rated Current	Max /Rated Torque	Weight (kg)	Noise Lw dB(A)	Moment of Inertia kg·m ²	Torque N.m
YBBP-80M1-2	0.75	1.72	1.64	1.58	2860	80.7	0.82	2.3	7	2.3	12	67	0.00099	2.5
YBBP-80M2-2	1.1	2.43	2.31	2.23	2880	82.7	0.83	2.2	7.3	2.3	12.5	67	0.00129	3.65
YBBP-90S-2	1.5	3.22	3.06	2.95	2885	84.2	0.84	2.2	7.6	2.3	22.5	72	0.00137	4.97
YBBP-90L-2	2.2	4.58	4.35	4.19	2870	85.9	0.85	2.2	7.6	2.3	25.5	72	0.0016	7.32
YBBP-100L-2	3	6.02	5.71	5.51	2900	87.1	0.87	2.2	7.8	2.3	34	76	0.00531	9.88
YBBP-112M-2	4	7.84	7.45	7.18	2900	88.1	0.88	2.2	8.3	2.3	40	77	0.0069	13.2
YBBP-132S1-2	5.5	10.6	10.1	9.75	2920	89.2	0.88	2	8.3	2.3	57	80	0.01447	18
YBBP-132S2-2	7.5	14.4	13.7	13.2	2905	90.1	0.88	2	7.9	2.3	64	80	0.01842	24.7
YBBP-132L-2	9.2	17.5	16.7	16.1	2905	90.6	0.88	2	7.9	2.3	70	80	0.02345	30.2
YBBP-160M1-2	11	20.6	19.6	18.9	2940	91.2	0.89	2	8.1	2.3	110	86	0.04558	35.7
YBBP-160M2-2	15	27.9	26.5	25.5	2930	91.9	0.89	2	8.1	2.3	118	86	0.0526	48.9
YBBP-160L-2	18.5	34.2	32.5	31.3	2930	92.4	0.89	2	8.2	2.3	132	86	0.06312	60.3
YBBP-180M-2	22	40.5	38.5	37.1	2945	92.7	0.89	2	8.2	2.3	162	89	0.09162	71.3
YBBP-200L1-2	30	54.9	52.1	50.3	2970	93.3	0.89	2	7.6	2.3	256	92	0.18377	96.5
YBBP-200L2-2	37	67.4	64	61.7	2970	93.7	0.89	2	7.6	2.3	279	92	0.21675	119
YBBP-225M-2	45	80.8	76.8	74	2970	94	0.9	2	7.7	2.3	314	92	0.3552	145
YBBP-250M-2	55	98.5	93.5	90.2	2970	94.3	0.9	2	7.7	2.3	435	93	0.44658	177
YBBP-280S-2	75	134	127	122	2980	94.7	0.9	1.8	7.1	2.3	571	94	0.81913	241
YBBP-280M-2	90	160	152	146	2980	95	0.9	1.8	7.1	2.3	657	94	1.02392	289
YBBP-315S-2	110	195	185	179	2985	95.2	0.9	1.8	7.1	2.3	1165	96	1.39782	353

YBBP-315M-2	132	234	222	214	2985	95.4	0.9	1.8	7.1	2.3	1230	96	1.54652	423
YBBP-315L1-2	160	279	265	256	2985	95.6	0.91	1.8	7.2	2.3	1345	96	2.02237	513
YBBP-315L2-2	185	323	307	296	2985	95.7	0.91	1.8	7.2	2.2	1410	96	2.15685	593
YBBP-315L3-2	200	349	331	319	2985	95.8	0.91	1.8	7.2	2.2	1450	96	2.37926	641
YBBP-355M1-2	220	384	364	351	2990	95.8	0.91	1.6	7.2	2.2	1590	103	4.01523	705
YBBP-355M2-2	250	436	414	399	2990	95.8	0.91	1.6	7.2	2.2	1607	103	4.71113	801
YBBP-355L1-2	280	488	464	447	2990	95.8	0.91	1.6	7.2	2.2	1837	103	4.29613	897
YBBP-355L2-2	315	549	522	503	2990	95.8	0.91	1.6	7.2	2.2	1860	103	5.71224	1009
YBBP-3551-2	355	619	588	567	2990	95.8	0.91	1.6	7.2	2.2	2085	104	6.4778	1138
YBBP-3552-2	375	654	621	598	2990	95.8	0.91	1.6	7.2	2.2	2285	104	6.4778	1202
YBBP-80M1-4	0.55	1.38	1.31	1.26	1425	80.8	0.75	2.3	6.6	2.3	14	67	0.00182	3.69
YBBP-80M2-4	0.75	1.84	1.75	1.69	1425	82.5	0.75	2.3	6.6	2.3	15.5	67	0.00234	5.03
YBBP-90S-4	1.1	2.61	2.48	2.39	1430	84.1	0.76	2.3	6.8	2.3	23	72	0.0034	7.35
YBBP-90L-4	1.5	3.47	3.3	3.18	1425	85.3	0.77	2.3	7	2.3	26	72	0.00429	10.1
YBBP-100L1-4	2.2	4.76	4.52	4.36	1445	86.7	0.81	2.3	7.6	2.3	35	76	0.01021	14.5
YBBP-100L2-4	3	6.34	6.02	5.8	1420	87.7	0.82	2.3	7.6	2.3	41	76	0.01392	20.2
YBBP-112M-4	4	8.37	7.95	7.66	1450	88.6	0.82	2.2	7.8	2.3	50	77	0.0201	26.3
YBBP-132S-4	5.5	11.2	10.7	10.3	1460	89.6	0.83	2	7.9	2.3	70	80	0.03208	36
YBBP-132M-4	7.5	15	14.3	13.7	1445	90.4	0.84	2	7.5	2.3	76.5	80	0.03609	49.6
YBBP-132L-4	9.2	18.3	17.4	16.8	1445	90.9	0.84	2	7.5	2.3	80	80	0.04061	60.8
YBBP-160M-4	11	21.5	20.4	19.7	1470	91.4	0.85	2.2	7.7	2.3	121	86	0.08875	71.5
YBBP-160L-4	15	28.8	27.3	26.3	1470	92.1	0.86	2.2	7.8	2.3	129	86	0.10593	97.4
YBBP-180M-4	18.5	35.3	33.5	32.3	1475	92.6	0.86	2	7.8	2.3	173	89	0.17329	120

YBBP-180L-4	22	41.8	39.7	38.3	1475	93	0.86	2	7.8	2.3	184	89	0.19736	142
YBBP-200L-4	30	56.6	53.8	51.9	1475	93.6	0.86	2	7.3	2.3	270	92	0.41523	194
YBBP-225S-4	37	69.6	66.1	63.7	1480	93.9	0.86	2	7.4	2.3	305	92	0.45833	239
YBBP-225M-4	45	84.4	80.2	77.3	1480	94.2	0.86	2	7.4	2.3	335	92	0.52839	290
YBBP-250M-4	55	103	97.6	94.1	1480	94.6	0.86	2.2	7.4	2.3	451	93	0.83961	355
YBBP-280S-4	75	136	129	125	1485	95	0.88	2	6.9	2.3	598	94	1.46336	484
YBBP-280M-4	90	163	155	129	1485	95.2	0.88	2	6.9	2.3	684	94	1.79595	579
YBBP-315S-4	110	197	187	180	1490	95.4	0.89	2	7	2.2	1210	96	2.92524	707
YBBP-315M-4	132	236	224	216	1490	95.6	0.89	2	7	2.2	1240	96	3.26277	849
YBBP-315L1-4	160	285	271	261	1490	95.8	0.89	2	7.1	2.2	1390	96	3.93783	1029
YBBP-315L2-4	185	329	313	302	1490	95.9	0.89	2	7.1	2.2	1420	96	5.06613	1190
YBBP-315L3-4	200	352	334	322	1490	96	0.9	2	7.1	2.2	1440	96	5.06292	1286
YBBP-355M1-4	220	387	368	354	1495	96	0.89	2	7.1	2.2	1645	99	8.85473	1412
YBBP-355M2-4	250	440	418	403	1495	96	0.9	2	7.1	2.2	1665	99	8.21532	1597
YBBP-355L1-4	280	493	468	451	1495	96	0.9	2	7.1	2.2	1758	99	10.54836	1797
YBBP-355L2-4	315	554	526	507	1495	96	0.9	2	7.1	2.2	1815	99	9.17059	2022
YBBP-3551-4	355	639	607	585	1495	96	0.88	1.7	7	2.2	1995	103	10.31692	2275
YBBP-3552-4	375	674	641	618	1495	96	0.88	1.7	7	2.2	2085	103	12.22746	2395
YBBP-80M1-6	0.37	1.09	1.04	1	925	73.5	0.7	2	6	2.1	13	67	0.00212	3.82
YBBP-80M2-6	0.55	1.5	1.43	1.38	925	77.2	0.72	2	6	2.1	15.5	67	0.00329	5.68
YBBP-90S-6	0.75	2.03	1.93	1.86	940	78.9	0.71	2	6	2.1	24	72	0.00553	7.62
YBBP-90L-6	1.1	2.83	2.69	2.59	945	81	0.73	2	6	2.1	27.5	72	0.00719	11.1
YBBP-100L-6	1.5	3.78	3.6	3.47	960	82.5	0.73	2	6.5	2.1	37	76	0.01302	14.9

YBBP-112M-6	2.2	5.36	5.09	4.91	950	84.3	0.74	2	6.6	2.1	46	77	0.02092	22.1
YBBP-132S-6	3	7.2	6.84	6.59	960	85.6	0.74	2	6.8	2.1	57	80	0.02681	29.8
YBBP-132M1-6	4	9.46	8.99	8.66	960	86.8	0.74	2	6.8	2.1	63	80	0.03412	39.8
YBBP-132M2-6	5.5	12.7	12	11.6	965	88	0.75	2	7	2.1	78	80	0.04874	54.4
YBBP-160M-6	7.5	16.2	15.4	14.8	970	89.1	0.79	2	7	2.1	116	86	0.11731	73.8
YBBP-160L-6	11	23.1	22	21.2	970	90.3	0.8	2	7.2	2.1	142	86	0.17394	108
YBBP-180L-6	15	30.9	29.3	28.2	975	91.2	0.81	2	7.3	2.1	181	89	0.26935	147
YBBP-200L1-6	18.5	37.8	36	34.7	980	91.7	0.81	2	7.3	2.1	234	92	0.40188	180
YBBP-200L2-6	22	44.8	42.5	41	980	92.2	0.81	2	7.4	2.1	254	92	0.46886	214
YBBP-225M-6	30	59.1	56.2	54.1	980	92.9	0.83	2	6.9	2.1	328	92	0.96248	292
YBBP-250M-6	37	71.7	68.1	65.7	985	93.3	0.84	2	7.1	2.1	416	93	1.2763	361
YBBP-280S-6	45	85.8	81.6	78.6	985	93.7	0.85	2	7.3	2	543	93	2.64945	439
YBBP-280M-6	55	103	98.1	94.6	985	94.1	0.86	2	7.3	2	635	94	3.32721	536
YBBP-315S-6	75	143	136	131	990	94.6	0.84	2	6.6	2	1190	94	3.64703	727
YBBP-315M-6	90	170	161	155	990	94.9	0.85	2	6.7	2	1320	96	4.24246	873
YBBP-315L1-6	110	207	196	189	990	95.1	0.85	2	6.7	2	1430	96	5.21004	1066
YBBP-315L2-6	132	244	232	224	990	95.4	0.86	2	6.8	2	1610	96	6.17762	1280
YBBP-355M1-6	160	296	281	271	995	95.6	0.86	1.8	6.8	2	1710	99	9.81353	1551
YBBP-355M2-6	200	365	346	334	995	95.8	0.87	1.8	6.8	2	1850	99	12.26691	1939
YBBP-355L1-6	220	401	385	372	995	95.8	0.86	1.8	6.8	2	1905	99	13.37093	2112
YBBP-355L2-6	250	456	433	417	995	95.8	0.86	1.8	6.8	2	2105	99	14.47495	2424
YBBP-3551-6	280	511	491	473	995	95.8	0.86	1.8	6.8	2	2285	103	15.21097	2687
YBBP-3552-6	315	575	546	526	995	95.8	0.86	1.8	6.8	2	2350	103	15.94698	3054

YBBP-80M1-8	0.18	0.76	0.73	0.7	695	58.7	0.61	2	7.5	1.9	14	67	0.00214	2.47
YBBP-80M2-8	0.25	0.97	0.92	0.89	695	64.1	0.61	2	7.9	1.9	16	67	0.00234	3.43
YBBP-90S-8	0.37	1.33	1.26	1.22	700	69.3	0.61	2	8.3	1.9	25	72	0.00623	5.05
YBBP-90L-8	0.55	1.88	1.78	1.72	700	73	0.61	2	7.4	2	28	72	0.00814	7.5
YBBP-100L1-8	0.75	2.3	2.19	2.11	710	75	0.66	2	7	2	34	76	0.010512	10.1
YBBP-100L2-8	1.1	3.21	3.05	2.94	710	77.7	0.67	2	7	2	38	76	0.011563	14.8
YBBP-112M-8	1.5	4.14	3.94	3.79	710	79.7	0.69	2	7	2	45	77	0.02178	20.2
YBBP-132S-8	2.2	5.75	5.46	5.26	715	81.9	0.71	1.8	6	2	60	80	0.02789	29.4
YBBP-132M-8	3	7.48	7.1	6.85	715	83.5	0.73	1.8	6	2	70	80	0.04076	40.1
YBBP-160M1-8	4	9.82	9.33	8.99	730	84.8	0.73	1.9	6	2	108	86	0.0832	52.3
YBBP-160M2-8	5.5	13.1	12.45	12	725	86.2	0.74	1.9	6	2	118	86	0.11731	72.4
YBBP-160L-8	7.5	17.4	16.53	15.94	730	87.3	0.75	1.9	6	2	145	86	0.15699	98.1
YBBP-180L-8	11	25.15	23.89	23.03	730	88.6	0.75	2	6.5	2	181	89	0.26609	144
YBBP-200L-8	15	33.47	31.8	30.65	735	89.6	0.76	2	6.6	2	264	92	0.5273	195
YBBP-225S-8	18.5	41.05	39	37.59	735	90.1	0.76	1.9	6.6	2	280	92	0.7591	240
YBBP-225M-8	22	47.3	44.94	43.31	735	90.6	0.78	1.9	6.6	2	306	92	0.87968	286
YBBP-250M-8	30	63.2	60.04	57.87	740	91.3	0.79	1.9	6.5	2	440	93	1.47145	387
YBBP-280S-8	37	77.52	73.64	70.98	740	91.8	0.79	1.9	6.6	2	523	93	2.48039	478
YBBP-280M-8	45	93.87	89.18	85.95	740	92.2	0.79	1.9	6.6	2	595	94	3.02784	581
YBBP-315S-8	55	112.93	107.28	103.4	740	92.5	0.8	1.8	6.6	2	1120	94	4.49789	710
YBBP-315M-8	75	153	145.35	140.1	740	93.1	0.8	1.8	6.4	2	1320	96	5.8125	968
YBBP-315L1-8	90	183.01	173.86	167.58	740	93.4	0.8	1.8	6.4	2	1495	96	6.95189	1161
YBBP-315L2-8	110	217.52	206.65	199.18	740	93.7	0.82	1.8	6.4	2	1640	96	8.26653	1420

YBBP-355M1-8	132	260.2	247.19	238.25	745	94	0.82	1.8	6.4	2	1750	99	12.98765	1692
YBBP-355M2-8	160	314.39	298.67	287.87	745	94.3	0.82	1.8	6.4	2	1850	99	14.9143	2051
YBBP-355L-8	200	387.02	367.67	354.38	745	94.6	0.83	1.8	6.4	2	2105	99	18.0266	2564

manager@chinasi mo . com