

Type	Power KW	Speed r/min	Rated Current (A) 380V	Efficiency %	Power Factor	Locked /Rated Current	Locked /Rated Torque	Max /Rated Torque	Noise dB(A)	Moment of Inertia kg.m ²	Weight (kg)
Syn.speed 3000r/min											
YBK3-100L-2	3	2880	6.12	84.6	0.87	8.1	2.3	2.3	76/68	0.03	78
YBK3-112M-2	4	2890	8.05	85.8	0.88	8.3	2.3	2.3	77/69	0.063	98
YBK3-132S1-2	5.5	2900	10.91	87	0.88	8	2.2	2.3	80/72	0.073	116
YBK3-132S2-2	7.5	2900	14.53	88.1	0.89	7.8	2.2	2.3	80/72	0.21	123
YBK3-160M1-2	11	2930	21	89.4	0.89	7.9	2.2	2.3	84/77	0.25	177
YBK3-160M2-2	15	2930	28.36	90.3	0.89	8	2.2	2.3	84/77	0.31	191
YBK3-160L-2	18.5	2930	34.74	90.9	0.89	8.1	2.2	2.3	84/77	0.37	212
YBK3-180M-2	22	2940	41.13	91.3	0.89	8.2	2.2	2.3	85/78	0.63	278
YBK3-200L1-2	30	2950	55.67	92	0.89	7.5	2.2	2.3	87/80	0.73	366
YBK3-200L2-2	37	2950	68.28	92.5	0.89	7.5	2.2	2.3	87/80	1.28	385
YBK3-225M-2	45	2970	82.69	92.9	0.89	7.6	2.2	2.3	89/82	1.55	506
YBK3-250M-2	55	2970	100.74	93.2	0.89	7.6	2.2	2.3	89/82	1.89	582
YBK3-280S-2	75	2970	136.49	93.8	0.89	6.9	2	2.3	91/83	2.02	790
YBK3-280M-2	90	2970	163.27	94.1	0.89	7	2	2.3	91/83	2.26	921
YBK3-315S-2	110	2980	196.92	94.3	0.89	7.1	1.9	2.2	103/93	2.42	1392
YBK3-315M-2	132	2980	235.55	94.6	0.89	7.1	1.9	2.2	103/93	2.726	1467
YBK3-315L1-2	160	2980	281.78	94.8	0.89	7.1	1.9	2.2	103/93	3.22	1708
YBK3-315L2-2	200	2980	351.49	95	0.89	7.1	1.9	2.2	103/93	3.86	2024
YBK3-355S1-2	185	2980	325.12	95	0.89	7.1	1.9	2.2	105/95	4.82	2138
YBK3-355S2-2	200	2980	351.49	95	0.89	7.1	1.9	2.2	105/95	5.46	2138

YBK3-355M 1-2	220	2980	386.64	95	0.89	7.1	1.8	2.2	105/95	6.22	2328
YBK3-355M2-2	250	2980	439.36	95	0.90	7.1	1.8	2.2	105/95	6.54	2657
YBK3-355L1-2	280	2980	492.08	95	0.90	7.1	1.8	2.2	105/95	6.95	2859
YBK3-355L2-2	315	2980	559.74	95	0.90	7.1	1.8	2.2	105/95	7.06	2935
Syn.speed 1500r/min											
YBK3-100L1-4	2.2	1420	4.9	84.3	0.81	7.5	2.3	2.3	64/56	0.039	78
YBK3-100L2-4	3	1420	6.5	85.5	0.82	7.6	2.3	2.3	64/56	0.059	98
YBK3-112M-4	4	1440	8.56	86.6	0.82	7.7	2.3	2.3	65/57	0.113	116
YBK3-132S-4	5.5	1440	11.62	87.7	0.82	7.5	2	2.3	71/63	0.167	123
YBK3-132M-4	7.5	1440	15.48	88.7	0.83	7.4	2	2.3	71/63	0.36	129
YBK3-160M-4	11	1460	21.89	89.8	0.85	7.5	2	2.3	74/67	0.42	189
YBK3-160L-4	15	1460	29.25	90.6	0.85	7.5	2	2.3	74/67	0.68	212
YBK3-180M-4	18.5	1470	35.84	91.2	0.86	7.7	2	2.3	76/68	0.072	278
YBK3-180L-4	22	1470	42.43	91.6	0.86	7.8	2	2.3	76./6.8	0.81	306
YBK3-200L-4	30	1470	57.42	92.3	0.87	7.2	2	2.3	79./71	1.21	424
YBK3-225S-4	37	1480	70.51	92.7	0.87	7.3	2	2.3	81/73	1.85	506
YBK3-225M-4	45	1480	85.39	93.1	0.87	7.4	2	2.3	81/73	2.32	525
YBK3-250M-4	55	1480	103.92	93.5	0.87	7.4	2	2.3	83,/75	2.86	708
YBK3-280S-4	75	1480	137.75	94	0.88	6.7	2	2.3	85,/78	3.34	842
YBK3-280M-4	90	1485	164.95	94.2	0.89	6.9	2	2.3	85,/78	4.68	987
YBK3-315S-4	110	1485	200.97	94.5	0.89	6.9	2	2.2	106/95	4.96	1455
YBK3-315M-4	132	1485	240.65	94.7	0.89	6.9	2	2.2	106/95	5.22	1518
YBK3-315L1-4	160	1485	287.81	94.9	0.89	6.9	2	2.2	106/95	5.43	1670

YBK3-315L2-4	200	1485	359.01	95.1	0.89	6.9	2	2.2	106/95	6.45	1898
YBK3-355S1-4	185	1488	332.08	95.1	0.89	6.9	2	2.2	108/98	6.56	2151
YBK3-355S2-4	200	1488	359.01	95.1	0.89	6.9	2	2.2	108/98	6.88	2277
YBK3-355M 1-4	220	1488	390.52	95.1	0.89	6.9	2	2.2	108/98	7.22	2454
YBK3-355M2-4	250	1488	443.77	95.1	0.89	6.9	2	2.2	108/98	7.46	2631
YBK3-355L1-4	280	1488	497.03	95.1	0.89	6.9	2	2.2	108/98	7.68	2859
YBK3-355L2-4	315	1488	559.15	95.1	0.89	6.9	2	2.2	108/98	7.8	3289
Syn.speed 1000r/min											
YBK3-100L-6	1.5	940	3.86	79.8	0.74	6	2.1	2.1	61/53	0.36	98
YBK3-112M-6	2.2	940	5.52	81.8	0.74	6	2.1	2.1	65/57	0.42	116
YBK3-132S-6	3	960	7.39	83.3	0.74	6.2	2	2.1	69/61	0.68	123
YBK3-132M1-6	4	960	9.71	84.6	0.74	6.8	2	2.1	69/61	0.072	129
YBK3-132M2-6	5.5	960	12.96	86	0.75	7.1	2	2.1	69/61	0.81	132
YBK3-160M-6	7.5	970	16.75	87.2	0.78	6.7	2.1	2.1	70/63	1.21	195
YBK3-160L-6	11	970	23.85	88.7	0.78	6.9	2.1	2.1	70/63	1.32	222
YBK3-180L-6	15	970	31.37	89.7	0.81	7.2	2	2.1	73/65	1.62	284
YBK3-200L1-6	18.5	970	38.39	90.4	0.81	7.2	2.1	2.1	76/68	1.84	366
YBK3-200L2-6	22	970	44.84	90.9	0.82	7.3	2.1	2.1	76/68	2.43	398
YBK3-225M-6	30	980	61.36	91.7	0.81	7.1	2	2.1	76/68	2.68	518
YBK3-250M-6	37	980	72.58	92.2	0.84	7.1	2.1	2.1	78/70	3.46	663
YBK3-280S-6	45	980	85.76	92.7	0.86	7.2	2.1	2	80/72	3.97	803
YBK3-280M-6	55	980	104.37	93.1	0.86	7.2	2.1	2	80/72	4.57	923
YBK3-315S-6	75	985	143.07	93.7	0.85	7.0	2	2	85/73	4.83	1366

YBK3-315M-6	90	985	169.15	94	0.84	7.0	2	2	85/73	5.32	1442
YBK3-315L1-6	110	985	208.5	94.3	0.85	7.0	2	2	85/73	5.95	1657
YBK3-315L2-6	132	985	246.51	94.6	0.86	7.0	2	2	85/73	7.32	1771
YBK3-355S-6	160	985	294.74	94.8	0.87	7.0	2	1.9	91/80	7.89	2087
YBK3-355M1-6	185	985	340.79	94.8	0.87	7.0	2	1.9	91/80	8.17	2226
YBK3-355M2-6	200	985	367.65	95	0.87	7.0	2	1.9	91/80	8.25	2492
YBK3-355L1-6	220	985	404.41	95	0.87	7.0	2	1.9	91/80	8.36	2707
YBK3-355L2-6	250	985	459.56	95	0.87	7.0	2	1.9	91/80	8.38	2846
Syn.speed 750r/min											
YBK3-100L1-8	0.75	710	2.48	68.7	0.67	4	1.8	2	59/51	0.24	79
YBK3-100L2-8	1.1	710	3.53	70.7	0.67	5	1.8	2	59/51	0.25	99
YBK3-112M-8	1.5	710	4.41	72.8	0.71	5	1.8	2	61/53	0.28	117
YBK3-132S-8	2.2	710	6.04	77.9	0.71	6	1.8	2	64/56	0.3	124
YBK3-132M-8	3	710	7.91	78.9	0.73	6	1.8	2	64/56	0.32	130
YBK3-160M1-8	4	720	10.42	79.9	0.73	6	1.9	2	68/60	0.46	167
YBK3-160M2-8	5.5	720	13.77	82	0.74	6	1.9	2	68/60	0.61	183
YBK3-160L-8	7.5	720	18.09	84	0.75	6	1.9	2	68/60	1.06	222
YBK3-180L-8	11	730	25.79	86.4	0.75	6.5	1.9	2	70/62	1.6	284
YBK3-200L-8	15	730	34.51	86.9	0.76	6.6	1.9	2	73/65	2.28	288
YBK3-225S-8	18.5	730	41.51	89.1	0.76	6.6	1.9	2	73/65	2.74	474
YBK3-225M-8	22	730	47.83	89.6	0.78	6.6	1.9	2	73/65	3.67	499
YBK3-250M-8	30	730	63.83	90.4	0.79	6.5	1.9	2	75/67	5.16	670
YBK3-280S-8	37	740	78.29	90.9	0.79	6.6	1.9	2	76/68	5.82	765

YBK3-280M-8	45	740	94.69	91.4	0.79	6.6	1.8	2	76/68	6.74	886
YBK3-315S-8	55	740	113.17	92.3	0.8	6.6	1.8	2	82/70	7.35	1164
YBK3-315M-8	75	740	152.84	93.2	0.8	6.4	1.8	2	82/70	8.79	1392
YBK3-315L1-8	90	740	182.81	93.5	0.8	6.4	1.8	2	82/70	9.18	1417
YBK3-315L2-8	110	740	217.99	93.5	0.82	6.4	1.8	2	82/70	10.19	1645
YBK3-355S-8	132	740	264.42	92.5	0.82	6.4	1.8	2	89/78	11.24	2075
YBK3-355M-8	160	740	315.39	94	0.82	6.4	1.8	2	89/78	12.48	2302
YBK3-355L1-8	185	740	364.67	94	0.82	6.4	1.8	2	89/78	13.56	2657
YBK3-355L2-8	200	740	388.66	94.2	0.83	6.4	1.8	2	89/78	13.72	2783

manager@chinasi mo. com