

LANTIAN INDUSTRIAL FILTER PAPER

Quality awareness in the heart, Product quality in the hand.





蓝天滤材
LANTIANLVCAI

Manufacture Catalogue

Note: color, size and each specification parameter can be changed as per customer' s requirement.



蓝天滤材
LAN TIAN LV CAI



LT703

Air Filter Paper

Application car	Engineering machinery truck
Grammage	600±10g/m2
Air Permeability	≥1000L/m2.s
Thickness	2.7±0.15mm
Carbon Content	310g/m2
Usage	cabin air filter/air purifier



Note: color, size and each specification parameter can be changed as per customer' s requirement.

LT704

Air Filter Paper

Application car	Engineering machinery truck
Grammage	600±10g/m2
Air Permeability	≥1250L/m2.s
Thickness	2.7±0.15mm
Carbon Content	340g/m2
Usage	cabin air filter/air purifier




Note: color, size and each specification parameter can be changed as per customer' s requirement.

LT705

Air Filter Paper

Application car	Engineering machinery truck
Grammage	650±10g/m2
Air Permeability	≥1350L/m2.s
Thickness	3.0±0.15mm
Carbon Content	430g/m2
Usage	cabin air filter/air purifier




Note: color, size and each specification parameter can be changed as per customer' s requirement.

LT708

Air Filter Paper

Application car	Engineering machinery truck
Grammage	600±10g/m ²
Air Permeability	≥1000L/m ² .s
Thickness	2.7±0.15mm
Carbon Content	310g/m ²
Usage	cabin air filter/air purifier



Note: color, size and each specification parameter can be changed as per customer' s requirement.

LT709

Air Filter Paper

Application car	Engineering machinery truck
Grammage	600±10g/m2
Air Permeability	≥1000L/m2.s
Thickness	2.7±0.15mm
Carbon Content	310g/m2
Usage	cabin air filter/air purifier




Note: color, size and each specification parameter can be changed as per customer' s requirement.

LT710

Air Filter Paper

Application car	Engineering machinery truck
Grammage	260±10g/m ²
Air Permeability	≥1500L/m ² .s
Thickness	1.7±0.15mm
Carbon Content	/
Usage	cabin air filter/air purifier



Note: color, size and each specification parameter can be changed as per customer' s requirement.

LT711

Air Filter Paper

Application car	Engineering machinery truck
Grammage	650±10g/m2
Air Permeability	≥1350L/m2.s
Thickness	3.0±0.15mm
Carbon Content	430g/m2
Usage	cabin air filter/air purifier



Note: color, size and each specification parameter can be changed as per customer' s requirement.

LT719

Air Filter Paper

Application car	Engineering machinery truck
Grammage	600±10g/m²
Air Permeability	≥1250L/m².s
Thickness	2.7±0.15mm
Carbon Content	345g/m²
Usage	cabin air filter/air purifier




Note: color, size and each specification parameter can be changed as per customer' s requirement.

LT722

Air Filter Paper

Application car	Engineering machinery truck
Grammage	320±10g/m2
Air Permeability	≥950L/m2.s
Thickness	1.4±0.15mm
Carbon Content	110g/m2
Usage	cabin air filter/air purifier




Note: color, size and each specification parameter can be changed as per customer' s requirement.

LT724

Air Filter Paper

Application car	Engineering machinery truck
Grammage	670±10g/m2
Air Permeability	≥1250L/m2.s
Thickness	2.6±0.15mm
Carbon Content	390g/m2
Usage	cabin air filter/air purifier



Note: color, size and each specification parameter can be changed as per customer' s requirement.

LT725

Air Filter Paper

Application car	Engineering machinery truck
Grammage	270±10g/m ²
Air Permeability	≥1300L/m ² .s
Thickness	1.7±0.15mm
Carbon Content	/
Usage	cabin air filter/air purifier




Note: color, size and each specification parameter can be changed as per customer' s requirement.

LT726

Air Filter Paper

Application car	Engineering machinery truck
Grammage	500±10g/m ²
Air Permeability	≥ 850L/m ² .s
Thickness	2.1±0.15mm
Carbon Content	270g/m ²
Usage	cabin air filter/air purifier



Note: color, size and each specification parameter can be changed as per customer' s requirement.

LT727

Air Filter Paper

Application car	Engineering machinery truck
Grammage	550±10g/m²
Air Permeability	≥1150L/m².s
Thickness	2.3±0.15mm
Carbon Content	310g/m²
Usage	cabin air filter/air purifier



Note: color, size and each specification parameter can be changed as per customer' s requirement.



蓝天滤材
LAN TIAN LV CAI



● More Details

Add: Hebei Xinji Xiaozhang east development zone

TEL: 13930459398

Email: lt@lantianfm.com