



- 029-8579-6416
- shangyidaservice@gmail.com
- https://www.sydauto.com/
- general 3rd Floor, Building B6, No. 176 Biyuan 2nd Road, High-Tech Zone, Xi'an City, Shaanxi Province, China

Qianxing BDS Navigation Assisted Driving System

Product Description

Steering Wheel - Product Introduction

- 1.It is simple to install and easy to operate. The steering wheel installation solution does not damage the original vehicle oil circuit and has a low failure rate.
- 2.It supports multiple uses in one machine and can move the machine by itself. It has a high-torque motor and is suitable for old models, rice transplanters and other high-resis tance application scenarios.

Control Terminal App - Product Introduction

High expandability, by adding simple components, it can achieve functions such as plowing depth monitoring, satellite leveling, intelligent spraying, etc. The software supports online updates, and new features are permanently free to experience.

Steering Wheel Servo - Applicable Range

- 1. Continuous current 10A, maximum peak current 20A.
- 2.DC power supply voltage, rated 12V (power supply range 9~18VDC); rated 24VDC (power supply range 9-28V);
- 3. Speed mode, position mode (CAN).







Steering wheel

Control terminal APP

Steering wheel servo

Product Features

Steering Wheel

High torque, low noise, low heat generation, high control precision, stable operation, maintenance-free for life.

Navigation route sharing feature

Multiple vehicles can share navigation routes, and the navigation routes can be permanently saved for permanent use after being plotted once.

Control Terminal App


Supports dual 4G networks, stable signal, high protection grade, not afraid of exposure to sunlight, wind, and rain.

High universality

It can be applied to almost all steering-wheel-based agricultural machinery, supporting multi-purpose use. It can be moved independently, and the steering wheel solution does not damage the original vehicle's oil circuit, resulting in low failure rates. The operation interface is simple, clear, and easy to use, without the need to carry a small base station. It features exclusive breakpoint resuming function, allowing continuous operation for ten minutes even when the network is disconnected.

Application Scenarios







Ridge Making Operation



Harvesting Operation