

## **DS019M 5V 3.1A Double USB Charger with cable**

### **DS019M 12V Motorcycle Dual USB Charger - 3.1A Output, Waterproof Design, 1.5m Cable**

- 1、 Dual Fast Charging Motorcycle USB Charger - The motorcycle phone charger is equipped with 24W USB-A 3.1A Dual port. You can charge two devices at the same time.
- 2、 Quick Installation - Two types of installation, handlebar mounting, and screw mounting, can meet most of the models on the market installation use.
- 3、 Motorcycle SAE to USB charger - The product is designed with one SAE interface, which can be used directly with the original SAE interface, Also equipped with a 10A fuse SAE to ring terminal harness, which can be directly connected to the battery, making the installation more convenient.
- 4、 Safe & Reliable - Built with high-grade ABS materials against scratching. Intelligent IC technology to maximize the charging efficiency, 2 Port USB A motorcycle phone charger with strict control tests ensures safe charging. It offers a great protection system against short-circuiting, over-heating, over-current, and over-charging.
- 5、 Wide Compatibility - The motorcycle USB charger Input Voltage is (12V-24V). According to your devices, it can automatically adjust the voltage output (5V/3.4A, 9V/2.5A, 12V/2A), It's fully compatible with all the USB interface electronic products.

### **DS019M 12V Motorcycle Dual USB Charger - 3.1A Output, Waterproof Design, 1.5m Cable**

#### **Specification:**

Product name: Double USB Charger

Material: PC Fireproof Material

Function: USB2.0

Maximum Output Power: 5W

Use: Motorcycle / Scooter/Mobile/Phone

Protection: Short Circuit Protection, Over-charging

Input voltage and current: 12V/3.1A

output voltage and current: 5V/3.1A

Color: Black

### **Introduction:**

Introducing the 12V Motorcycle Dual USB Charger - 3.1A Output, Waterproof Design, 1.5m Cable

We are thrilled to present our latest innovation, the 12V Motorcycle Dual USB Charger. This cutting-edge product is designed to provide motorcycle enthusiasts with a convenient and reliable way to charge their electronic devices while on the go. With its 24W USB-A 3.1A Dual port, this charger allows you to power up two devices simultaneously, making it the perfect companion for long rides and outdoor adventures.

One of the standout features of this product is its waterproof design, ensuring that it can withstand the rigors of outdoor use and provide consistent performance in various weather conditions. Whether you're riding through rain or shine, you can trust that your devices will stay charged and ready for use.

The charger is equipped with a 1.5m cable, providing ample reach and flexibility for installation on your motorcycle. Its SAE interface allows for seamless integration with the original SAE interface, and the included 10A fuse SAE to ring terminal harness enables direct connection to the battery, simplifying the installation process.

In addition to its practical design, the 12V Motorcycle Dual USB Charger boasts wide compatibility, with an input voltage range of 12V-24V. This ensures that it can be used with a variety of motorcycle models, making it a versatile and convenient accessory for riders of all kinds.

Whether you need to charge your smartphone, GPS device, or any other USB-powered gadget, this charger has you covered. Say goodbye to running out of battery power on the road and hello to uninterrupted connectivity and convenience.

In conclusion, the 12V Motorcycle Dual USB Charger is a must-have for any motorcycle enthusiast who values staying connected and powered up while exploring the open road. Its durable construction, dual port functionality, and wide compatibility make it an essential addition to any rider's gear. Experience the freedom of staying charged wherever your adventures take you with our innovative motorcycle USB charger.

Product name:	5V 3.1A Double USB Charger with cable
Material	PC Fireproof Material
Function	USB2.0
Maximum Output Power	5W
Use	Motorcycle / Scooter/Mobile/Phone
Protection	Short Circuit Protection, Over-charging
Input voltage and current	12V/3.1A
output voltage and current	5V/3.1A
Color	Black