



1.DS218V 12/24/36/48/72V LED Battery Indicator Meter Charge Indicator

Specification:

DS218V Marine Car LED Display Battery Capacity Indicator Waterproof Monitor Lithium Battery Acid Battery Gauge Meter

Light Color: red,yellow,green

Rated: DC 12V;24V;36V;48V;72V

Color: Black

Material: Plastic

Size: 54*34*24mm

DS218V Marine Car LED Display Battery Capacity Indicator Waterproof Monitor Lithium Battery Acid Battery Gauge Meter

Type:

1.PROGRAMMABLE BATTERY METER ---- This kind of battery capacity meter can be modified the key working parameter such as battery types,discharge and charge voltages by our extra new self-developed communication programmer type PG 600 (need to order separately); It is made in 100% epoxy resin craft and equipped by PC 545 for housing and display window,therefore owned the favorable water resistance up to IP68.

2.LED BARS DISPLAY ---- 10 LED bar with 3 colors display the current battery power percentage and charge/discharge status(each bar indicate 10% power), you also can switch the display mode from single bar display to multiple bars display by PG 600 programmer; Charge and discharge display type: step-by-step, measurement accuracy : $\pm 0.5\%$.

3.MULTIPLE BATTERY APPLICATION ---- This kind of battery capacity meter is suitable to Lead Acid battery by default,however you also can modify the request battery types through programmer PG600, such as Trojan,LiFePO4,AGM, GEL , 18650 Lithium,Lithium cobaltate, Lithium phosphate and one of user customized battery type.

4.INSTALLATION ---- Easy to mount it at any proper place by snap-in pannel cut-out size: 36x24mm(1.42x0.94 inches);Connect the positive(+) and negative (-) with battery for power on, and link the "C" pole with positive(+) as a key for normal battery power display and monitor.

Product Name	12/24/36/48/72V LED Battery Indicator Meter Charge Indicator
Display	1 red + 2 yellow + 7 green color LEDs for indicator, 10% per LED segment

Model Number	DS218V
Size	54*34*24mm
Housing Color	Black
Led Color	Red\yellow\Green
Voltage	12/24/36/48/72V
Operation Temperature	-10℃ to +50℃
Range Indication	Green: 41 ~ 100%, Yellow: 21 ~ 40%, Red: < 20%
Connection	Pin(+) to Battery(+), Pin(-) to Battery(-), C: Connect to V(+) to make gauge run

Note: If you need other needs, welcome to send us an enquiry!