

1. WNF-F04-1. 05-1. 06-1

WNF-F04 Add-A-Circuit Blade Fuse Tap

**WNF-F04 Add-A-Circuit Blade Fuse Tap Standard Mini Micro2 Low-Profile Blade Adapter kit**

- 1.AC Adapter Current 25 Amps
- 2.Brand Welfnobl
- 3.Voltage 24 Volts
- 4.Material ABS
- 5.Mounting Type Holder

**WNF-F04 Add-A-Circuit Blade Fuse Tap Standard Mini Micro2 Low-Profile Blade Adapter kit**

- 100% brand new and high quality
- No "SPLICING" or "WIRE CUTTING" necessary to install your electronic accessories
- Allows quick and easy installation of additional 12V accessories without the need for splicing
- ATM Mini Add-A-Circuit Low Profile Fuse Holders

- These fit the new smaller, lower profile ATM Mini Fuses are used in newer vehicles and any place where space is limited
- Plugs into an existing fuse holder. Protects original circuit and provides a wire lead for the new circuit
- Good for wiring power to items such as Car Black box, Car alarms, Remote starters, Car locators (theft recovery systems), Engine block heaters, Satellite radio, DVD players, GPS, Cell phone charger

#### Product Feature:

1. Fit for Micro2 blade fuse.
2. Compatible with 12/24v vehicle electrical systems.
3. High quality material, Turns one fuse slot into two.
4. Plugs into occupied or vacant energized fuse block slot.
5. Provides one fuse holder to protect existing circuit, and a second fuse holder to protect new circuit.
6. Compatibility: Suitable for most Japanese or Korean Cars.

#### Scope of Application:

1. Most Vehicles (such as cars, trucks, SUVs, 4X4, boats and RVs);
2. Car Electronic Device (eg: Dashboard camera, radar detector, GPS, car recorder, car alarm, radio, DVD player and other electronic devices);
3. Boat (for adding LED strip, DVD player, GPS, radio and other electronic).

#### Product Specifications:

Fit for Fuse Type: Micro2 blade fuse

Housing Material: Nylon PA66

Contact Material: Tin plated Copper

Terminal Type: Insulated Sleeve

Wire Gauge: 16 AWG

Rating: 1-30 Amp

|                           |                                                                                                                                              |
|---------------------------|----------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Product Name</b>       | Low profile Standard Small Mini Micro ATM ACU ACN ACS ACZ Blade Fuse Tap Inline Car Auto Fuse Holder                                         |
| <b>Wire specification</b> | American standard UL1015 (other wires can be customized)                                                                                     |
| <b>Wire gauge size</b>    | Conventional 16AWG 15CM (other sizes can be customized)                                                                                      |
| <b>Tail processing</b>    | Terminals can be connected, half peeled, fully peeled, and directly cut.                                                                     |
| <b>Optional fuse</b>      | Insert fuse for 1A-5A                                                                                                                        |
| <b>Specifications</b>     | ACU,ACS,ACZ,ACN,ACM                                                                                                                          |
| <b>Weight</b>             | Standard-11g, mini-8g, micro-8g, micro2-8g, micro3-8g.                                                                                       |
| <b>Casing</b>             | Black heat shrinkable casing (or customized).                                                                                                |
| <b>Wire end</b>           | Blue insulated middle tube (cold terminal), or bullet terminal, or 5mm half-stripped non-crimp terminal. (Plug terminals can be customized). |