

G28

Electric Heated Towel Warmer




Model shown: G28-M-CHR-N



Product Specification

This drawing is for design reference only. For specific drilling/hole positions, please refer to the actual product.	Products and specifications are subject to change without notice. Please contact customer service for Full Size Product Template.	Finish/Color
		Please refer to the PRICE CATALOG for all finishes/colors/control options.



G28-M


Tolerance on dimensions: ±0.2"/±5mm

MODEL	A	B	C
G27-M	50.4" 1280mm	1.4" 32mm	4.9" 125mm

Model	G27-M
Package dimensions /in/mm	58.6x6.8x8.1"/1488x173x207mm
Power/W	20
Net weight /kg	12.02lb/5.45kg

Mounting & Hole Layout

This drawing is for design reference only. For specific drilling/hole positions, please refer to the actual product.	Products and specifications are subject to change without notice. Please contact customer service for Full Size Product Template.	Finish/Color
		Please refer to the PRICE CATALOG for all finishes/colors/control options.



NOTE

The Rough Body Fixed Block Box Must Be Installed Flush With the Exterior Edge Of The Wood Studs/Cross Beams To Ensure Proper Rough-In Dimension.

Stud Wall Installation

NOTE


The thickness of the finished wall application (including drywall, and tile, stone, etc..) should not be less than 0.5in/15mm and should not exceed 1.5in/40mm.

Tolerance on dimensions: ±0.2"/±5mm

MODEL	D	E	A1	B1	C1	D1
G28-M	56.5" 1435mm	9.8" 250mm	5.7" 145mm	4.1" 103mm	2.3" 58mm	1.4" 35mm


Electrical Diagram

For Integrated Control




Electrical Diagram

For Optional -XM Digital Metal Knob Control




Electrical Diagram

For Integrated Control



Electrical Diagram

For Optional -XM Digital Metal Knob Control



Electrical Diagram

Plug In

