

Boat of Sage

Electric Heated Towel Warmer




Model shown:SI-L-CHR-XA




Product Specification

This drawing is for design reference only. For specific drilling/hole positions, please refer to the actual product.	Products and specifications are subject to change without notice. Please contact customer service for Full Size Product Template.	Finish/Color
		Please refer to the PRICE CATALOG for all finishes/colors/control options.



SI-L



SI-M



Tolerance on dimensions: $\pm 0.3"$ / $\pm 8\text{mm}$

MODEL	A	B	C
SI-L	66.9" 1700mm	18.7" 475mm	12.6" 320mm
SI-M	53.1" 1350mm	16.2" 410mm	10.6" 270mm

Model	SI-L	SI-M
Package dimensions /in/mm	70.5"x22"x15.7"/1790x560x400mm	56.7"x20"x14.2"/1441*514*360mm
Power /W	136	87
Gross weight /lb/kg	90.17lb/40.9kg	81.35lb/36.9kg
Net weight /kg	43.50lb/19.73kg	35.71lb/16.2kg

Mounting & Hole Layout

This drawing is for design reference only. For specific drilling/hole positions, please refer to the actual product.	Products and specifications are subject to change without notice. Please contact customer service for Full Size Product Template.	Finish/Color
		Please refer to the PRICE CATALOG for all finishes/colors/control options.




Tolerance on dimensions: ±0.3"/±8mm

MODEL	D	E	F	G	H	I	A1	B1	C1	D1
SI-L	62" 1574mm	25.5" 649mm	7.2" 184mm	7.5" 190mm	28.3" 718mm	5.9" 150mm	5.7" 145mm	4.1" 103mm	2.3" 58mm	1.4" 35mm
SI-M	49.4" 1255mm	20.5" 523mm	6.3" 160mm	6.8" 174mm	22.5" 571mm	21.6" 550mm	5.7" 145mm	4.1" 103mm	2.3" 58mm	1.4" 35mm


Electrical Diagram

For Integrated Control



Electrical Diagram

For Optional -XA Digital Metal Knob Control



Electrical Diagram

For Optional -XM Digital Metal Knob Control

