


## Crete Palace

Electric Heated Towel Warmer




Model shown: S6-M-PBR-N



## Product Specification

This drawing is for design reference only. For specific drilling/hole positions, please refer to the actual product.	Products and specifications are subject to change without notice. Please contact customer service for Full Size Product Template.	Finish/Color
		Please refer to the PRICE CATALOG for all finishes/colors/control options.



**S6-M**


Tolerance on dimensions:  $\pm 0.3''/\pm 8\text{mm}$

MODEL	A	B	C
S6-M	70.9" 1800mm	18.1" 460mm	7.1" 180mm

Model	S3-M
Package dimensions /in/mm	42.5x24.65x14.57 in/1080x626x370mm
Power/W	74
Gross weight /lb/kg	57.43lb/26.05kg
Net weight /kg	22.05lb/10kg

## Mounting & Hole Layout

This drawing is for design reference only. For specific drilling/hole positions, please refer to the actual product.	Products and specifications are subject to change without notice. Please contact customer service for Full Size Product Template.	Finish/Color
		Please refer to the PRICE CATALOG for all finishes/colors/control options.



### Stud Wall Installation

**NOTE**  
The Rough Body Fixed Black Box Must Be Installed Flush With the Exterior Edge Of The Wood Studs/Cross Beams To Ensure Proper Rough-In Dimension.


**NOTE** The thickness of the finished wall application (including drywall, and tile, stone, etc.) should not be less than 0.5in/15mm and should not exceed 1.5in/40mm.

Tolerance on dimensions:  $\pm 0.3''/\pm 8\text{mm}$

MODEL	D	E	A1	B1	C1	D1
S6-M	16" 407mm	66.5" 1690mm	5.7" 145mm	4.1" 103mm	2.3" 58mm	1.4" 35mm

## Electrical Diagram

### For Integrated Control




Push Button-N

There is a push button on the bottom that can be used to turn the product on or off.

## Electrical Diagram

### For Optional -XA Digital Metal Knob Control



## Electrical Diagram

### For Optional -XM Digital Metal Knob Control

