

Bisor Corporation

5358, Huyi Road, Shanghai, 201806, P.R. China Tel: 86-21-6183 4121 Fax: 86-21-5186 1853

Email: info@bisorcare.com Website: www.bisorcare.com

Certificate of Analysis

ShieldBiso[™] A PLUS

Tra	de Name: ShieldBiso™ A PLUS	INCI Name: Diethylamino Hydroxybenzoyl Hexyl Benzoate	
Batch No.: BAP240120		Quantity: 200kg	
Manufacturing Date: 20.01.2024		Best Use Before Date: 19.01.2026	
Items		Specification	Results
1.	Appearance	Light yellow to white powder	Pass
2.	Odour	Weakly characteristic odour	Pass
3.	Assay (HPLC) %	98.0 – 105.0	99.6
4.	Loss on drying %	0.5 max	0.2
5.	Identification (UV) nm	352 - 356	354
6.	Color Gardner (in a molten manner)	8.2 max	7.5
7.	Specific Absorption (E1/1), (354nm in ethanol)	910 - 940	932
8.	Bulk Density (g/ml)	0.58 - 0.70	0.60
9.	Melting point °C	54.0 min	54.6 - 55.8
10.	Heavy metals (ppm)	5.0 max	Pass
Conclusion		Pass	

This lot was analysed and released by our authorized Quality Control Department and was found to meet the specification as given above.

