胜利门
BROADUP

HIGH SPEED
ZPPER
DOOR
T202



ENGINEERED
FOR EXCELLENCE
BUILT TO PERFORM.

High Speed
High Reliability
Enhanced Safety
Built to Last

PRODUCT DETAILS

ENGINEERED
FOR WAREHOUSE.
BUILT TO COMPLY.

Every component is precisely designed to ensure high-speed operation , impact resistance, easy maintenance , and long-lasting durability in warehouse environments.



01

Two-Way Automatic Reset Function

Automatic self-reinsertion.
At Broadup we used the crash-forgiving , self-reinserting door. Its curtain automatically reinserts when dislodged, without intervention. This means: no repair costs, nor costly production downtime.



02

Flexible Anti-Collision Door Curtain

The curtain material is soft and features cushioning properties. In the event of contact with personnel or goods during operation, it efferctively prevents injury and damage, meeting high standards of operational safety requirements.



03

Independent Zipper Element for Easy Replacement

The zipper system features independent elements. A single damaged element can be replaced individually without replacing the entire zipper, greatly reducing maintenance costs and downtime.



04

Dual-Shaft Driver - Ultimate Operational Stability

T202's dual-shaft synchronized drive ensures smooth, stable operation with even force distribution. Even under high-frequency use, it maintains precise tracking and significantly enhances reliability.



USAGE SCENARIOS

ENGINEERED FOR PERFORMANCE.

BUILT FOR EVERY WAREHOUSE NEED.

01

High-Traffic Logistics Warehouse Passage

Ideal for high-frequency access areas such as logistics centers, sorting warehouses, and e-commerce warehouses. Fast opening and closing reduce waiting time and improve forkift and cargo flow efficiency. The flexible self-repairing curtain helps reduce downtime and maintenance costs after impact.



02

Workshop Area Separation

Suitable for separating production workshops, assembly areas, and processing zones. Fast operation reduces the time the doorway stays open, helping isolate dust, airflow, and noise while maintaining a stable workshop environment.



03

Automotive Factory / Service Workshop

Ideal for automotive production lines, 4S service areas, and car wash or detailing centers with frequent vehicle access. High-speed operation improves vehicle traffic efficiency, while the flexible curtain reduces impact damage and helps keep the workshop clean and organized.



SPECIFICATIONS

CHARACTERISTICS

Max.dimensions	5500mm x 5500mm
Opening speed	1.2m/s-2.0m/s
Closing speed	1.2m/s
Side guide material	Reinforced polyethylene
Frame material	Galvanized steel / Optional: Stainless steel
Operation system	Two-axis operation system
Self-repairing system	Self-Repair: Dual-Sided Automatic Reset
Service life	Service Life: ⩾1.2 Million Cycles
Safety devices	Photoelectric protection in the side guides; wireless safety-edge protection system Safety air bag, Light curtain(optional)
Motor	Power 0.75k W or 1.5kW
Control box	Provided with: Open/Close button, Emergency switch,supply switch.Protection rating: IP54
Colour option	RAL5002 RAL1003 RAL7046 RAL2004 Other colors can be customized

ROBUST & DURABLE
Built to last

EXCELLENT SEALING
Minimizes air leakage

SAFE & RELIABLE
Multiple safety protections

SMOOTH OPERATION
High performance and efficiency

EASY MAINTENANCE
Simple structure, easy service

BROADUP

ABOUT US

Founded in 2005, Victory Door is an industrial door manufacturer integrating R&D, production, and sales. With factories in Guangzhou and Hebei, and an R&D team in Beijing, we adhere to Quality First – strict in-house quality control from raw materials to finished products. All doors are CE, SGS, EMC, and IEC certified, and produced in our own facilities. Product range: cold storage doors (-30°C), cleanroom doors (SGS ISO 6/7), high-speed doors, stacking doors, spiral doors, and loading bay systems. Quality is our culture, from our factory to your door.

BEIJING VICTORY DOOR CO., LTD.

Address:
No. 5 Jingwa Street, Agricultural Zhongguancun,
Pinggu District, Beijing, China

GUANGZHOU VICTORY DOOR CO., LTD.

Address:
Room 901-902, Jiatai Building, No. 58 Huancui South Road,
Liwan District, Guangzhou, China

Contact: Ben
+86-17322043190
ben@broadup.com.cn

Contact: Eric
+86-13302291975
victorydoor@broadup.com.cn

Website
www.victorydoor.com