

Efficiency Simplified



BASIC GUARD TOUR SOLUTION
PROFESSIONAL MANUFACTURER SINCE 2006




Key Features

- 125KHz RFID proximity reader
- 5-mode LED flashlight
- Alarm clock function
- Large storage capacity
- Impact detection and recording



The ZOORY Z-6200E is a high-performance guard tour system that offers a powerful flashlight with 5 modes for versatile use. It integrates a user-friendly touch switch that enhances convenience and efficiency during security operations, providing quick and intuitive control. It automatically reads data at checkpoints and provides a remarkable 50-meter lighting distance. With its standalone software and SQLite database, data retrieval is convenient via USB or direct communication, ensuring efficient security management.


Layout



Specification

Reading technology	125KHz RFID (EM-ID tag)
Material	Metal shell
Prompt	LED+Vibration
Memory	80,000 logs
Impact Record	32,000 logs
IP rating	IP67
Flashlight	High/medium/low/SOS/Strobe
Distance	50 meters
USB	Anti-vandal pogo-pin USB cable
Battery Capacity	900mAh rechargeable li-ion battery
Charging time	2 hours
Dimension	130mm x 40mm x25mm
Weight	170g
Humidity	30% to 90%
Temperature	-20 to 70 °C

Working Map



Accessory

