

# Fingerprint Patrol



**FINGERPRINT GUARD TOUR SOLUTION**

PROFESSIONAL MANUFACTURER SINCE 2006





## Key Features

- 125KHz RFID proximity reading
- Fingerprint recognition
- OLED displays running and operations
- Mass storage capacity
- Impact recording



ZOOY Z-6700F is a guard tour system that adopts fingerprint verification technology. During patrol, the security duty officer carry Z-6700F and log in by identifying his fingerprint, walking along with scheduled patrol route , when he arrived to check location, use Z-6700F to scan check point and then record patrol time, location and staff automatically. Device will store the patrol data in device and upload all data by USB cab.


## Layout




## Specification

|                     |                     |                                     |
|---------------------|---------------------|-------------------------------------|
| Display             | Size                | 0.9 inch OLED screen                |
|                     | Pixels              | 128*64px                            |
| Fingerprint         | Fingerprint         | Semiconductor fingerprint sensor    |
|                     | Capacity            | 100 pcs                             |
| Reader information  | Reading technology  | 125KHz RFID (EM-ID tag )            |
|                     | Material            | ABS plastic shell, rubber handle    |
|                     | Prompt              | LED+Vibration+display+sounds        |
|                     | Memory              | 80,000 logs                         |
|                     | Impact Record       | 32,000 logs                         |
|                     | IP rating           | IP67                                |
| Key                 | Booting/Shut down   | Long press 3 seconds                |
| Wired communication | USB                 | Anti-vandal magnetic USB cable      |
| Battery             | Capacity            | 1200mAh rechargeable li-ion battery |
|                     | Working time        | 20 hours                            |
|                     | Working consumption | 60mA                                |
|                     | Stand-by            | 10mA                                |
|                     | Charging time       | 1.2-2 hours(5V/1A)                  |
| Size                | Dimension           | 82*52*22mm                          |
|                     | Weight              | 73g                                 |
| Working environment | Humidity            | 30% to 95%                          |
|                     | Temperature         | -20 to 70                           |


## Working Map




## Accessory



USB cable



Clip



Manual