



LIGHTING MATERIAL

Constructed With Aluminum For
Long-Lasting, Like-new Performance



2025

www.yx-aluminum.com



COMPANY INTRODUCTION

Professional Production and Manufacturing Base

About yaoxing aluminum

Founded in 1993, Yaoxing Aluminum has over 30 years of expertise in high-quality aluminum profiles, focusing on aluminum linear lighting systems and aluminum-based decorative lighting solutions. We provide professional OEM/ODM services and one-stop solutions—from custom profile R&D and mold development to integrated lighting design and technical support—tailored to global clients' architectural and decorative needs.

Our production base spans 40,000 square meters, equipped with advanced manufacturing facilities: 6 extrusion lines, 1 anodizing line, 1 modern powder coating line, 2 wood grain transfer lines, and 1 sandblasting line. Complemented by supporting workshops for CNC precision processing and door/window assembly, our production capacity exceeds 1,500 tons per month, ensuring efficient delivery of premium products.

Our diverse portfolio covers embedded, surface-mounted, bending, and application-specific linear lamps for residential, commercial, and architectural scenarios. Crafted with high-grade aluminum profiles and reliable LED technology, our products offer durability, flexible installation, and sleek aesthetics—ideal for offices, malls, hotels, residences, and high-end projects.

Rooted in professionalism and innovation, we leverage aluminum's inherent advantages (corrosion resistance, easy maintenance, structural stability, thermal conductivity) and cutting-edge lighting technology to deliver reliable, energy-efficient solutions that enhance spaces.


PRODUCTION PROCESS



01 Raw Materials



02 Extrusion Of The Front Section



03 Into The Aging Furnace



04 Sandblasting Process



05 Oxidation Process



06 Packaing Process


INDEX 目录索引

LINEAR LAMP SERIES 线性灯系列	P04-P13
CLOTHES CABINET SERIES 衣橱柜系列	P14-P16
SILICONE RUBBER SLEEVE SLOT SERIES 硅胶套管卡槽系列	P17-P18
EMBEDDED LACE LINEAR LIGHT SERIES 预埋花边线性灯系列	P19-P23
LIGHT RETURN GROOVE/WAIST LINE/TOP ANGLE LINEAR LAMP SERIES 回光槽 / 腰线 / 顶角线性灯系列	P24-P28
FOOTLINE LIGHT SERIES 踢脚线灯系列	P29-P30
GROUND STEP LINEAR LAMP SERIES 地踩线性灯系列	P31-P32
OFFICE LINEAR LAMP SERIES 办公线性灯系列	P33-P38
BENDING LINEAR LAMP SERIES 折弯线性灯系列	P39-P46
LED PROFILE KIT INSTALLATION METHOD LED 型材套件安装方式	P47-P48



LINEAR LAMP SERIES

线性灯系列




















■ Aluminum Profile Kits

The function and application mode of linear aluminum kit breaks through the constraints of traditional lighting system. Lamps and building materials, decorative materials, clever fusion, to create a “space lighting integration” of the scene application, can realize more creative modeling.


LINE SERIES FOR HIDDEN LAYERS

暗装款线条系列




LINE SERIES FOR HIDDEN LAYERS

暗装款线条系列




LINE SERIES FOR HIDDEN LAYERS

暗装款线条系列




LINE SERIES FOR OPEN INSTALLATION

明装款线条系列




LINE SERIES FOR OPEN INSTALLATION

明装款线条系列




LINE SERIES FOR OPEN INSTALLATION

明装款线条系列




LINE SERIES FOR OPEN INSTALLATION

明装款线条系列




LINE SERIES FOR OPEN INSTALLATION

明装款线条系列




TRIANGULAR LINE SERIES
三角线条系列



CLOTHES CABINET SERIES


衣櫥柜系列




Aluminum Profile Kits

The function and application mode of linear aluminum kit breaks through the constraints of traditional lighting system. Lamps and building materials, decorative materials, clever fusion, to create a “space lighting integration” of the scene application, can realize more creative modeling.


CLOTHES CABINET SERIES
衣櫥柜系列




Model: A001
Size: 11x11mm
Apply: 5mm soft light strip / hard light strip




Model: A004
Size: 18x8.5mm
Apply: 5mm soft light strip / hard light strip



Model: 201
Size: 24x9mm
Apply: 6mm soft light strip / hard light strip




Model: A035
Size: 18x9.3mm
Apply: 5mm soft light strip / hard light strip




Model: A002
Size: 14.5x9.5mm
Apply: 5mm soft light strip / hard light strip



Model: 204
Size: 31.5x12.5mm
Apply: 8mm soft light strip / hard light strip




Model: A019
Size: 20x10.7mm
Apply: 8mm soft light strip / hard light strip




Model: CNA066
Size: 11.6x10.4mm
Apply: 5mm soft light strip / hard light strip




Model: A102
Size: 23.5x11.7mm
Apply: 5mm soft light strip / hard light strip




Model: 104
Size: 30x20mm
Apply: 12mm soft light strip / hard light strip




Model: A025
Size: 10x5.6mm
Apply: 8mm soft light strip / hard light strip




Model: A002-A
Size: 15x8.7mm
Apply: 5mm soft light strip / hard light strip



Model: A003
Size: 6.7x9.3mm
Apply: 5mm soft light strip / hard light strip



Model: A017
Size: 12.7x10mm
Apply: 8mm soft light strip / hard light strip




Model: A027
Size: 28x8.6mm
Apply: 5mm soft light strip / hard light strip



NR3

SILICONE RUBBER SLEEVE SLOT SERIES

硅胶套管卡槽系列




Aluminum Profile Kits

The function and application mode of linear aluminum kit breaks through the constraints of traditional lighting system. Lamps and building materials, decorative materials, clever fusion, to create a “space lighting integration” of the scene application, can realize more creative modeling.

SILICONE RUBBER SLEEVE SLOT SERIES


硅胶套管卡槽系列



EA

EMBEDDED LACE LINEAR LIGHT SERIES

预埋花边线性灯系列



Aluminum Profile Kits

The function and application mode of linear aluminum kit breaks through the constraints of traditional lighting system. Lamps and building materials, decorative materials, clever fusion, to create a “space lighting integration” of the scene application, can realize more creative modeling.

























EMBEDDED LACE LINEAR LIGHT SERIES

预埋花边线性灯系列

<p>Model: 1312 Size: 52.5x12.5mm Apply: 10mm soft light strip / hard light strip</p>	<p>Model: 1312 External Corner Size: 48x21.5mm Apply: 10mm soft light strip / hard light strip</p>	<p>Model: 1512A Size: 35x12.5mm Apply: 15mm soft light strip / hard light strip</p>
<p>Model: 1312B Size: 52.5x12.5mm Apply: 10mm soft light strip / hard light strip</p>	<p>Model: 1312 Internal Corner Size: 48x26.5mm Apply: 10mm soft light strip / hard light strip</p>	<p>Model: 1512C Size: 35x12.5mm Apply: 13mm soft light strip / hard light strip</p>
<p>Model: 1312A Size: 32.5x12.5mm Apply: 10mm soft light strip / hard light strip</p>	<p>Model: 1512 Size: 55x12.5mm Apply: 13mm soft light strip / hard light strip</p>	<p>Model: 2012 Size: 60x12.5mm Apply: 18mm soft light strip / hard light strip</p>
<p>Model: 1312C Size: 32.5x12.5mm Apply: 10mm soft light strip / hard light strip</p>	<p>Model: 1512B Size: 55x12.5mm Apply: 13mm soft light strip / hard light strip</p>	<p>Model: 2012B Size: 60x12.5mm Apply: 18mm soft light strip / hard light strip</p>

























EMBEDDED LACE LINEAR LIGHT SERIES

预埋花边线性灯系列


 <p>Model: 2012A Size: 40x12.5mm Apply: 18mm soft light strip / hard light strip</p> 	 <p>Model: HB152 Size: 33x13mm Apply: 10mm soft light strip / hard light strip</p> 	 <p>Model: 639C Size: 55.5x13mm Apply: 12mm soft light strip / hard light strip</p> 
 <p>Model: 2012C Size: 40x12.5mm Apply: 18mm soft light strip / hard light strip</p> 	 <p>Model: HB147 Size: 32x13mm Apply: 10mm soft light strip / hard light strip</p> 	 <p>Model: 639D Size: 55.5x13mm Apply: 12mm soft light strip / hard light strip</p> 
 <p>Model: HB144 Size: 52.5x13mm Apply: 13mm soft light strip / hard light strip</p> 	 <p>Model: HB148 Size: 33x12mm Apply: 10mm soft light strip / hard light strip</p> 	 <p>Model: 639B Size: 55.5x14.5mm Apply: 12mm soft light strip / hard light strip</p> 
 <p>Model: HB143 Size: 52.5x13mm Apply: 9mm soft light strip / hard light strip</p> 	 <p>Model: HB639 Size: 56x15mm Apply: 13mm soft light strip / hard light strip</p> 	 <p>Model: HB03B Size: 35x15mm Apply: 13mm soft light strip / hard light strip</p> 

EMBEDDED LACE LINEAR LIGHT SERIES

预埋花边线性灯系列

 <p>Model: 2001 Size: 35x14mm Apply: 13mm soft light strip / hard light strip</p> 	 <p>Model: 649 Size: 40x32mm Apply: 12mm soft light strip / hard light strip</p> 	 <p>Model: 125A Size: 62x14mm Apply: 20mm soft light strip / hard light strip</p> 
 <p>Model: HB646 Size: 53x24mm Apply: 13mm soft light strip / hard light strip</p> 	 <p>Model: 2006D Size: 60x13mm Apply: 17mm soft light strip / hard light strip</p> 	 <p>Model: 125C Size: 63x14mm Apply: 20mm soft light strip / hard light strip</p> 
 <p>Model: HB647 Size: 48x27mm Apply: 13mm soft light strip / hard light strip</p> 	 <p>Model: 2006E Size: 60x13mm Apply: 17mm soft light strip / hard light strip</p> 	 <p>Model: 1312 Decorative Trim Size: 70x20mm Apply: 27mm soft light strip / hard light strip</p> 
 <p>Model: 648 Size: 64x21mm Apply: 12mm soft light strip / hard light strip</p> 	 <p>Model: HB25B Size: 64x14mm Apply: 21mm soft light strip / hard light strip</p> 	 <p>Model: 2002 Size: 76x25mm Apply: 28mm soft light strip / hard light strip</p> 

EMBEDDED LACE LINEAR
LIGHT SERIES
预埋花边线性灯系列



05

LIGHT RETURN GROOVE/WAIST
LINE/TOP ANGLE LINEAR LAMP
SERIES


回光槽 / 腰线 / 顶角线性灯系列




Aluminum Profile Kits

The function and application mode of linear aluminum kit breaks through the constraints of traditional lighting system. Lamps and building materials, decorative materials, clever fusion, to create a “space lighting integration” of the scene application, can realize more creative modeling.

LIGHT RETURN GROOVE/WAIST LINE/TOP
ANGLE LINEAR LAMP SERIES
回光槽 / 腰线 / 顶角线性灯系列




LIGHT RETURN GROOVE/WAIST LINE/TOP
ANGLE LINEAR LAMP SERIES
回光槽 / 腰线 / 顶角线性灯系列




LIGHT RETURN GROOVE/WAIST LINE/TOP ANGLE LINEAR LAMP SERIES

回光槽 / 腰线 / 顶角线性灯系列



LIGHT RETURN GROOVE/WAIST LINE/TOP ANGLE LINEAR LAMP SERIES


回光槽 / 腰线 / 顶角线性灯系列





FOOTLINE LIGHT SERIES

踢脚线灯系列



FOOTLINE LIGHT SERIES

踢脚线灯系列

	<p>Model: YQ013 Size: 46x13mm Apply: 10mm soft light strip / hard light strip</p>		<p>Model: 2009 Size: 13.6x60mm Apply: 10mm soft light strip / hard light strip</p>		<p>Model: 4817BD Size: 48x17mm Apply: 15mm soft light strip / hard light strip</p>
	<p>Model: YQ010 Size: 50x13mm Apply: 10mm soft light strip / hard light strip</p>		<p>Model: 6016 Size: 15x60mm Apply: 8mm soft light strip / hard light strip</p>		<p>Model: 7525BD Size: 75x25mm Apply: 20mm soft light strip / hard light strip</p>
	<p>Model: YQ090 Size: 50x12.7mm Apply: 8mm soft light strip / hard light strip</p>		<p>Model: YQ012 Size: 15x80mm Apply: 8mm soft light strip / hard light strip</p>		<p>Model: 205 Size: 64x27.5mm Apply: 12mm soft light strip / hard light strip</p>
	<p>Model: 7114 Size: 71x14mm Apply: 10mm soft light strip / hard light strip</p>		<p>Model: 2635 Size: 26x37mm Apply: 13mm soft light strip / hard light strip</p>		


Aluminum Profile Kits

The function and application mode of linear aluminum kit breaks through the constraints of traditional lighting system. Lamps and building materials, decorative materials, clever fusion, to create a “space lighting integration” of the scene application, can realize more creative modeling.

n7

GROUND STEP LINEAR LAMP SERIES

地踩线性灯系列



Aluminum Profile Kits

The function and application mode of linear aluminum kit breaks through the constraints of traditional lighting system. Lamps and building materials, decorative materials, clever fusion, to create a “space lighting integration” of the scene application, can realize more creative modeling.

GROUND STEP LINEAR LAMP SERIES


地踩线性灯系列

	<p>Model: CN4001 Size: 20x10mm Apply: 12mm soft light strip / hard light strip</p>		<p>Model: CN635 Size: 30x20mm Apply: 26mm soft light strip / hard light strip</p>		<p>Model: CN632B Size: 25x26mm Apply: 13mm soft light strip / hard light strip</p>
	<p>Model: CN633 Size: 20x20mm Apply: 13mm soft light strip / hard light strip</p>		<p>Model: CN4002 Size: 30x25mm Apply: 21mm soft light strip / hard light strip</p>		<p>Model: CN635A Size: 41.6x20mm Apply: 26mm soft light strip / hard light strip</p>
	<p>Model: CN634 Size: 20x15mm Apply: 13mm soft light strip / hard light strip</p>		<p>Model: CN632A Size: 28x11mm Apply: 12mm soft light strip / hard light strip</p>		
	<p>Model: CN632 Size: 19.5x26mm Apply: 12mm soft light strip / hard light strip</p>				



OFFICE LINEAR LAMP SERIES

办公线性灯系列



























Aluminum Profile Kits

The function and application mode of linear aluminum kit breaks through the constraints of traditional lighting system. Lamps and building materials, decorative materials, clever fusion, to create a “space lighting integration” of the scene application, can realize more creative modeling.


OFFICE LAMP SERIES WITH HIDDEN LAMP

暗装办公灯系列

	<p>Model: 131B Size: 63.5x35mm Apply: 44mm soft light strip / hard light strip</p> 		<p>Model: 4035B Size: 56x35mm Apply: 38mm soft light strip / hard light strip</p> 		<p>Model: 7535B Size: 90x35mm Apply: 72mm soft light strip / hard light strip</p> 
	<p>Model: 151B Size: 71x32mm Apply: 37mm soft light strip / hard light strip</p> 		<p>Model: 5035B Size: 65x35mm Apply: 47mm soft light strip / hard light strip</p> 		<p>Model: 8035B Size: 96x35mm Apply: 78mm soft light strip / hard light strip</p> 
	<p>Model: 156B Size: 75x35mm Apply: 50mm soft light strip / hard light strip</p> 		<p>Model: 6035B Size: 76x34mm Apply: 58mm soft light strip / hard light strip</p> 		<p>Model: 10035B Size: 116x35mm Apply: 98mm soft light strip / hard light strip</p> 
	<p>Model: 3535B Size: 51x35mm Apply: 33mm soft light strip / hard light strip</p> 		<p>Model: 7035B Size: 86x35mm Apply: 68mm soft light strip / hard light strip</p> 		<p>Model: 12035B Size: 136x35mm Apply: 118mm soft light strip / hard light strip</p> 


OFFICE LAMP SERIES WITH HIDDEN LAMP

暗装办公灯系列




OFFICE LIGHTING SERIES WITH INTEGRATED LIGHTING

明装办公灯系列



OFFICE LIGHTING SERIES WITH INTEGRATED LIGHTING

明装办公灯系列




OFFICE LIGHTING SERIES WITH INTEGRATED LIGHTING


明装办公灯系列

DOUBLE-LAYER OFFICE LIGHT SERIES


双层办公灯系列




Model: 10035
Size: 100x35mm
Apply: 96mm soft light strip / hard light strip




Model: 902B
Size: 50x40mm
Apply: 25mm soft light strip / hard light strip




Model: 12035
Size: 120x35mm
Apply: 116mm soft light strip / hard light strip




Model: 903B
Size: 70x40mm
Apply: 45mm soft light strip / hard light strip




Model: 15035
Size: 150x35mm
Apply: 147mm soft light strip / hard light strip




Model: 904B
Size: 80x40mm
Apply: 55mm soft light strip / hard light strip




Model: 901B
Size: 40x40mm
Apply: 15mm soft light strip / hard light strip




Model: 905B
Size: 100x40mm
Apply: 75mm soft light strip / hard light strip




Model: 705
Size: 50x50mm
Apply: 45mm soft light strip / hard light strip




Model: 902
Size: 50x70mm
Apply: 25mm soft light strip / hard light strip




Model: 905
Size: 100x75mm
Apply: 75mm soft light strip / hard light strip




Model: 705A
Size: 50x50mm
Apply: 25mm soft light strip / hard light strip




Model: 903
Size: 70x75mm
Apply: 45mm soft light strip / hard light strip




Model: 909
Size: 40x60mm
Apply: 10mm soft light strip / hard light strip




Model: 710
Size: 36x65mm
Apply: 32mm soft light strip / hard light strip




Model: 7575
Size: 75x75mm
Apply: 50mm soft light strip / hard light strip



Model: 910
Size: 60x65mm
Apply: 43mm soft light strip / hard light strip



Model: 910
Size: 40x75mm
Apply: 15mm soft light strip / hard light strip



Model: 904
Size: 80x75mm
Apply: 55mm soft light strip / hard light strip



BENDING LINEAR LAMP SERIES

折弯线性灯系列

■ Aluminum Profile Kits



The function and application mode of linear aluminum kit breaks through the constraints of traditional lighting system. Lamps and building materials, decorative materials, clever fusion, to create a “space lighting integration” of the scene application, can realize more creative modeling.



1312 Decorative Trim
1512 Decorative Trim
2012 Decorative Trim




BENDING DIRECTION
折弯方向




BENDING LINEAR LIGHT
折弯线性灯

BENTABLE PROFILE
可折弯型材



40-200 Width also can be customized

Both Aluminum Profiles And PC Covers Are Assembled,
With Customizable Width, Detachable For Maintenance.
Material Length: 2.9/3.5/4.1m
Minimum Bending Radius: Inner Dimension R≥120mm
Lamp Cover: PC Cover




L067

Available In 40/50/55/70/80/100mm Widths,
Compatible With CN901/CN902/067A/CN903
/CN904/CN905 Straight Bars For Versatile
Shaping & Cutting, With PC Cover Included.




L068A

Available In 40/50/70/80/100/120mm Widths,
Compatible With CN901B/CN902B/CN903B/CN904B
/CN905B/CN906B Straight Bars For Versatile
Shaping & Cutting, With Pc Cover Included.




L068B


Available In 40/50/70/80/100/120mm Widths,
Compatible With CN901A/CN902A/CN903A/CN904A
/CN905A/CN906A Straight Bars For Versatile
Shaping & Cutting, With Pc Cover Included.



L068G L068K 035 035B L067B



L068A L068B L067 L067C L088K




CN908B Material Length: 6m
Minimum Bending Radius:
Only For Inner And Outer Bends R > 2000
No Side Bending
With PC Cover

CN907B Material Length: 6m
Minimum Bending Radius:
Only For Inner And Outer Bends R > 1500
No Side Bending
With PC Cover

CN906B Material Length: 6m
Minimum Bending Radius:
Only For Inner And Outer Bends R > 800
No Side Bending
With PC Cover

CN905B Material Length: 6m
Minimum Bending Radius:
Only For Inner And Outer
Bends R > 400
No Side Bending
With PC Cover

CN904B Material Length: 6m
Minimum Bending Radius:
Only For Inner And Outer
Bends R > 400
No Side Bending
With Pc Cover



CN903B Material Length: 6m
Minimum Bending Radius:
Only For Inner And Outer
Bends R > 400
No Side Bending
With PC Cover


CN902B Material Length: 6m
Minimum Bending Radius:
Only For Inner And Outer
Bends R > 400
No Side Bending
With PC Cover

CN901B Material Length: 6m
Minimum Bending Radius:
Only For Inner And Outer
Bends R > 400
No Side Bending
With PC Cover

L3020A Material Length: 3.06m
Minimum Bending Radius:
Side Bend R>200mm
Inner And Outer Bend R>150mm
PC/silicone Cover/PP

L3020A Material Length: 3.06m
Minimum Bending Radius:
Side Bend R>200mm
Inner And Outer Bend R>150mm
PC/silicone Cover/PP

L3010B Material Length: 3.06m
Minimum Bending Radius:
Side Bend R>300mm
Inner And Outer Bend R>150mm
PC/silicone Cover/PP



L2020A Material Length: 3.06m
Minimum Bending Radius:
Side Bend R>150mm
Inner And Outer Bend
R>120mm
PC/silicone Cover/PP

L2020B Material Length: 3.06m
Minimum Bending Radius:
Side Bend R>150mm
Inner And Outer Bend
R>120mm
PC/silicone Cover/PP


L2015A Material Length: 3.06m
Minimum Bending Radius:
Side Bend R>300mm
Inner And Outer Bend
R>150mm
PC/silicone Cover/PP

L2015B Material Length: 3.06m
Minimum Bending Radius:
Side Bend R>300mm
Inner And Outer Bend
R>150mm
PC/silicone Cover/PP

L2010A Material Length: 3.06m
Minimum Bending Radius:
Side Bend R>300mm
Inner And Outer Bend
R>150mm
PC/silicone Cover/PP

L2010B Material Length: 3.06m
Minimum Bending Radius:
Side Bend R>300mm
Inner And Outer Bend
R>150mm
PC/silicone Cover/PP

L1515A Material Length: 3.06m
Minimum Bending Radius:
Side Bend R>200mm
Inner And Outer Bend
R>150mm
PC/silicone Cover



L1515B Material Length: 3.06m
Minimum Bending Radius:
Side Bend R>200mm
Inner And Outer Bend
R>150mm
PC/silicone Cover

L1409A Material Length: 3.06m
Minimum Bending Radius:
Side Bend R>200mm
Inner And Outer Bend
R>150mm
PC/silicone Cover


L1409B Material Length: 3.06m
Minimum Bending Radius:
Side Bend R>200mm
Inner And Outer Bend
R>150mm
PC/silicone Cover

L124 Material Length: 2.9/3.5/4.1m
Minimum Bending Radius:
Side Bend R > 200mm
Inner And Outer Bend R > 200mm
Lamp Cover: Silicone Cover/PP


L124B Material Length: 2.9/3.5/4.1m
Minimum Bending Radius:
Side Bend R > 250mm
Inner And Outer Bend R > 250mm
Lamp Cover: Silicone Cover/PP

L125 Material Length: 2.9/3.5/4.1m
Minimum Bending Radius:
Side Bend R > 350mm
Inner And Outer Bend R > 200mm
Lamp Cover: Silicone Cover/PP


L126 Material Length: 2.9/3.5/4.1m
Minimum Bending Radius:
Side Bend R > 300mm
Inner And Outer Bend R > 200mm
Lamp Cover: Silicone Cover/PP




L706B
Material Length: 2.9/3.5/4.1m
Minimum Bending Radius:
Side Bend R > 400mm
Inner And Outer Bend R > 300mm
Lamp Cover: PP




L126A
Material Length: 2.9/3.6/4.1m
Minimum Bending Radius:
Side Bend R > 300mm
Inner And Outer Bend R > 200mm
Lamp Cover: Silicone/PP (Ground Step)



L126B
Material Length: 2.9/3.6/4.1m
Minimum Bending Radius:
Side Bend R > 300mm
Inner And Outer Bend R > 200mm
Lamp Cover: Silicone/PP (Ground Step)




L127
Material Length: 2.9/3.5/4.1m
Minimum Bending Radius:
Side Bend R > 450mm
Inner And Outer Bend R > 300mm
Lamp Cover: Silicone/PP




L127B
Material Length: 2.9/3.5/4.1m
Minimum Bending Radius:
Side Bend R > 450mm
Inner And Outer Bend R > 300mm
Lamp Cover: Silicone/PP




BENDING LINEAR LIGHT | STANDARD
折弯线性灯 库存标准尺寸




L078
Material Length: 2.9/3.5/4.1m
Minimum Bending Radius:
Side Bend R > 200mm
Inner And Outer Bend R > 200mm
Lamp Cover: PC/Silicone Cover




L079
Material Length: 2.9/3.5/4.1m
Minimum Bending Radius:
Side Bend R > 400mm
Inner And Outer Bend R > 300mm
Lamp Cover: PC/Silicone Cover




R20
Material Length: 3.06m
Minimum Bending Radius: R > 300
Magnetic Track For Side Bend Splint




S20
Material Length: 3.06m
Minimum Bending Radius: R > 300
Exposed Magnetic Track For Side Bend Splint



WW3010B
Material Length: 3.06m
Minimum Bending Radius: R > 300
Silicone Cover




HK3020
Material Length: 3.06m
Minimum Bending Radius: R > 300
Silicone Cover/Ground Step
Reinforced Thickened PP




ZDS067-400
1000 x 400 x 75mm
ZDS067-600
1200 x 600 x 75mm
ZDS067-800
1400 x 800 x 75mm


ZDW067-R200/R300/R400



Rimless profile




HB1515
Material Length: 3.06m
Minimum Bending Radius: R > 400
Silicone Cover




HB2015
Material Length: 3.06m
Minimum Bending Radius: R > 400
With Silicone Cover


Skirting line




T40
Material Length: 3.06m
Minimum Bending Radius: R > 300
Silicone Cover/Ground Step
Reinforced Thickened PP/PC Cover



T70
Material Length: 3.06m
Minimum Bending Radius: R > 300
PC Cover




WW5020
Material Length: 3.06m
Minimum Bending Radius: R > 400
Silicone Cover/Ground Step
Reinforced Thickened PP




WW6020
Material Length: 3.06m
Minimum Bending Radius: R > 400
Only For Inner And Outer Bends
No Side Bending
With Silicone Cover

10 LED PROFILE KIT INSTALLATION METHOD

LED 型材套件安装方式



▲ 安装配件



■ Aluminum Profile Kits

The function and application mode of linear aluminum kit breaks through the constraints of traditional lighting system. Lamps and building materials, decorative materials, clever fusion, to create a “space lighting integration” of the scene application, can realize more creative modeling.