



SHANTOU DAHENG TECHNOLOGY CO., LTD.

Technical Report: (8823)254-0017(E)
Date Received: Sep 11, 2023

Sep 19, 2023
Page 1 of 12

SHANTOU DAHENG TECHNOLOGY CO., LTD.
NO. 10, WEST SECOND ROAD, OLD STATE ROAD, HUAINAN
VILLAGE, LIANXIA TOWN, CHENGHAI DISTRICT, SHANTOU
CITY, GUANGDONG PROVINCE, CHINA

Sample Description:	REMOTE CONTROL CAR	Sample Size:	7
Vendor:	N/A	Item No(s):	SEE ATTACHMENT
Manufacturer:	N/A	SKN/SKU No.:	NOT PROVIDE
Labeled Age Grade:	DH-190: FOR AGES 14 UP, DH-290: 8 AGES	PO No.:	NOT PROVIDE
Appropriate Age Grade:	NOT REQUESTED	Ref #:	NOT PROVIDE
Client Specified Age Grade:	8+	Country of Origin:	NOT PROVIDE
Tested Age Grade:	OVER 8 YEARS OF AGE	Assortment No.:	NOT PROVIDE
UPC Code:	N/A	Test Finished Date:	SEP 19, 2023
Test Starting Date:	SEP 11, 2023		

EXECUTIVE SUMMARY:

Test Requested	Conclusion
(#)Mechanical and physical properties requirements of the tested subclauses of the British Standard, "Safety of toys", BS EN71: Part 1:2014+A1:2018, clauses 1-7 .	PASS
Labeling requirements of "UKCA Marking, Company name and UK address and product identification".	PASS
(#)Flammability requirements of the British Standard "Safety of Toys", BS EN 71: Part 2: 2020.	PASS

To be continued

BUREAU VERITAS SHENZHEN CO.,LTD
DONGGUAN BRANCH

Lisa Bai
Analytical lab technical ass. manager



BUREAU VERITAS SHENZHEN CO.,LTD
DONGGUAN BRANCH

Tone Tang
Physics Lab Assistant Supervisor

RT/ Carmen Xiong

REMARK

If there are questions or concerns on this report, please contact the following persons:

Report Enquiry: (86) 0769 89952999 Ext. 8175 CPSAnalytical.DG@bureauveritas.com
Business Contact: (86) 0769 85893595

This report shall not be reproduced except in full, without the written approval of our laboratory.



SHANTOU DAHENG TECHNOLOGY CO., LTD.

Technical Report: **(8823)254-0017(E)**

Sep 19, 2023

Page 2 of 12

EXECUTIVE SUMMARY:

Test Requested	Conclusion
(#)Migration of Certain Elements in Category III - Scraped off toy material requirements of the British Standard, "Safety of toys", BS EN 71-3:2019+A1:2021.	PASS

Note: At the request of the client, the sample(s) was evaluated for use by children 8+.

Note: At the request of client, test(s) was conducted on the certain component(s) of the submitted samples(s) / submitted component(s).

Note: Tests with (#) are accredited by UKAS.

Note The statement of compliance is based on a 95% coverage probability for the expanded uncertainty of the measurement result. The measurement result is within (or below) the specification limit when the measurement uncertainty is taken into account.

The binary statement with guard band (1 measurement uncertainty) was applied to statement of conformity. When the measured value falls within the guard band, the test data and measurement uncertainty will be reported. The Probability of False Accept and the Probability of False Reject of the decision rule are 2.5%.

For upper tolerance limit (TU):
 Pass - the measurement result is below the acceptance limit (AL) $AL = TU - U95$
 Fail - the measurement result is above the acceptance limit (AL) $AL = TU - U95$

For lower tolerance limit (TL):
 Pass - the measurement result is above the acceptance limit (AL) $AL = TL + U95$
 Fail - when the measurement result is below the acceptance limit (AL) $AL = TL + U95$

ATTACHMENT:

Item No(s):

- DH-100 、 DH-200 、 DH-300 、 DH-400 、 DH-500 、 DH-600 、 DH-700 、 DH-800 、 DH-900 、 DH-110 、 DH-120 、
- DH-130 、 DH-140 、 DH-150 、 DH-160 、 DH-170 、 DH-180 、 DH-190 、 DH-210 、 DH-220 、 DH-230 、 DH-240 、
- DH-250 、 DH-260 、 DH-270 、 DH-280 、 DH-290 、 DH-310 、 DH-320 、 DH-330 、 DH-340 、 DH-350 、 DH-360 、
- DH-370 、 DH-380 、 DH-390 、 DH-410 、 DH-420 、 DH-430 、 DH-440 、 DH-450 、 DH-460 、 DH-470 、 DH-480 、
- DH-490 、 DH-510 、 DH-520 、 DH-530 、 DH-540 、 DH-550 、 DH-560 、 DH-570 、 DH-580 、 DH-590 、 DH-610 、
- DH-620 、 DH-630 、 DH-640 、 DH-650 、 DH-660 、 DH-670 、 DH-680 、 DH-690 、 DH-710 、 DH-720 、 DH-730 、
- DH-740 、 DH-750 、 DH-760 、 DH-770 、 DH-780 、 DH-790 、 DH-810 、 DH-820 、 DH-830 、 DH-840 、 DH-850 、
- DH-860 、 DH-870 、 DH-880



SHANTOU DAHENG TECHNOLOGY CO., LTD.

Technical Report: **(8823)254-0017(E)**

Sep 19, 2023

Page 3 of 12

Tested Component(s) Description List:

Test Item(s)	Item / Component Description(s)	Location(s)	Style(s)
I001	Red plastic	Car	-
I002	Blue plastic	Car	-
I003	Black plastic	Car	-
I004	Green plastic	Wheel	-
I005	Transparent red plastic	Car light	-
I006	Red soft plastic	Tire	-
I007	Blue soft plastic	Tire	-
I008	Grey soft plastic	Tire	-
I009	White soft plastic	Wire	-
I010	Green coating	Surface of car	-



SHANTOU DAHENG TECHNOLOGY CO., LTD.

Technical Report: **(8823)254-0017(E)**

Sep 19, 2023

Page 4 of 12

RESULTS:

APPROPRIATE AGE GRADE DETERMINATION

<p>The Appropriate Age Grade is determined with reference to the BS EN71 : Part 1 : 2014+A1:2018, CEN ISO/TR 8124-8:2016 Safety of toys - Part 8: Age determination guidelines prepared by Technical Committee CEN/TC 52 and Age Grade Determination Guidelines of the Consumer Product Safety Commission (CPSC).</p>	
Note :	The most stringent age grade from the Labeled Age Grade and the Appropriate Age Grade will be used for testing.
Note :	If the client does not specify an age grade for testing or request Bureau Veritas Consumer Products Services, Inc. to determine an appropriate age grade, the labeled age grade will be used for testing.

EXPLANATION OF THE ABBREVIATIONS FOR PART 1, 2 & 6

Symbol	Explanation				
NM	The sample(s) DOES NOT MEET the requirement of this Subclause				
M	The sample(s) MEET the requirement of this Subclause				
N/A	Not Applicable				
NR	Not Requested				
NE	Not Evaluated				
NP	None Present				
NT	Not Tested				
P	Present				
R	Refer to Comment Section of this report				
Symbol	Language Present	Symbol	Language Present	Symbol	Language Present
B	Belgian language	G	German language	PR	Portuguese language
D	Danish language	GR	Greek language	S	Spanish language
E	English language	H	Dutch language	SD	Swedish language
F	Finnish language	I	Italian language	SZ	Swiss language
FR	French language	N	Norwegian language		



SHANTOU DAHENG TECHNOLOGY CO., LTD.

Technical Report: **(8823)254-0017(E)**

Sep 19, 2023

Page 5 of 12

RESULTS:

**MECHANICAL & PHYSICAL PROPERTIES
(BS EN 71: PART 1 – 2014+A1 – 2018)**

Subclause	Requirement	Result
4.1	Material cleanliness	M
4.2	Assembly	NA
4.3	Flexible plastic sheeting	NA
4.4	Toy Bags	NA
4.5	Glass	NA
4.6	Expanding materials	NA
4.7 & 7.6	Edges	M
4.8 & 7.6	Points and metallic wires	M
4.8e	Splinters	M
4.9	Protruding parts	NA
4.10.1	Folding and sliding mechanisms	NA
4.10.2	Driving mechanisms	M
4.10.3	Hinges	NA
4.10.4	Springs	NA
4.11	Mouth actuated toys and other toys intended to be put in the mouth	NA
4.12 & 7.3	Balloons	NA
4.13 & 7.9	Cord of toy kites and other flying toys	NA
4.14.1	Toys which a child can enter	NA
4.14.2 & 7.8	Masks and helmets	NA
4.15.1	Toys propelled by child	
4.15.1.2 & 7.10.1 & 7.10.2 & 7.10.3 & 7.10.4 & 7.16	Toys propelled by child – Instructions for use	NA
4.15.1.3	Toys propelled by child – Strength	NA
4.15.1.4	Toys propelled by child – Stability	NA
4.15.1.5	Toys propelled by child – Braking	NA
4.15.1.6	Toys propelled by child - Transmission	NA
4.15.1.7	Toys propelled by child – insertion mark	NA
4.15.1.8	Electrically-driven ride-on toys	NA
4.15.2	Toy bicycles	
4.15.2.2 & 7.15	Toy bicycles – Warnings and instructions for use	NA
4.15.2.3	Toy bicycles – Braking	NA
4.15.3 & 7.16 & 7.19	Rocking horses and similar toys	NA
4.15.4 & 7.16	Toys not propelled by child	NA
4.15.5 & 7.18	Toy scooters	NA



SHANTOU DAHENG TECHNOLOGY CO., LTD.

Technical Report: **(8823)254-0017(E)**

Sep 19, 2023

Page 6 of 12

RESULTS:

Subclause	Requirement	Result
4.16	Heavy immobile toys	NA
4.17.2	All projectiles	NA
4.17.3 & 7.7	Projectile toys with stored energy	NA
4.17.4 & 7.26	Certain projectiles toys without stored energy	NA
4.18 & 7.4	Aquatic toys and inflatable toys	NA
4.19 & 7.13 & 7.14	Percussion caps	NA
4.20.2.1- 4.20.2.4, 4.20.2.6-4.20.2.12 & 7.14	Acoustics	M
*4.20.2.5	Acoustics– Toys using headphones or earphones	NA
4.21	Toys containing a non-electrical heat source	NA
4.22 & 7.2	Small balls	NA
4.23	Magnet	
4.23.2 a, b & c	Toy other than magnetic / electrical experimental sets intended for children over 8 years	NA
4.23.3 & 7.20	Magnetic / electrical experimental sets intended for children over 8 years	NA
4.24	Yo-yo ball	NA
4.25	Toys attached to food	NA
4.26	Toy Disguise Costumes	NA
4.27.1	Flying toys – General	NA
4.27.2 & 7.25.1	Rotors and propellers on flying toys	NA
4.27.3 & 7.25.2	Rotors and propellers on remote controlled flying toys	NA
FOR TOYS INTENDED FOR CHILDREN UNDER 36 MONTHS		
5.1	General	NA
5.1a	Small parts – as received	NA
5.1b	Small parts, sharp points, sharp edges – after tests	NA
5.1c	Cross section <2mm metal points & wires	NA
5.1e	Toys contain glue	NA
5.1f	Casing of toys	NA
5.2	Fillings, coverings and seams	NA
5.3	Adhesion of plastic sheeting	NA
5.4.2	Cords and chains in toys intended for children under 18 months	NA



SHANTOU DAHENG TECHNOLOGY CO., LTD.

Technical Report: **(8823)254-0017(E)**

Sep 19, 2023

Page 7 of 12

RESULTS:

Subclause	Requirement	Result
5.4.3 & 7.22	Cords and chains in toys intended for children of 18 months or over but under 36 months	NA
5.4.4	Fixed loops, tangled loops and nooses	NA
5.4.5	Cords and chains on pull along toys	NA
5.4.6 & 7.21	Electrical cables	NA
5.4.7	Cross-sectional dimension of certain cords	NA
5.4.8	Self-retracting cords	NA
5.4.9 & 7.11 & 7.23	Toys attached to or intended to be strung across a cradle, cot or perambulator	NA
5.5 & 7.12	Liquid filled toys	NA
5.6	Electrically driven toys	NA
5.7	Glass and porcelain	NA
5.8	Shape and size	NA
5.9 & 7.17	Monofilament fibres	NA
5.10	Small balls	NA
5.11	Play figures	NA
5.12	Hemispheric shaped toys	NA
5.13	Suction cups	NA
5.14	Straps intended to be worn fully or partially around the neck	NA
5.15 & 7.24	Sledges with cords for pulling	NA
6	Packaging	NA
WARNINGS, INSTRUCTIONS FOR USE		
7.1	General	NA
7.2	Toys not intended for children under 36 months	NA
7.5	Functional toys	NA

UKCA Marking and Company name and UK address Labeling

Requirement	Result
UKCA Marking	M
Company name and UK address	M
Product Identification	M

M = Meet NM = Not Meet N/A = Not Applicable R = Refer to Comment Section NT=Not Test

Remark:

UKCA Marking and Company name and UK address labeling content are not accredited by UKAS.



SHANTOU DAHENG TECHNOLOGY CO., LTD.

Technical Report: **(8823)254-0017(E)**

Sep 19, 2023

Page 8 of 12

RESULTS:

REQUIREMENTS & TEST METHODS CROSS REFERENCE TABLE FOR PART 1

Sub-clause	Test Method	Sub-clause	Test Method	Sub-clause	Test Method	Sub-clause	Test Method
4.3	8.25.1	4.15.1.5	8.26.1	4.22	8.3, 8.4.2.1, 8.5, 8.6, 8.7, 8.8, 8.32	5.4.5	8.40
4.5	8.5, 8.7, 8.11, 8.12	4.15.1.8	8.29	4.23	8.2, 8.3, 8.4.2.1, 8.4.2.2, 8.5, 8.6, 8.7, 8.8, 8.34, 8.35	5.4.6	8.40
4.6	8.2, 8.3, 8.4.2.1, 8.5, 8.7, 8.8, 8.14	4.15.2.4	8.26.2	4.24	8.37	5.4.7	8.20
4.7	8.11	4.15.3	8.21, 8.23.1	4.25	8.2, 8.3, 8.4.2.1, 8.5, 8.7, 8.8, 8.32.1	5.7.8	8.39
4.8	8.12, 8.13	4.15.4	8.21, 8.23.1	4.26	8.38	5.5	8.15
4.9	8.4.2.3, 8.11, 8.12	4.15.5	8.11, 8.12, 8.21, 8.22, 8.26.3, 8.27	4.27.1	8.43	5.6	8.29
4.10.1	8.18.2, 8.18.3	4.16	8.23.2	4.27.2	8.4.2.6	5.8	8.16
4.10.2	8.5, 8.6, 8.7, 8.11, 8.12	4.17.1	8.3, 8.4.2.1, 8.7, 8.8, 8.42	4.27.3	8.4.2.6	5.10	8.3, 8.4.2.1, 8.5, 8.6, 8.7, 8.8, 8.9, 8.32
4.11	8.2, 8.3, 8.4.2.1, 8.9, 8.17	4.17.2	8.3, 8.4.2.4, 8.7, 8.8, 8.32.1, 8.43, 8.44	5.1	8.2, 8.3, 8.4.2.1, 8.5, 8.7, 8.8, 8.9, 8.11, 8.12	5.11	8.33
4.13	8.19	4.17.3	8.3, 8.4.2.3, 8.4.2.5, 8.11, 8.12, 8.24, 8.42	5.3	8.4.2.1, 8.25	5.12	8.3, 8.4.2.1, 8.5, 8.6, 8.7, 8.8, 8.9,
4.14.1	8.31.1, 8.31.2	4.17.4	8.3, 8.4.2.3, 8.4.2.5, 8.11, 8.12, 8.24, 8.42	5.4.1	8.40	5.13	8.3, 8.4.2.1, 8.5, 8.7, 8.8, 8.32
4.14.2	8.3, 8.4.2.1, 8.5, 8.7, 8.8, 8.11, 8.12	4.18	8.2, 8.3, 8.4.2.1	5.4.2	8.38, 8.40, 8.41	5.14	8.38
4.15.1.3	8.11, 8.12, 8.21, 8.22	4.20	8.28	5.4.3	8.38, 8.40, 8.41	6	8.3, 8.4.2.1, 8.25.1, 8.32.1
4.15.1.4	8.23.1	4.21	8.30	5.4.4	8.36, 8.38		



SHANTOU DAHENG TECHNOLOGY CO., LTD.

Technical Report: **(8823)254-0017(E)**

Sep 19, 2023

Page 9 of 12

RESULTS:

FLAMMABILITY (BS EN 71 PART 2: 2020)

Subclause	Requirement	Result
4.1	Cellulose nitrate	NP
4.1	Highly flammable solids	NP
4.1	Surface flash on a piled surface	NA
*4.1	Flammable gases	NA
*4.1	Extremely flammable liquids, highly flammable liquids, flammable liquids and flammable gels	NA
4.2	Toys to be worn on the head	NA
4.3	Toy disguise costumes and toys intended to be worn by child in play	NA
4.3	warning on product and packaging (10 - 30 mm/s)	NA
4.4	Toys intended to be entered by child	NA
4.4	warning on product and packaging (10 – 30 mm/s)	NA
4.5	Soft-filled toys	NA

REQUIREMENTS & TEST METHODS CROSS REFERENCE TABLE FOR PART 2

Sub-clause	Test Method						
4.2.2	5.2	4.2.4	5.3	4.3	5.4	4.5	5.5
4.2.3	5.3	4.2.5	5.4	4.4	5.4	-	-

* Note: Subclause indicated with * are not accredited.

M = Meet NM = Not Meet N/A = Not Applicable R = Refer to Comment Section
P = Present NP = Not Present



SHANTOU DAHENG TECHNOLOGY CO., LTD.

Technical Report: **(8823)254-0017(E)**

Sep 19, 2023

Page 10 of 12

RESULTS:

Migration of Certain Elements, BS EN 71-3:2019+A1:2021

Test Method: British Standard BS EN 71-3:2019+A1:2021 Section 8.

Class: Category III - Scraped off toy material

Analyte	Requirement (mg/kg)	Result (mg/kg)				
		Test Item(s)				
	Category III	I001	I002	I003	I004	I005
Aluminium (Al)	28130	ND	ND	ND	ND	ND
Arsenic (As)	47	ND	ND	ND	ND	ND
Boron (B)	15000	ND	ND	ND	ND	ND
Barium (Ba)	18750	ND	ND	ND	ND	ND
Cadmium (Cd)	17	ND	ND	ND	ND	ND
Cobalt (Co)	130	ND	ND	ND	ND	ND
Chromium III (Cr III)	460	ND	ND	ND	ND	ND
Chromium VI (Cr VI)	0.053	ND	ND	ND	ND	ND
Copper (Cu)	7700	ND	ND	ND	ND	ND
Mercury (Hg)	94	ND	ND	ND	ND	ND
Manganese (Mn)	15000	ND	ND	ND	ND	ND
Nickel (Ni)	930	ND	ND	ND	ND	ND
Lead (Pb)	23	ND	ND	ND	ND	ND
Antimony (Sb)	560	ND	ND	ND	ND	ND
Selenium (Se)	460	ND	ND	ND	ND	ND
Tin (Sn)	180000	ND	ND	ND	ND	ND
Organic tin	12	ND	ND	ND	ND	ND
Strontium (Sr)	56000	ND	ND	ND	ND	ND
Zinc (Zn)	46000	ND	ND	ND	ND	ND
Mass of trace amount (gram)		-	-	-	-	-
Conclusion		PASS	PASS	PASS	PASS	PASS



SHANTOU DAHENG TECHNOLOGY CO., LTD.

Technical Report: **(8823)254-0017(E)**

Sep 19, 2023

Page 11 of 12

RESULTS:

Analyte	Requirement (mg/kg)	Result (mg/kg)				
		Test Item(s)				
	Category III	I006	I007	I008	I009	I010
Aluminium (Al)	28130	ND	ND	ND	3	ND
Arsenic (As)	47	ND	ND	ND	ND	ND
Boron (B)	15000	ND	ND	ND	ND	ND
Barium (Ba)	18750	ND	ND	ND	ND	ND
Cadmium (Cd)	17	ND	ND	ND	ND	ND
Cobalt (Co)	130	ND	ND	ND	ND	ND
Chromium III (Cr III)	460	ND	ND	ND	ND	ND
Chromium VI (Cr VI)	0.053	ND	ND	ND	ND	ND
Copper (Cu)	7700	ND	ND	ND	ND	ND
Mercury (Hg)	94	ND	ND	ND	ND	ND
Manganese (Mn)	15000	ND	ND	ND	ND	ND
Nickel (Ni)	930	ND	ND	ND	ND	ND
Lead (Pb)	23	ND	ND	ND	ND	ND
Antimony (Sb)	560	ND	ND	ND	ND	ND
Selenium (Se)	460	ND	ND	ND	ND	ND
Tin (Sn)	180000	ND	ND	ND	ND	ND
Organic tin	12	ND	ND	ND	ND	ND
Strontium (Sr)	56000	ND	ND	ND	ND	ND
Zinc (Zn)	46000	ND	ND	ND	2	8
Mass of trace amount (gram)	-	-	-	-	-	-
Conclusion		PASS	PASS	PASS	PASS	PASS

mg/kg = milligrams per kilogram (ppm=parts per million)

Organic tin = migration of total organic tin is expressed as tributyltin cation content in mg/kg

= Verified results (see note)

ND = Not detected

Detection Limit (mg/kg) :

Category III - Al : 2 ; Sb : 2 ; As : 2 ; Ba : 2 ; B : 2 ; Cd : 2 ; Cr III : 0.15 ; Cr VI : 0.025 ; Co : 2 ; Cu : 2 ; Pb : 2 ; Mn : 2 ; Hg : 2 ; Ni : 2 ; Se : 2 ; Sr : 2 ; Sn : 2 ; Organic tin : 2 ; Zn : 2

Remark:

- Results of Cr III and Cr VI were reported as sum of soluble Chromium content unless specified.
- Result(s) of organic tin was (were) calculated while assuming the tin content wholly contributed from tributyltin cation unless specified.
- The pH measured shall be reported after migration if it was outside the range of 1.1 to 1.3.

Note:

If soluble chromium content or soluble tin content exceeded the screening limits of soluble chromium (VI) or organic tin content, the results were verified by below method

- Chromium VI: BS EN 71-3:2019+A1:2021, Annex F by Ion-chromatography with ICP-MS detector analysis.
- Organic tin: BS EN 71-3:2019+A1:2021, Annex G by Gas Chromatography-Mass Spectroscopy analysis.


SHANTOU DAHENG TECHNOLOGY CO., LTD.

Technical Report: **(8823)254-0017(E)**

Sep 19, 2023

Page 12 of 12

RESULTS:



END OF REPORT