

OPTIMAL
SOLUTION
FOR
FURNITURE



MONSOON[®]
Make trust as nature

Monsoon
International(Guangzhou)
Limited

DRAWER SYSTEM
Furniture hardware

www.monsoonhardware.com

▶ CONTENT



»» Drawer system

- ▶ P01-P04 Ultrabox
- ▶ P05-P10 Multibox
- ▶ P11 Metal-Box
- ▶ P12-P15 Multibox Variable Drawer System

01



»» Concealed slide

- ▶ P16-P25 Full extension
- ▶ P26-P33 Single extension

02

DRAWER SYSTEM


Monsoon Drawer Series can realize a variety of design solutions and meet a variety of personalized home design requirements. Smooth, quiet, Soft closing operation experience, and beautiful line design are atypical feature of the drawer series.




ULTRABOX DRAWER SYSTEM

Item NO.: L03210107301


Space requirements of the inner cabinet installation




Front Connector panel mounting size





Panel hole size



Back-panel mounting size




16mm(thickness)MDFcutting size





KB Cabinet width
LW Cabinet net width
NL Nominal Length

Slide mounting size



External drawer

Cabinet slide mounting size




Soft closing




Push open



Max load bearing




Side height



3D adjustment


Space required




ULTRABOX-BOX DRAWER SYSTEM

Item NO.: L03210107301


Space requirements of the inner cabinet installation




Front Connector panel mounting size





Panel hole size



Back-panel mounting size




16mm(thickness)MDFcutting size




KB Cabinet width
LW Cabinet net width
NL Nominal Length

Cabinet slide mounting size



Slide mounting size



External drawer




Soft closing




Push open



Max load bearing




Side height



2D adjustment


Space required




ULTRABOX DRAWER SYSTEM

Item NO.: L03210105201


Space requirements of the inner cabinet installation




Front Connector panel mounting size





Panel hole size



Back-panel mounting size




16mm(thickness)MDFcutting size





KB Cabinet width
LW Cabinet net width
NL Nominal Length

Slide mounting size



External drawer

Cabinet slide mounting size




Soft closing




Push open



Max load bearing




Side height



3D adjustment

Space required




P03


ULTRABOX DRAWER SYSTEM

Item NO.: L03210107901


Space requirements of the inner cabinet installation




Front Connector panel mounting size




Panel hole size




Back-panel mounting size



16mm(thickness)MDFcutting size




Cabinet slide mounting size




KB Cabinet width
LW Cabinet net width
NL Nominal Length


Slide mounting size



External drawer



Soft closing




Push open



Max load bearing




Side height



2D adjustment


Space required




MULTIBOX DRAWER SYSTEM

Item NO.: L03210110001


Space requirements of the inner cabinet installation




Front Connector panel mounting size




Panel hole size




Back-panel mounting size




16mm(thickness)MDFcutting size



Cabinet slide mounting size



Slide mounting size



External drawer

P05



Soft closing




Push open



Max load bearing




Side height



2D adjustment


Space required




MULTIBOX DRAWER SYSTEM

Item NO.: L0321011101


Space requirements of the inner cabinet installation




Front Connector panel mounting size





Panel hole size



Back-panel mounting size




16mm(thickness)MDFcutting size




KB Cabinet width
LW Cabinet net width
NL Nominal Length

Cabinet slide mounting size



Slide mounting size



External drawer




Soft closing




Push open



Max load bearing




Side height



2D adjustment


Space required




MULTIBOX DRAWER SYSTEM

Item NO.: L03210111401


Space requirements of the inner cabinet installation




Front Connector panel mounting size




Panel hole size




Back-panel mounting size




16mm(thickness)MDFcutting size



Cabinet slide mounting size



Slide mounting size




External drawer

P07




Soft closing




Push open



Max load bearing




Side height



2D adjustment


Space required




MULTIBOX DRAWER SYSTEM

Item NO.: L03210111501


Space requirements of the inner cabinet installation




Front Connector panel mounting size




Panel hole size




Back-panel mounting size




16mm(thickness)MDFcutting size



Cabinet slide mounting size



Slide mounting size



External drawer



Soft closing




Push open



Max load bearing




Side height



2D adjustment


Space required




MULTIBOX DRAWER SYSTEM

Item NO.: L0321011801


Space requirements of the inner cabinet installation




Front Connector panel mounting size




Panel hole size




Back-panel mounting size




16mm(thickness)MDFcutting size



Cabinet slide mounting size




Slide mounting size




External drawer

P09




Soft closing




Push open



Max load bearing




Side height



2D adjustment


Space required




MULTIBOX DRAWER SYSTEM

Item NO.: L03210116201


Space requirements of the inner cabinet installation




Front Connector panel mounting size





Panel hole size



Back-panel mounting size




16mm(thickness)MDFcutting size




KB Cabinet width
LW Cabinet net width
NL Nominal Length

Cabinet slide mounting size




Slide mounting size



External drawer




Soft closing




Push open



Max load bearing




Side height



2D adjustment


Space required




METAL-BOX DRAWER SYSTEM

Item NO.: L03210109901

Space requirements of the inner cabinet installation





Slide mounting size





External drawer


16mm(thickness)MDFcutting size



Cabinet slide mounting size




Soft closing



Push open




Max load bearing




Side height

Space required





MULTIBOX VARIABLE DRAWER SYSTEM

Item NO.: L03210113001




16mm(thickness)MDFcutting size




KB Cabinet width
LW Cabinet net width
NL Nominal Length


Cabinet slide mounting size




Slide mounting size



External drawer




Space required




MULTIBOX VARIABLE DRAWER SYSTEM

Item NO.: L03210113101


Space requirements of the inner cabinet installation




Front Code Panel Mounting Dimensions




Panel hole size




Back-panel mounting size



16mm(thickness)MDFcutting size




Cabinet slide mounting size





KB Cabinet width
LW Cabinet net width
NL Nominal Length

Slide mounting size



External drawer


P13




Soft closing



Max load bearing




Side height




2D Adjustment

Space required





MULTIBOX VARIABLE DRAWER SYSTEM

Item NO.: L03210113301




16mm(thickness)MDFcutting size




KB Cabinet width
LW Cabinet net width
NL Nominal Length


Cabinet slide mounting size



Slide mounting size




External drawer



Soft closing




Max load bearing




2D Adjustment

Space required





MULTIBOX VARIABLE DRAWER SYSTEM

Item NO.: L03210113401




16mm(thickness)MDFcutting size




Cabinet slide mounting size

KB Cabinet width
LW Cabinet net width
NL Nominal Length




Slide mounting size



External drawer


P15



Soft closing




Max load bearing




2D Adjustment

Space required







FULL EXTENSION SYNCHRONIZED CONCEALED SLIDE WITH HANDLES

Item NO.: L03530101201



DRAWER DRILL SIZE



NL= Nominal Slide Length

LT= Cabinet Interior Depth


LW= Cabinet Internal Width

SKL= Drawer Length

SKW= Drawer Width





Space required



FULL EXTENSION SYNCHRONIZED CONCEALED DRAWER
SLIDE WITH PIN

Item NO.: L03530102801




NL= Nominal Slide Length

LT= Cabinet Interior Depth


LW= Cabinet Internal Width

SKL= Drawer Length

SKW= Drawer Width



Soft closing




Full extension




Max load bearing


DRAWER DRILL SIZE



NL	300	350	400	450	500	550
A	255	305	355	405	455	505
B	235	285	335	385	435	485





Space required



FULL EXTENSION CONCEALED SLIDE WITH HANDLES



Item NO.: L03530103401



NL= Nominal Slide Length

LT= Cabinet Interior Depth



LW= Cabinet Internal Width



SKL= Drawer Length

SKW= Drawer Width

DRAWER DRILL SIZE



> 1D HANDLE




> 2D HANDLE



> 3D HANDLE



> METAL HANDLE



Soft closing




Full extension





Max load bearing

Space required



FULL EXTENSION CONCEALED SLIDE WITH PIN

Item NO.: L03530105001




NL= Nominal Slide Length

LT= Cabinet Interior Depth


LW= Cabinet Internal Width

SKL= Drawer Length

SKW= Drawer Width



Soft closing




Full extension




Max load bearing


DRAWER DRILL SIZE



NL	300	350	400	450	500	550
A	255	305	355	405	455	505
B	235	285	335	385	435	485




Space required





FULL EXTENSION SYNCHRONIZED PUSH -TO-OPEN CONCEALED SLIDE

Item NO.: L03530105601



DRAWER DRILL SIZE




NL= Nominal Slide Length

LT= Cabinet Interior Depth

LW= Cabinet Internal Width

SKL= Drawer Length

SKW= Drawer Width




> 1D HANDLE



> 2D HANDLE



> METAL HANDLE



Soft closing




Full extension






Max load bearing

Space required



Item NO.: L03530102801




LT= Cabinet Interior Depth

LW= Cabinet Internal Width

SKL= Drawer Length

SKW= Drawer Width



Soft closing






Full extension



Max load bearing



Technical drawing of the P21 profile. The side view shows a cross-section with a total width of 33, a top flange width of 9, and a bottom flange width of 9. The height of the top flange is 12. The bottom flange has a central slot with a width of 5 and a depth of 3. The end view shows a rectangular profile with a width of 9 and a height of 3. The drawing includes dimensions for the top flange (12), the bottom flange (9), the central slot (5), and the overall width (33). The profile is labeled P21.

NL	300	350	400	450	500	550
A	255	305	355	405	455	505
B	235	285	335	385	435	485






FULL EXTENSION PUSH -TO-OPEN CONCEALED SLIDE

Item NO.: L03530107401



DRAWER DRILL SIZE




NL= Nominal Slide Length

LT= Cabinet Interior Depth

LW= Cabinet Internal Width

SKL= Drawer Length

SKW= Drawer Width




> 1D HANDLE




> 2D HANDLE



> METAL HANDLE



Soft closing




Full extension






Max load bearing

Space required




Item NO.: L03530108601




LT= Cabinet Interior Depth

SKL= Drawer Length

SKW= Drawer Width



Soft closing




Full extension



Max load bearing



Technical drawing of a mechanical assembly showing a cross-section of a bracket. The drawing includes the following dimensions and features:

- Vertical dimension: 12
- Horizontal dimension: 33
- Horizontal dimension: 6
- Horizontal dimension: 3
- Horizontal dimension: 5
- Horizontal dimension: 9
- Two circular features labeled $\Phi 6$



NL	300	350	400	450	500	550
A	255	305	355	405	455	505
B	235	285	335	385	435	485



P23



A 3D perspective diagram of a square box. The box is shown with solid lines for its edges and a dashed outline for its internal structure. A dimension line is drawn along the bottom edge of the box, labeled $NL+18$.

FULL EXTENSION CONCEALED SLIDE-AMERICAN TYPE



Item NO.: L03530109201



NL= Nominal Slide Length

LT= Cabinet Interior Depth




LW= Cabinet Internal Width



SKL= Drawer Length

SKW= Drawer Width

DRAWER DRILL SIZE




> 1D HANDLE



> 2D HANDLE



> METAL HANDLE



Soft closing




Full extension




Max load bearing

Space required




Item NO.: L03530110201



LT= Cabinet Interior Depth

LW= Cabinet Internal Width



SKL= Drawer Length

SKW= Drawer Width




> 1D HANDLE



> **SYNCHRONOUS LINK ROD**

DRAWER DRILL SIZE



P25

Technical drawing showing the edge view of a cabinet with dimensions and hole patterns for different lengths (300, 350, 400, 450, 500, 550 mm). The drawing includes a vertical axis labeled 'NL' and a horizontal axis labeled 'Cabinet edge'.

Dimensions and hole patterns are indicated for each length:


- 300 mm:** 9 holes (3 on the left, 3 on the right, 3 in the middle).
- 350 mm:** 9 holes (3 on the left, 3 on the right, 3 in the middle).
- 400 mm:** 9 holes (3 on the left, 3 on the right, 3 in the middle).
- 450 mm:** 9 holes (3 on the left, 3 on the right, 3 in the middle).
- 500 mm:** 9 holes (3 on the left, 3 on the right, 3 in the middle).
- 550 mm:** 9 holes (3 on the left, 3 on the right, 3 in the middle).

Additional dimensions shown at the bottom:

- 37 (distance from the left edge to the first hole)
- 32 (distance between holes)
- 128 (distance between the first and last hole)
- 96 (distance from the last hole to the right edge)
- 32 (distance from the last hole to the right edge)
- 96 (distance from the last hole to the right edge)



Soft closing




Full extension



Max load bearing



Space required



www.monsoonhardware.com

SINGLE EXTENSION CONCEALED SLIDE WITH HANDLES

Item NO.: L0353011201




NL= Nominal Slide Length

LT= Cabinet Interior Depth


LW= Cabinet Internal Width

SKL= Drawer Length

SKW= Drawer Width




DRAWER DRILL SIZE




NL	300	350	400	450	500	550
A	255	305	355	405	455	505
B	235	285	335	385	435	485

P27





Space required



SINGLE EXTENSIOIN CONCEALED SLIDE WITH 1D HANDLES

Item NO.: L0353011201



NL= Nominal Slide Length

LT= Cabinet Interior Depth


LW= Cabinet Internal Width

SKL= Drawer Length


SKW= Drawer Width



> 1D HANDLE



Soft closing




Full extension




Max load bearing

DRAWER DRILL SIZE




NL	300	350	400	450	500	550
A	255	305	355	405	455	505
B	235	285	335	385	435	485

P29





Space required



SINGLE EXTENSIOIN PUSH-TO-OPEN CONCEALED SLIDE WITH PIN

Item NO.: L03530112601




NL= Nominal Slide Length

LT= Cabinet Interior Depth


LW= Cabinet Internal Width

SKL= Drawer Length

SKW= Drawer Width



Soft closing




Full extension





Max load bearing


DRAWER DRILL SIZE



NL	300	350	400	450	500	550
A	255	305	355	405	455	505
B	235	285	335	385	435	485





Space required



SINGLE EXTENSIOIN PUSH-TO-OPEN CONCEALED SLIDE
WITH 1D HANDLES

Item NO.: L03530113001



NL= Nominal Slide Length

LT= Cabinet Interior Depth

LW= Cabinet Internal Width

SKL= Drawer Length

SKW= Drawer Width



> 1D HANDLE



Soft closing




Full extension




Max load bearing

DRAWER DRILL SIZE




NL	300	350	400	450	500	550
A	255	305	355	405	455	505
B	235	285	335	385	435	485

P31



Space required





MONSOON INTERNATIONAL(GUANGZHOU) LIMITED

Monsoon Hardware was established in the year 2011. It's an import and export enterprises with production, research and development, domestic and foreign sales. We have our own factory which area is more than 10000 square meter, with registered capital of 10 million Yuan. Monsoon have many industry-leading plastic processing equipment: Mixers, Granulating machines, PVC sheet extrusion machines, Single extrusion machines, Printing machines, Automatic cutting machines etc, The production capacity is more than 30 million meters per month.

Base in Guangdong, We offer high-quality and environment-friendly product and fast response service for many custom-made furniture brands. Our sales network throughout the country and the sales volume is in the forefront of the industry. Meanwhile our overseas sales grow rapidly, we mostly export to Southeast Asia, Russia, Eastern Europe, Central Asia and other regions. Our products receive the consistent high praise of customers. We firmly believe that Monsoon is your most loyal and trusted cooperation partner on the road to success. In order to reach our quality standard, Monsoon invest much money to set up Strategic cooperative relationship with many famous Chemical brands. We have experienced colorists and a production team to ensure stable quality. The young sales team offer fast response service to our customers.

OUR SUB-BRAND



Maxave is the global furniture hardware company built to transform your furniture hardware business.



Lanttich is a company focused on high-end kitchen hardware applications, bringing customers an unprecedented smart kitchen experience.



Moonplast is an enterprise focusing on environmental edge banding, efficient intelligent production edge banding, and has become an advocate of environmental edge banding.