

OPTIMAL
SOLUTION
FOR
FURNITURE



MONSOON[®]
Make trust as nature

Monsoon
International(Guangzhou)
Limited

KITCHEN BASKET
Furniture hardware

www.monsoonhardware.com

MONSOON INTERNATIONAL(GUANGZHOU) LIMITED

Monsoon Hardware was established in the year 2011. It's an import and export enterprises with production, research and development, domestic and foreign sales. We have our own factory which area is more than 10000 square meter,with registered capital of 10 million Yuan. Monsoon have many industry-leading plastic processing equipment: Mixers, Granulating machines, PVC sheet extrusion machines, Single extrusion machines, Printing machines, Automatic cutting machines etc, The production capacity is more than 30 million meters per month.

Base in Guandong ,We offer high-quality and environment-friendly product and fast response service for many custom-made furniture brands. Our sales network throughout the country and the sales volume is in the forefront of the industry. Meanwhile our overseas sales grow rapidly, we mostly export to Southeast Asia,Russia,Eastern Europe,Central Asia and other regions. Our products receive the consistent high praise of customers.We firmly believe that Monsoon is your most loyal and trusted cooperation partner on the road to success.In order to reach our quality standard, Monsoon invest much money to set up Strategic cooperative relationship with many famous Chemical brands. We have experienced colorists and a production team to ensure stable quality. The young sales team offer fast response service to our customers.

OUR SUB-BRAND



Maxave is the global furniture hardware company built to transform your furniture hardware business.



Lanttich is a company focused on high-end kitchen hardware applications, bringing customers an unprecedented smart kitchen experience.



Moonplast is an enterprise focusing on environmental edge banding, efficient intelligent production edge banding, and has become an advocate of environmental edge banding.

▶ CONTENT



Flat Basket



▶ P01-P07



Dish Basket



▶ P08-P12



Cookware Basket



▶ P13-P15



MUL Basket



▶ P16-P17



Side Pull Basket



▶ P18-P28



Linkage Pull Basket



▶ P29-P36



Corner Basket



▶ P37-P41



Waste Bin



▶ P42-P46



Tall Linkage Pull Basket



▶ P47-P58



Tall Unit Basket



▶ P59-P63



Lift Basket



▶ P64-P66

KITCHEN BASKET

Kitchen pull-out baskets transform cooking into an enjoyable experience, adding color to your kitchen life.



**EFFICIENT & ELEGANT
PULL-OUT BASKETS**

www.monsoonhardware.com



THREE SIDE BASKET

Parameter

- ▶ Load-bearing capacity :20KG
- ▶ Surface treatment: nano dry plating
- ▶ Panel 3D adjustment device, can quickly and conveniently adjust the panel position

CABINET	WIDTH X DEPTH X HEIGHT
400mm	295x430x140mm
450mm	345x430x140mm
500mm	395x430x140mm
600mm	495x430x140mm
700mm	595x430x140mm
800mm	695x430x140mm
900mm	795x430x140mm



▶ L03810100502



THREE SIDE BASKET

Parameter

- ▶ Load-bearing capacity :20KG
- ▶ Surface treatment: nano dry plating
- ▶ Panel 3D adjustment device, can quickly and conveniently adjust the panel position

CABINET	WIDTH X DEPTH X HEIGHT
600mm	530x467x144mm
700mm	630x467x144mm
750mm	680x467x144mm
800mm	730x467x144mm
900mm	830x467x144mm

CABINET	WIDTH X DEPTH X HEIGHT
600mm	530x467x144mm
700mm	630x467x144mm
750mm	680x467x144mm
800mm	730x467x144mm
900mm	830x467x144mm



▶ L03850100401



▶ L03850100402



THREE SIDE BASKET-AEF

Parameter

- ▶ Load-bearing capacity :20KG
- ▶ Surface treatment: nano dry plating
- ▶ Panel 3D adjustment device, can quickly and conveniently adjust the panel position

CABINET	WIDTH X DEPTH X HEIGHT
600mm	557x454x134mm
700mm	657x454x134 mm
750mm	707x454x134 mm
800mm	757x454x134 mm
900mm	857x454x134 mm



▶ L03850201001



THREE SIDE BASKET-ABL

Parameter

- ▶ Load-bearing capacity :20KG
- ▶ Surface treatment: nano dry plating
- ▶ Panel 3D adjustment device, can quickly and conveniently adjust the panel position

CABINET	WIDTH X DEPTH X HEIGHT
600mm	557x454x134mm
700mm	657x454x134 mm
750mm	707x454x134 mm
800mm	757x454x134 mm
900mm	857x454x134 mm



▶ L03850301001



FOUR SIDE BASKET

Parameter

- ▶ Load-bearing capacity :20KG
- ▶ Surface treatment: nano dry plating
- ▶ Panel 3D adjustment device, can quickly and conveniently adjust the panel position

CABINET	WIDTH X DEPTH X HEIGHT
600mm	530x467x144mm
700mm	630x467x144mm
750mm	680x467x144mm
800mm	730x467x144mm
900mm	830x467x144mm



▶ L03850100601

CABINET	WIDTH X DEPTH X HEIGHT
600mm	530x467x144mm
700mm	630x467x144mm
750mm	680x467x144mm
800mm	730x467x144mm
900mm	830x467x144mm



▶ L03850100602



FOUR SIDE BASKET-AEF

Parameter

- ▶ Load-bearing capacity :20KG
- ▶ Surface treatment: nano dry plating
- ▶ Panel 3D adjustment device, can quickly and conveniently adjust the panel position

CABINET	WIDTH X DEPTH X HEIGHT
600mm	529x452x128 mm
700mm	629x452x128 mm
750mm	679x452x128 mm
800mm	729x452x128 mm
900mm	829x452x128 mm



▶ L03850201401



FOUR SIDE BASKET-ABL

Parameter

- ▶ Load-bearing capacity :20KG
- ▶ Surface treatment: nano dry plating
- ▶ Panel 3D adjustment device, can quickly and conveniently adjust the panel position

CABINET	WIDTH X DEPTH X HEIGHT
600mm	631x461x95 mm
700mm	681x461x95 mm
750mm	731x461x95 mm
800mm	831x461x95 mm
900mm	831x461x95 mm



▶ L03850301401



THREE SIDE DISH BASKET


Parameter

- ▶ Load-bearing capacity :20KG
- ▶ Surface treatment: nano dry plating
- ▶ Panel 3D adjustment device, can quickly and conveniently adjust the panel position

CABINET	WIDTH X DEPTH X HEIGHT
600mm	530x467x144 mm
700mm	630x467x144 mm
750mm	680x467x144 mm
800mm	730x467x144 mm
900mm	830x467x144 mm



▶ L03850100501



THREE SIDE DISH BASKET-AEF


Parameter

- ▶ Load-bearing capacity :20KG
- ▶ Surface treatment: nano dry plating
- ▶ Panel 3D adjustment device, can quickly and conveniently adjust the panel position

CABINET	WIDTH X DEPTH X HEIGHT
700mm	657x452x128 mm
750mm	707x452x128 mm
800mm	757x452x128 mm
900mm	857x452x128 mm



▶ L03850201201



THREE SIDE DISH BASKET-ABL

Parameter

- ▶ Load-bearing capacity :20KG
- ▶ Surface treatment: nano dry plating
- ▶ Panel 3D adjustment device, can quickly and conveniently adjust the panel position

CABINET	WIDTH X DEPTH X HEIGHT
600mm	548*459*121 mm
700mm	648*459*121 mm
750mm	698*459*121 mm
800mm	748*459*121 mm
900mm	848*459*121 mm



▶ L03850301101




FOUR SIDE DISH BASKET


Parameter

- ▶ Load-bearing capacity :20KG
- ▶ Surface treatment: nano dry plating
- ▶ Panel 3D adjustment device, can quickly and conveniently adjust the panel position

CABINET	WIDTH X DEPTH X HEIGHT
600mm	530x467x144 mm
700mm	630x467x144 mm
750mm	680x467x144 mm
800mm	730x467x144 mm
900mm	830x467x144 mm



▶ L03850100701



FOUR SIDE DISH BASKET-AEF

Parameter

- ▶ Load-bearing capacity :20KG
- ▶ Surface treatment: nano dry plating
- ▶ Panel 3D adjustment device, can quickly and conveniently adjust the panel position

CABINET	WIDTH X DEPTH X HEIGHT
700mm	629x452x128 mm
750mm	679x452x128 mm
800mm	757x452x128 mm
900mm	857x452x128 mm



▶ L03850201601



THREE SIDE COOKWARE BASKET -AEF

Parameter

- ▶ Load-bearing capacity :30KG
- ▶ Surface treatment: nano dry plating
- ▶ Panel 3D adjustment device, can quickly and conveniently adjust the panel position

CABINET	WIDTH X DEPTH X HEIGHT
600mm	557x454x134 mm
700mm	657x454x134 mm
750mm	707x454x134 mm
800mm	757x454x134 mm
900mm	857x454x134 mm



▶ L03850201101



THREE SIDE COOKWARE BASKET -ABL

Parameter

- ▶ Load-bearing capacity :30KG
- ▶ Surface treatment: nano dry plating
- ▶ Panel 3D adjustment device, can quickly and conveniently adjust the panel position

CABINET	WIDTH X DEPTH X HEIGHT
600mm	548*459*121 mm
700mm	648*459*121 mm
750mm	698*459*121 mm
800mm	748*459*121 mm
900mm	848*459*121 mm



▶ L03850301301

FOUR SIDE COOKWARE BASKET -AEF

Parameter

- ▶ Load-bearing capacity :30KG
- ▶ Surface treatment: nano dry plating
- ▶ Panel 3D adjustment device, can quickly and conveniently adjust the panel position

CABINET	WIDTH X DEPTH X HEIGHT
600mm	529x452x128 mm
700mm	629x452x128 mm
750mm	679x452x128 mm
800mm	729x452x128 mm
900mm	829x452x128 mm



▶ L03850201501



MUL BASKET


Parameter

- ▶ Load-bearing capacity :10KG
- ▶ Surface treatment: nano dry plating
- ▶ Panel 3D adjustment device, can quickly and conveniently adjust the panel position

CABINET	WIDTH X DEPTH X HEIGHT
300mm	245x453x440 mm
350mm	295x453x440 mm
400mm	345x453x440 mm
450mm	395x453x440 mm



▶ L03850101401



MUL BASKET

Parameter

- ▶ Load-bearing capacity :25KG
- ▶ Surface treatment: nano dry plating
- ▶ Panel 3D adjustment device, can quickly and conveniently adjust the panel position

CABINET	WIDTH X DEPTH X HEIGHT
200mm	157x428x572 mm
300mm	245x428x572 mm
350mm	295x428x572 mm
400mm	357x428x572 mm
450mm	395x428x572 mm
500mm	445x428x572 mm



▶ L02880102501



MUL BASKET -AEF

Parameter

- ▶ Load-bearing capacity :20KG
- ▶ Surface treatment: nano dry plating
- ▶ Panel 3D adjustment device, can quickly and conveniently adjust the panel position

CABINET	WIDTH X DEPTH X HEIGHT
400mm	356x455x490 mm
450mm	406x455x490 mm



▶ L03850202101





MUL BASKET -ABL

Parameter

- ▶ Load-bearing capacity :20KG
- ▶ Surface treatment: nano dry plating
- ▶ Panel 3D adjustment device, can quickly and conveniently adjust the panel position

CABINET	WIDTH X DEPTH X HEIGHT
300mm	244*452*461 mm
350mm	294*452*461 mm
400mm	344*452*461 mm
450mm	394*452*461 mm



▶ L03850301302

SIDE PULL BASKET-DOUBLE DECK

Parameter

- ▶ Load-bearing capacity :20KG
- ▶ Surface treatment: nano dry plating
- ▶ Panel 3D adjustment device, can quickly and conveniently adjust the panel position

CABINET	WIDTH X DEPTH X HEIGHT
200mm	130x502x(590~595) mm
300mm	230x502x(590~595) mm



▶ L03850101801



SIDE PULL BASKET-THREE DECK

Parameter

- ▶ Load-bearing capacity :20KG
- ▶ Surface treatment: nano dry plating
- ▶ Panel 3D adjustment device, can quickly and conveniently adjust the panel position

CABINET	WIDTH X DEPTH X HEIGHT
200mm	130x502x(590~595) mm
300mm	230x502x(590~595) mm



▶ L03850101901



SIDE PULL BASKET- AEF DOUBLE DECK

Parameter

- ▶ Load-bearing capacity :20KG
- ▶ Surface treatment: nano dry plating
- ▶ Panel 3D adjustment device, can quickly and conveniently adjust the panel position

CABINET	WIDTH X DEPTH X HEIGHT
200mm	130x502x(590~595) mm
300mm	230x502x(590~595) mm



▶ L03850101801 (Wooden)



▶ L03850101801 (Mat)



SIDE PULL BASKET- AEF THREE DECK

Parameter

- ▶ Load-bearing capacity :20KG
- ▶ Surface treatment: nano dry plating
- ▶ Panel 3D adjustment device, can quickly and conveniently adjust the panel position

CABINET	WIDTH X DEPTH X HEIGHT
200mm	146x485x588 mm
300mm	246x485x588 mm



▶ L03850202301 (Wooden)



▶ L03850202301 (Mat)



SIDE PULL BASKET- NARROW BASKET

Parameter

- ▶ Load-bearing capacity :20KG
- ▶ Surface treatment: nano dry plating
- ▶ Panel 3D adjustment device, can quickly and conveniently adjust the panel position

CABINET	WIDTH X DEPTH X HEIGHT
200mm	130x502x(590~595) mm
300mm	230x502x(590~595) mm



▶ L03850102001

SIDE PULL BASKET- NARROW BASKET

Parameter

- ▶ Load-bearing capacity :20KG
- ▶ Surface treatment: nano dry plating
- ▶ Panel 3D adjustment device, can quickly and conveniently adjust the panel position

CABINET	WIDTH X DEPTH X HEIGHT
150mm	94.6x482x502 mm
200mm	144.6x482x502 mm



▶ L03850202401 (Wooden)



▶ L03850202401 (Mat)



SIDE PULL BASKET- NARROW BASKET

Parameter

- ▶ Load-bearing capacity :20KG
- ▶ Surface treatment: nano dry plating
- ▶ Panel 3D adjustment device, can quickly and conveniently adjust the panel position

CABINET	WIDTH X DEPTH X HEIGHT
150mm	95x450x500 mm
200mm	150x450x500 mm



▶ L02880104301



SIDE PULL BASKET- NARROW BASKET


Parameter

- ▶ Load-bearing capacity :20KG
- ▶ Surface treatment: nano dry plating
- ▶ Panel 3D adjustment device, can quickly and conveniently adjust the panel position

CABINET	WIDTH X DEPTH X HEIGHT
150mm	470x110x480 mm
200mm	470x160x480 mm
250mm	470x210x480 mm



▶ L03810100202



SIDE PULL BASKET- NARROW BASKET

Parameter

- ▶ Load-bearing capacity :20KG
- ▶ Surface treatment: nano dry plating
- ▶ Panel 3D adjustment device, can quickly and conveniently adjust the panel position

CABINET	WIDTH X DEPTH X HEIGHT
200mm	465.5x158.6x658 mm
300mm	465.5x158.6x658 mm



▶ L03850301501

LINKAGE PULL BASKET

Parameter

- ▶ Load-bearing capacity :20KG
- ▶ Surface treatment: nano dry plating
- ▶ Panel 3D adjustment device, can quickly and conveniently adjust the panel position

CABINET	WIDTH X DEPTH X HEIGHT
450mm	410x490x585 mm
600mm	560x490x585 mm



▶ L03850102101



LINKAGE PULL BASKET -AEF

Parameter

- ▶ Load-bearing capacity :20KG
- ▶ Surface treatment: nano dry plating
- ▶ Panel 3D adjustment device, can quickly and conveniently adjust the panel position

CABINET	WIDTH X DEPTH X HEIGHT
450mm	410x490x585 mm
600mm	560x490x585 mm



▶ L03850202601 (Wooden)



▶ L03850202601 (Mat)



LINKAGE PULL BASKET -ABL

Parameter

- ▶ Load-bearing capacity :20KG
- ▶ Surface treatment: nano dry plating
- ▶ Panel 3D adjustment device, can quickly and conveniently adjust the panel position

CABINET	WIDTH X DEPTH X HEIGHT
450mm	370x480x614 mm
600mm	520x487x614 mm



▶ L03850301502



LINKAGE PULL BASKET -MAGIC CORNER

Parameter

- ▶ Load-bearing capacity :20KG
- ▶ Surface treatment: nano dry plating
- ▶ Panel 3D adjustment device, can quickly and conveniently adjust the panel position

CABINET	WIDTH X DEPTH X HEIGHT
---------	------------------------

900mm-L	(864-968)x(520-550)x530mm
---------	---------------------------

900mm-R	(864-968)x(520-550)x530mm
---------	---------------------------



▶ L03850102301




LINKAGE PULL BASKET -AEF MAGIC CORNER

Parameter

- ▶ Load-bearing capacity :20KG
- ▶ Surface treatment: nano dry plating
- ▶ Panel 3D adjustment device, can quickly and conveniently adjust the panel position

CABINET	WIDTH X DEPTH X HEIGHT
900mm-L	(864-968)x(520-550)x530mm
900mm-R	(864-968)x(520-550)x530mm



▶ L03850203501 (Wooden)



▶ L03850203501 (Mat)



LINKAGE PULL BASKET -ABL MAGIC CORNER

Parameter

- ▶ Load-bearing capacity :20KG
- ▶ Surface treatment: nano dry plating
- ▶ Panel 3D adjustment device, can quickly and conveniently adjust the panel position

CABINET	WIDTH X DEPTH X HEIGHT
900mm-L	(864-968)x(520-550)x530 mm
900mm-R	(864-968)x(520-550)x530 mm



▶ L03850301601



LINKAGE PULL BASKET -FULL OPEN MAGIC CORNER

Parameter

- ▶ Load-bearing capacity :20KG
- ▶ Surface treatment: nano dry plating
- ▶ Panel 3D adjustment device, can quickly and conveniently adjust the panel position

CABINET	WIDTH X DEPTH X HEIGHT
900mm	719x515x600 mm



▶ L03850102501

LINKAGE PULL BASKET -AEF FULL OPEN MAGIC CORNER

Parameter

- ▶ Load-bearing capacity :20KG
- ▶ Surface treatment: nano dry plating
- ▶ Panel 3D adjustment device, can quickly and conveniently adjust the panel position

CABINET	WIDTH X DEPTH X HEIGHT
900mm	719x515x600 mm



▶ L03850203801 (Wooden)



▶ L03850203801 (Mat)



CORNER BASKET -180° REVOLVING BASKET

Parameter

- ▶ Load-bearing capacity :20KG
- ▶ Surface treatment: nano dry plating
- ▶ Panel 3D adjustment device, can quickly and conveniently adjust the panel position

CABINET	WIDTH X DEPTH X HEIGHT
---------	------------------------

-----	750x410x(614-684)mm
-------	---------------------




▶ L03850102601

CORNER BASKET -AEF 180° REVOLVING BASKET

Parameter

- ▶ Load-bearing capacity :20KG
- ▶ Surface treatment: nano dry plating
- ▶ Panel 3D adjustment device, can quickly and conveniently adjust the panel position

CABINET	WIDTH X DEPTH X HEIGHT
800mm	650x410x(580-720) mm
900mm	750x410x(580-720) mm



▶ L03850204001 (Wooden)



▶ L03850204001 (Mat)



CORNER BASKET -AEF 270° REVOLVING BASKET

Parameter

- ▶ Load-bearing capacity :20KG
- ▶ Surface treatment: nano dry plating
- ▶ Panel 3D adjustment device, can quickly and conveniently adjust the panel position

CABINET	WIDTH X DEPTH X HEIGHT
900mm	700x700x(614-684)mm



▶ L03850204201 (Wooden)



▶ L03850204201



CORNER BASKET - FLYING SAUCER CORNER (WITHOUT SOFT-CLOSING)

Parameter

- ▶ Load-bearing capacity :20KG
- ▶ Surface treatment: nano dry plating
- ▶ Panel 3D adjustment device, can quickly and conveniently adjust the panel position

CABINET	WIDTH X DEPTH X HEIGHT
900mm	795x395x(614-684) mm



▶ L03850203201 (Wooden)



▶ L03850203201 (Mat)



CORNER BASKET - FLYING SAUCER CORNER

Parameter

- ▶ Load-bearing capacity :20KG
- ▶ Surface treatment: nano dry plating
- ▶ Panel 3D adjustment device, can quickly and conveniently adjust the panel position

CABINET	WIDTH X DEPTH X HEIGHT
900mm	700x700x(614-684)mm



▶ L03850203301 (Wooden)



▶ L03850203301 (Mat)

WASTE BIN A TYPE

Parameter

- ▶ Load-bearing capacity :20KG
- ▶ Surface treatment: nano dry plating
- ▶ Panel 3D adjustment device, can quickly and conveniently adjust the panel position

CABINET	WIDTH X DEPTH X HEIGHT
400mm	495x350x415 mm



▶ L03380105601

WASTE BIN B TYPE

Parameter

- ▶ Load-bearing capacity :20KG
- ▶ Surface treatment: nano dry plating
- ▶ Panel 3D adjustment device, can quickly and conveniently adjust the panel position

CABINET	WIDTH X DEPTH X HEIGHT
400mm	470x335x380mm



▶ L03380105603

WASTE BIN C TYPE

Parameter

- ▶ Load-bearing capacity :20KG
- ▶ Surface treatment: nano dry plating
- ▶ Panel 3D adjustment device, can quickly and conveniently adjust the panel position

CABINET	WIDTH X DEPTH X HEIGHT
300mm	550x260x505mm



▶ L03380200807

WASTE BIN A TYPE- AEF

Parameter

- ▶ Load-bearing capacity :20KG
- ▶ Surface treatment: nano dry plating
- ▶ Panel 3D adjustment device, can quickly and conveniently adjust the panel position

CABINET	WIDTH X DEPTH X HEIGHT
300-400mm	281x452x367 mm




▶ L03850202701

WASTE BIN B TYPE- AEF

Parameter

- ▶ Load-bearing capacity :20KG
- ▶ Surface treatment: nano dry plating
- ▶ Panel 3D adjustment device, can quickly and conveniently adjust the panel position

CABINET	WIDTH X DEPTH X HEIGHT
300-400mm	281x452x367 mm



▶ L03850202801

LINKAGE TALL PULL BASKET-4 LAYER

Parameter

- ▶ Load-bearing capacity :10kg/ layer
- ▶ Surface treatment: nano dry plating
- ▶ Panel 3D adjustment device, can quickly and conveniently adjust the panel position

CABINET	WIDTH X DEPTH X HEIGHT
450mm	410x500x1085 mm
600mm	560x500x1085 mm



▶ L03850102801



LINKAGE TALL PULL BASKET-5 LAYER

Parameter

- ▶ Load-bearing capacity :10kg/ layer
- ▶ Surface treatment: nano dry plating
- ▶ Panel 3D adjustment device, can quickly and conveniently adjust the panel position

CABINET	WIDTH X DEPTH X HEIGHT
450mm	410x500x1435 mm
600mm	560x500x1435 mm



▶ L03850102901



LINKAGE TALL PULL BASKET-6 LAYER

Parameter

- ▶ Load-bearing capacity :10kg/ layer
- ▶ Surface treatment: nano dry plating
- ▶ Panel 3D adjustment device, can quickly and conveniently adjust the panel position

CABINET	WIDTH X DEPTH X HEIGHT
450mm	410x500x1685 mm
600mm	560x500x1685 mm



▶ L03850103001

LINKAGE TALL PULL BASKET-AEF 4 LAYER


Parameter

- ▶ Load-bearing capacity :10kg/ layer
- ▶ Surface treatment: nano dry plating
- ▶ Panel 3D adjustment device, can quickly and conveniently adjust the panel position

CABINET	WIDTH X DEPTH X HEIGHT
450mm	410x490x1085 mm
600mm	560x490x1085 mm



▶ L03850204501 (Wooden)



▶ L03850204501 (Mat)





LINKAGE TALL PULL BASKET-AEF 5 LAYER

Parameter

- ▶ Load-bearing capacity :10kg/ layer
- ▶ Surface treatment: nano dry plating
- ▶ Panel 3D adjustment device, can quickly and conveniently adjust the panel position

CABINET	WIDTH X DEPTH X HEIGHT
450mm	410x490x1435 mm
600mm	560x490x1435 mm



▶ L03850204601 (Wooden)



▶ L03850204601 (Mat)

LINKAGE TALL PULL BASKET-AEF 6 LAYER

Parameter

- ▶ Load-bearing capacity :10kg/ layer
- ▶ Surface treatment: nano dry plating
- ▶ Panel 3D adjustment device, can quickly and conveniently adjust the panel position

CABINET	WIDTH X DEPTH X HEIGHT
450mm	410x490x1685 mm
600mm	560x490x1685 mm



▶ L03850204501 (Wooden)




▶ L03850204501 (Mat)

TALL UNIT BASKET-4 LAYER

Parameter

- ▶ Load-bearing capacity :10kg/ layer
- ▶ Surface treatment: nano dry plating
- ▶ Panel 3D adjustment device, can quickly and conveniently adjust the panel position

CABINET	WIDTH X DEPTH X HEIGHT
150mm	100x510x(1270~1570) mm
200mm	145x510x(1270~1570) mm
300mm	245x510x(1270~1570) mm
400mm	345x510x(1270~1570) mm




▶ L03850103101

TALL UNIT BASKET-5 LAYER

Parameter

- ▶ Load-bearing capacity :10kg/ layer
- ▶ Surface treatment: nano dry plating
- ▶ Panel 3D adjustment device, can quickly and conveniently adjust the panel position

CABINET	WIDTH X DEPTH X HEIGHT
150mm	100x510x(1570~1870) mm
200mm	145x510x(1570~1870) mm
300mm	245x510x(1570~1870) mm
400mm	345x510x(1570~1870) mm



▶ L03850103201






TALL UNIT BASKET-6 LAYER

Parameter

- ▶ Load-bearing capacity :10kg/ layer
- ▶ Surface treatment: nano dry plating
- ▶ Panel 3D adjustment device, can quickly and conveniently adjust the panel position

CABINET	WIDTH X DEPTH X HEIGHT
150mm	100x510x(1970~2270) mm
200mm	145x510x(1970~2270) mm
300mm	245x510x(1970~2270) mm
400mm	345x510x(1970~2270) mm



▶ L03850103301

TALL UNIT BASKET-AEF 4 LAYER

Parameter

- ▶ Load-bearing capacity :10kg/ layer
- ▶ Surface treatment: nano dry plating
- ▶ Panel 3D adjustment device, can quickly and conveniently adjust the panel position

CABINET	WIDTH X DEPTH X HEIGHT
150mm	100x510x(1270-1570) mm
200mm	145x510x(1270-1570)mm
300mm	100x510x(1270-1570) mm
400mm	145x510x(1270-1570) mm



▶ L03850204901 (Wooden)



▶ L03850204901 (Mat)



TALL UNIT BASKET-AEF 5 LAYER

Parameter

- ▶ Load-bearing capacity :10kg/ layer
- ▶ Surface treatment: nano dry plating
- ▶ Panel 3D adjustment device, can quickly and conveniently adjust the panel position

CABINET	WIDTH X DEPTH X HEIGHT
150mm	100x510x(1570-1870) mm
200mm	145x510x(1570-1870) mm
300mm	100x510x(1570-1870) mm
400mm	145x510x(1570-1870) mm



▶ L03850205001 (Wooden)



▶ L03850205001 (Mat)

TALL UNIT BASKET-AEF 6 LAYER

Parameter

- ▶ Load-bearing capacity :10kg/ layer
- ▶ Surface treatment: nano dry plating
- ▶ Panel 3D adjustment device, can quickly and conveniently adjust the panel position

CABINET	WIDTH X DEPTH X HEIGHT
150mm	100x510x(1970-2270) mm
200mm	145x510x(1970-2270) mm
300mm	100x510x(1970-2270) mm
400mm	145x510x(1970-2270) mm



▶ L03850205001 (Wooden)

▶ L03850205001 (Mat)






TALL UNIT BASKET-ABL 4 LAYER

Parameter

- ▶ Load-bearing capacity :10kg/ layer
- ▶ Surface treatment: nano dry plating
- ▶ Panel 3D adjustment device, can quickly and conveniently adjust the panel position

CABINET	WIDTH X DEPTH X HEIGHT
450mm	355x487x1340-1660 mm
600mm	505x487x1340-1660 mm




▶ L03850301701

TALL UNIT BASKET-ABL 5 LAYER

Parameter

- ▶ Load-bearing capacity :10kg/ layer
- ▶ Surface treatment: nano dry plating
- ▶ Panel 3D adjustment device, can quickly and conveniently adjust the panel position

CABINET	WIDTH X DEPTH X HEIGHT
450mm	355x487x1720-2020 mm
600mm	505x487x1720-2020 mm



▶ L03850301801



TALL UNIT BASKET-ABL 6 LAYER

Parameter

- ▶ Load-bearing capacity :10kg/ layer
- ▶ Surface treatment: nano dry plating
- ▶ Panel 3D adjustment device, can quickly and conveniently adjust the panel position

CABINET	WIDTH X DEPTH X HEIGHT
450mm	355x487x2020-2320 mm
600mm	505x487x2020-2320 mm



▶ L03850301802



TALL UNIT BASKET A -ABL 6 LAYER

Parameter

- ▶ Load-bearing capacity :10kg/ layer
- ▶ Surface treatment: nano dry plating
- ▶ Panel 3D adjustment device, can quickly and conveniently adjust the panel position

CABINET	WIDTH X DEPTH X HEIGHT
200mm	150x510x(1970-2270) mm
300mm	250x510x(1970-2270) mm
400mm	350x510x(1970-2270) mm



▶ L03850302002



TALL UNIT BASKET -ABL (SIDE PULL)

Parameter

- ▶ Load-bearing capacity :10kg/ layer
- ▶ Surface treatment: nano dry plating
- ▶ Panel 3D adjustment device, can quickly and conveniently adjust the panel position

CABINET	WIDTH X DEPTH X HEIGHT
200mm	154x450x1486 mm
300mm	254x450x1486 mm





▶ L03850302101

LIFT BASKET

Parameter

- ▶ Load-bearing capacity :20kg/ layer
- ▶ 1.1-7KG push-pull adjustment
- ▶ Panel 3D adjustment device, can quickly and conveniently adjust the panel position

CABINET	WIDTH X DEPTH X HEIGHT
600mm	560x260x540 mm
700mm	660x260x540 mm
800mm	760x260x540 mm
900mm	860x260x540 mm



▶ L03850103401



LIFT BASKET -AEF A TYPE

Parameter

- ▶ Load-bearing capacity :20kg/ layer
- ▶ 1.1-7KG push-pull adjustment
- ▶ Panel 3D adjustment device, can quickly and conveniently adjust the panel position

CABINET	WIDTH X DEPTH X HEIGHT
600mm	560x260x540 mm
700mm	660x260x540 mm
800mm	760x260x540 mm
900mm	860x260x540 mm



▶ L03850205301

LIFT BASKET -AEF B TYPE

Parameter

- ▶ Load-bearing capacity :20kg/ layer
- ▶ 1.1-7KG push-pull adjustment
- ▶ Panel 3D adjustment device, can quickly and conveniently adjust the panel position

CABINET	WIDTH X DEPTH X HEIGHT
600mm	560x260x540 mm
700mm	660x260x540 mm
800mm	760x260x540 mm
900mm	860x260x540 mm



▶ L03850205401

LIFT BASKET -ABL

Parameter

- ▶ Load-bearing capacity :20kg/ layer
- ▶ 1.1-7KG push-pull adjustment
- ▶ Panel 3D adjustment device, can quickly and conveniently adjust the panel position

CABINET	WIDTH X DEPTH X HEIGHT
600mm	562x257x544 mm
700mm	662x257x544 mm
800mm	762x257x544 mm
900mm	862x257x544 mm



▶ L03850302201