



CATALOGUE OF BIPOLAR FORCEPS

Code	Name	Description	Specification	Shapre		Irrigation	Material		Process of tip end		Parameter(mm)	
				Bent	Straight		Copper	Stainless steel	Polishing	Silver plated	Diameter	Length
210500001	Bipolar Forceps	Gun type Copper material Polishing tips	T-Q-II-P-0.7*235	●			●		●		0.7	235
210500002	Bipolar Forceps		T-Q-II-P-0.5*235	●			●		●		0.5	235
210500003	Bipolar Forceps		T-Q-II-P-0.3*235	●			●		●		0.3	235
210500004	Bipolar Forceps		T-Q-II-P-0.7*215	●			●		●		0.7	215
210500005	Bipolar Forceps		T-Q-II-P-0.5*215	●			●		●		0.5	215
210500006	Bipolar Forceps		T-Q-II-P-0.3*215	●			●		●		0.3	215
210500007	Bipolar Forceps		T-Q-II-P-0.7*195	●			●		●		0.7	195
210500008	Bipolar Forceps		T-Q-II-P-0.5*195	●			●		●		0.5	195
210500009	Bipolar Forceps		T-Q-II-P-0.3*195	●			●		●		0.3	195
210500010	Bipolar Forceps		T-Q-II-P-0.7*175	●			●		●		0.7	175
210500011	Bipolar Forceps		T-Q-II-P-0.5*175	●			●		●		0.5	175
210500012	Bipolar Forceps		T-Q-II-P-0.3*175	●			●		●		0.3	175
210500013	Bipolar Forceps	Gun type Irrigation	T-Q-I-P-0.7*235	●		●	●		●		0.7	235
210500014	Bipolar Forceps		T-Q-I-P-0.5*235	●		●	●		●		0.5	235
210500015	Bipolar Forceps		T-Q-I-P-0.3*235	●		●	●		●		0.3	235
210500016	Bipolar Forceps		T-Q-I-P-0.7*215	●		●	●		●		0.7	215
210500017	Bipolar Forceps		T-Q-I-P-0.5*215	●		●	●		●		0.5	215
210500018	Bipolar Forceps		T-Q-I-P-0.3*215	●		●	●		●		0.3	215

Code	Name	Description	Specification	Shapre		Irrigation	Material		Process of tip end		Parameter(mm)	
				Bent	Straight		Copper	Stainless steel	Polishing	Silver plated	Diameter	Length
210500019	Bipolar Forceps	Copper material Polishing tips	T-Q-I-P-0.7*195	●		●	●		●		0.7	195
210500020	Bipolar Forceps		T-Q-I-P-0.5*195	●		●	●		●		0.5	195
210500021	Bipolar Forceps		T-Q-I-P-0.3*195	●		●	●		●		0.3	195
210500022	Bipolar Forceps		T-Q-I-P-0.7*175	●		●	●		●		0.7	175
210500023	Bipolar Forceps		T-Q-I-P-0.5*175	●		●	●		●		0.5	175
210500024	Bipolar Forceps		T-Q-I-P-0.3*175	●		●	●		●		0.3	175
210500025	Bipolar Forceps	Gun type Steel material Polishing tips	G-Q-II-P-0.7*235	●				●	●		0.7	235
210500026	Bipolar Forceps		G-Q-II-P-0.5*235	●				●	●		0.5	235
210500027	Bipolar Forceps		G-Q-II-P-0.3*235	●				●	●		0.3	235
210500028	Bipolar Forceps		G-Q-II-P-0.7*215	●				●	●		0.7	215
210500029	Bipolar Forceps		G-Q-II-P-0.5*215	●				●	●		0.5	215
210500030	Bipolar Forceps		G-Q-II-P-0.3*215	●				●	●		0.3	215
210500031	Bipolar Forceps		G-Q-II-P-0.7*195	●				●	●		0.7	195
210500032	Bipolar Forceps		G-Q-II-P-0.5*195	●				●	●		0.5	195
210500033	Bipolar Forceps		G-Q-II-P-0.3*195	●				●	●		0.3	195
210500034	Bipolar Forceps		G-Q-II-P-0.7*175	●				●	●		0.7	175
210500035	Bipolar Forceps		G-Q-II-P-0.5*175	●				●	●		0.5	175
210500036	Bipolar Forceps		G-Q-II-P-0.3*175	●				●	●		0.3	175
210500037	Bipolar Forceps		G-Q-I-P-0.7*235	●		●		●	●		0.7	235
210500038	Bipolar Forceps		G-Q-I-P-0.5*235	●		●		●	●		0.5	235
210500039	Bipolar Forceps		G-Q-I-P-0.3*235	●		●		●	●		0.3	235

Code	Name	Description	Specification	Shapre		Irrigation	Material		Process of tip end		Parameter(mm)	
				Bent	Straight		Copper	Stainless steel	Polishing	Silver plated	Diameter	Length
210500040	Bipolar Forceps	Gun type Irrigation Steel material Polishing tips	G-Q-I-P-0.7*215	●		●		●	●		0.7	215
210500041	Bipolar Forceps		G-Q-I-P-0.5*215	●		●		●	●		0.5	215
210500042	Bipolar Forceps		G-Q-I-P-0.3*215	●		●		●	●		0.3	215
210500043	Bipolar Forceps		G-Q-I-P-0.7*195	●		●		●	●		0.7	195
210500044	Bipolar Forceps		G-Q-I-P-0.5*195	●		●		●	●		0.5	195
210500045	Bipolar Forceps		G-Q-I-P-0.3*195	●		●		●	●		0.3	195
210500046	Bipolar Forceps		G-Q-I-P-0.7*175	●		●		●	●		0.7	175
210500047	Bipolar Forceps		G-Q-I-P-0.5*175	●		●		●	●		0.5	175
210500048	Bipolar Forceps		G-Q-I-P-0.3*175	●		●		●	●		0.3	175
210500049	Bipolar Forceps	Gun type Copper material Silver-plated tip	T-Q-II-Y-0.7*235	●			●			●	0.7	235
210500050	Bipolar Forceps		T-Q-II-Y-0.5*235	●			●			●	0.5	235
210500051	Bipolar Forceps		T-Q-II-Y-0.3*235	●			●			●	0.3	235
210500052	Bipolar Forceps		T-Q-II-Y-0.7*215	●			●			●	0.7	215
210500053	Bipolar Forceps		T-Q-II-Y-0.5*215	●			●			●	0.5	215
210500054	Bipolar Forceps		T-Q-II-Y-0.3*215	●			●			●	0.3	215
210500055	Bipolar Forceps		T-Q-II-Y-0.7*195	●			●			●	0.7	195
210500056	Bipolar Forceps		T-Q-II-Y-0.5*195	●			●			●	0.5	195
210500057	Bipolar Forceps		T-Q-II-Y-0.3*195	●			●			●	0.3	195
210500058	Bipolar Forceps		T-Q-II-Y-0.7*175	●			●			●	0.7	175
210500059	Bipolar Forceps		T-Q-II-Y-0.5*175	●			●			●	0.5	175
210500060	Bipolar Forceps		T-Q-II-Y-0.3*175	●			●			●	0.3	175

Code	Name	Description	Specification	Shapre		Irrigation	Material		Process of tip end		Parameter(mm)	
				Bent	Straight		Copper	Stainless steel	Polishing	Silver plated	Diameter	Length
210500061	Bipolar Forceps	Gun type Irrigation Copper material Silver-plated tip	T-Q-I-Y-0.7*235	●		●	●			●	0.7	235
210500062	Bipolar Forceps		T-Q-I-Y-0.5*235	●		●	●			●	0.5	235
210500063	Bipolar Forceps		T-Q-I-Y-0.3*235	●		●	●			●	0.3	235
210500064	Bipolar Forceps		T-Q-I-Y-0.7*215	●		●	●			●	0.7	215
210500065	Bipolar Forceps		T-Q-I-Y-0.5*215	●		●	●			●	0.5	215
210500066	Bipolar Forceps		T-Q-I-Y-0.3*215	●		●	●			●	0.3	215
210500067	Bipolar Forceps		T-Q-I-Y-0.7*195	●		●	●			●	0.7	195
210500068	Bipolar Forceps		T-Q-I-Y-0.5*195	●		●	●			●	0.5	195
210500069	Bipolar Forceps		T-Q-I-Y-0.3*195	●		●	●			●	0.3	195
210500070	Bipolar Forceps		T-Q-I-Y-0.7*175	●		●	●			●	0.7	175
210500071	Bipolar Forceps		T-Q-I-Y-0.5*175	●		●	●			●	0.5	175
210500072	Bipolar Forceps		T-Q-I-Y-0.3*175	●		●	●			●	0.3	175
210500073	Bipolar Forceps	Gun type Steel material Silver-plated tip	G-Q-II-Y-0.7*235	●				●		●	0.7	235
210500074	Bipolar Forceps		G-Q-II-Y-0.5*235	●				●		●	0.5	235
210500075	Bipolar Forceps		G-Q-II-Y-0.3*235	●				●		●	0.3	235
210500076	Bipolar Forceps		G-Q-II-Y-0.7*215	●				●		●	0.7	215
210500077	Bipolar Forceps		G-Q-II-Y-0.5*215	●				●		●	0.5	215
210500078	Bipolar Forceps		G-Q-II-Y-0.3*215	●				●		●	0.3	215
210500079	Bipolar Forceps		G-Q-II-Y-0.7*195	●				●		●	0.7	195
210500080	Bipolar Forceps		G-Q-II-Y-0.5*195	●				●		●	0.5	195
210500081	Bipolar Forceps		G-Q-II-Y-0.3*195	●				●		●	0.3	195

Code	Name	Description	Specification	Shapre		Irrigation	Material		Process of tip end		Parameter(mm)	
				Bent	Straight		Copper	Stainless steel	Polishing	Silver plated	Diameter	Length
210500082	Bipolar Forceps		G-Q-II-Y-0.7*175	●				●		●	0.7	175
210500083	Bipolar Forceps		G-Q-II-Y-0.5*175	●				●		●	0.5	175
210500084	Bipolar Forceps		G-Q-II-Y-0.3*175	●				●		●	0.3	175
210500085	Bipolar Forceps	Gun type Irrigation Steel material Silver-plated tip	G-Q-I-Y-0.7*235	●		●		●		●	0.7	235
210500086	Bipolar Forceps		G-Q-I-Y-0.5*235	●		●		●		●	0.5	235
210500087	Bipolar Forceps		G-Q-I-Y-0.3*235	●		●		●		●	0.3	235
210500088	Bipolar Forceps		G-Q-I-Y-0.7*215	●		●		●		●	0.7	215
210500089	Bipolar Forceps		G-Q-I-Y-0.5*215	●		●		●		●	0.5	215
210500090	Bipolar Forceps		G-Q-I-Y-0.3*215	●		●		●		●	0.3	215
210500091	Bipolar Forceps		G-Q-I-Y-0.7*195	●		●		●		●	0.7	195
210500092	Bipolar Forceps		G-Q-I-Y-0.5*195	●		●		●		●	0.5	195
210500093	Bipolar Forceps		G-Q-I-Y-0.3*195	●		●		●		●	0.3	195
210500094	Bipolar Forceps		G-Q-I-Y-0.7*175	●		●		●		●	0.7	175
210500095	Bipolar Forceps		G-Q-I-Y-0.5*175	●		●		●		●	0.5	175
210500096	Bipolar Forceps		G-Q-I-Y-0.3*175	●		●		●		●	0.3	175
210500097	Bipolar Forceps	Straight type Copper material Polishing tip	T-Z-II-P-0.7*160		●		●		●		0.7	160
210500098	Bipolar Forceps		T-Z-II-P-0.5*160		●		●		●		0.5	160
210500099	Bipolar Forceps		T-Z-II-P-0.3*160		●		●		●		0.3	160
210500100	Bipolar Forceps	Straight type Irrigation Copper material Polishing tip	T-Z-I-P-0.7*160		●	●	●		●		0.7	160
210500101	Bipolar Forceps		T-Z-I-P-0.5*160		●	●	●		●		0.5	160
210500102	Bipolar Forceps		T-Z-I-P-0.3*160		●	●	●		●		0.3	160

Code	Name	Description	Specification	Shapre		Irrigation	Material		Process of tip end		Parameter(mm)	
				Bent	Straight		Copper	Stainless steel	Polishing	Silver plated	Diameter	Length
210500103	Bipolar Forceps	Straight type SSmaterial Polishing tip	G-Z-II-P-0.7*160		●			●	●		0.7	160
210500104	Bipolar Forceps		G-Z-II-P-0.5*160		●			●	●		0.5	160
210500105	Bipolar Forceps		G-Z-II-P-0.3*160		●			●	●		0.3	160
210500106	Bipolar Forceps	Straight type Irrigation SS material Polishing tip	G-Z-I-P-0.7*160		●	●		●	●		0.7	160
210500107	Bipolar Forceps		G-Z-I-P-0.5*160		●	●		●	●		0.5	160
210500108	Bipolar Forceps		G-Z-I-P-0.3*160		●	●		●	●		0.3	160
210500109	Bipolar Forceps	Straight type Copper material Silver-plated tip	T-Z-II-Y-0.7*160		●		●			●	0.7	160
210500110	Bipolar Forceps		T-Z-II-Y-0.5*160		●		●			●	0.5	160
210500111	Bipolar Forceps		T-Z-II-Y-0.3*160		●		●			●	0.3	160
210500112	Bipolar Forceps	Straight type Irrigation Copper material Silver-plated tip	T-Z-I-Y-0.7*160		●	●	●			●	0.7	160
210500113	Bipolar Forceps		T-Z-I-Y-0.5*160		●	●	●			●	0.5	160
210500114	Bipolar Forceps		T-Z-I-Y-0.3*160		●	●	●			●	0.3	160
210500115	Bipolar Forceps	Straight type SSmaterial Silver-plated tip	G-Z-II-Y-0.7*160		●			●		●	0.7	160
210500116	Bipolar Forceps		G-Z-II-Y-0.5*160		●			●		●	0.5	160
210500117	Bipolar Forceps		G-Z-II-Y-0.3*160		●			●		●	0.3	160
210500118	Bipolar Forceps	Straight type Irrigation SS material Silver-plated tip	G-Z-I-Y-0.7*160		●	●		●		●	0.7	160
210500119	Bipolar Forceps		G-Z-I-Y-0.5*160		●	●		●		●	0.5	160
210500120	Bipolar Forceps		G-Z-I-Y-0.3*160		●	●		●		●	0.3	160