



# BROCHURE

## Control box & Control Switch

# COMPANY PROFILE

---

## 1997

Xindali Industries Co., Ltd. Company was established



Xindali Industries Co., Ltd. is located in the famous low voltage appliance market Liush in Wenzhou City.

Our company mainly produces and sells push button switches, indicators, saving signal lamps, cable connectors, circuit breakers, changeover switches, rocker switches and wiring boards.

We own abundant technical source and have introduced advanced technologies and production equipment from abroad.

At the same time, we also provide consultation and after-sales services to clients. Our products have been exported to the Middle East, Southeastern Asia, Africa, Europe and South and North America. "Taking quality for efficiency, security for stability, innovation for development, regulations for environmental protection" is our purpose. We will try our utmost to offer excellent prices and efficient services to you!





**4800 m<sup>2</sup>**  
Modern Factory

**14 Set**  
Injection Molding

**1500 Set**  
Product mould

**6**  
Production Lines

# WHY CHOOSE US ?



## COMPANY

We have been 27 years' export experience



## TEAM

We have professional team and fast response sales team



## QUALITY

Strictly control each step of processes



## PRODUCT

A variety of styles for your choice





# AUTHORITATIVE DETECTION

(Part of the test display)



# PRODUCTS CONTENTS

## Control Box

|                                                                                   |                 |       |
|-----------------------------------------------------------------------------------|-----------------|-------|
|  | XDL Series      | 01-03 |
|  | XDL2/3/4 Series | 04    |
|  | XDL5 Series     | 05    |
|  | XDL7/8 Series   | 06    |
|  | XDL11 Series    | 07    |

## Control Switch

|                                                                                     |               |       |
|-------------------------------------------------------------------------------------|---------------|-------|
|    | XDL25 Series  | 08-11 |
|   | XDL35 Series  | 12-13 |
|  | XDL55 Series  | 14-15 |
|  | XDL721 Series | 16-19 |
|  | XDL722 Series | 20-24 |
|  | XDL75 Series  | 25-27 |
|  | XDL821 Series | 28    |
|  | XDL85 Series  | 29-30 |
|  | XDL10 Series  | 31-36 |
|  | XDL11 Series  | 37    |
|  | XDL12 Series  | 38-40 |

## Water-proof Lifting Button Control Switch

|                                                                                     |            |       |
|-------------------------------------------------------------------------------------|------------|-------|
|  | XCD Series | 41-52 |
|-------------------------------------------------------------------------------------|------------|-------|

## Industrial Remote Control

|                                                                                     |              |       |
|-------------------------------------------------------------------------------------|--------------|-------|
|  | XDL19 Series | 53-57 |
|-------------------------------------------------------------------------------------|--------------|-------|





**XINDALI**  
— Since 1997 —

c **UL** <sup>®</sup> **us** **CE**  **RoHS** 



# XDL CONTROL BOX


# CONTROL BOX



**XINDALI**  
— Since 1997 —


## XDL Series

### Model and Meaning



### Control Box combined Code

| Control Box                                                                                     | Push button | Code |
|-------------------------------------------------------------------------------------------------|-------------|------|
| <br>One Hole |             | 101  |
|                                                                                                 |             | 102  |
|                                                                                                 |             | 103  |
|                                                                                                 |             | 111  |
|                                                                                                 |             | 112  |
|                                                                                                 |             | 114  |
|                                                                                                 |             | 131  |
|                                                                                                 |             | 132  |
|                                                                                                 |             | 133  |
|                                                                                                 |             | 134  |
|                                                                                                 |             | 142  |
|                                                                                                 |             | 164  |
|                                                                                                 |             | 165  |
|                                                                                                 |             | 174  |
|                                                                                                 |             | 175  |
|                                                                                                 |             | 188  |
|                                                                                                 |             | 181  |
|                                                                                                 |             | 182  |
|                                                                                                 |             | 183  |
|                                                                                                 |             | 184  |
|                                                                                                 |             | 195  |


| Control Box                                                                                      | Push button | Code |
|--------------------------------------------------------------------------------------------------|-------------|------|
| <br>Two Holes |             | 222  |
|                                                                                                  |             | 223  |
|                                                                                                  |             | 224  |
|                                                                                                  |             | 213  |
|                                                                                                  |             | 215  |
|                                                                                                  |             | 241  |
|                                                                                                  |             | 251  |
|                                                                                                  |             | 261  |
|                                                                                                  |             | 271  |
|                                                                                                  |             | 272  |
|                                                                                                  |             | 281  |


| Control Box                                                                                        | Push button | Code |
|----------------------------------------------------------------------------------------------------|-------------|------|
| <br>Three Holes |             | 324  |
|                                                                                                    |             | 334  |
|                                                                                                    |             | 339  |
|                                                                                                    |             | 363  |
|                                                                                                    |             | 366  |
|                                                                                                    |             | 351  |
|                                                                                                    |             | 352  |
|                                                                                                    |             | 361  |
|                                                                                                    |             | 364  |
|                                                                                                    |             | 365  |
|                                                                                                    |             | 371  |
|                                                                                                    |             | 372  |
|                                                                                                    |             | 373  |
|                                                                                                    |             | 381  |
|                                                                                                    |             | 382  |




# CONTROL BOX

## XDL Series


| Control Box                                                                                     | Push button                                                                       | Code |
|-------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|------|
| <br>Four Holes |  | 424  |
|                                                                                                 |  | 434  |
|                                                                                                 |  | 439  |
|                                                                                                 |  | 451  |
|                                                                                                 |  | 463  |
|                                                                                                 |  | 464  |
|                                                                                                 |  | 465  |
|                                                                                                 |  | 466  |
|                                                                                                 |  | 467  |
|                                                                                                 |  | 468  |
|                                                                                                 |  | 469  |
|                                                                                                 |  | 471  |
|                                                                                                 |  | 481  |


| Control Box                                                                                     | Push button                                                                        | Code |
|-------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------|------|
| <br>Five Holes |  | 524  |
|                                                                                                 |  | 525  |
|                                                                                                 |  | 534  |
|                                                                                                 |  | 535  |
|                                                                                                 |  | 539  |
|                                                                                                 |  | 563  |
|                                                                                                 |  | 566  |
|                                                                                                 |  | 551  |
|                                                                                                 |  | 561  |
|                                                                                                 |  | 571  |
|                                                                                                 |  | 581  |


| Control Box                                                                                      | Push button                                                                         | Code |
|--------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|------|
| <br>Six Holes |  | 624  |
|                                                                                                  |  | 625  |
|                                                                                                  |  | 634  |
|                                                                                                  |  | 639  |
|                                                                                                  |  | 663  |
|                                                                                                  |  | 666  |
|                                                                                                  |  | 651  |
|                                                                                                  |  | 661  |
|                                                                                                  |  | 671  |
|                                                                                                  |  | 681  |



| Control Box                                                                                        | Push button                                                                         | Code |
|----------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|------|
| <br>Seven Holes |  | 701  |
|                                                                                                    |  | 702  |
|                                                                                                    |  | 711  |
|                                                                                                    |  | 721  |
|                                                                                                    |  | 772  |


## XDL2/3/4 Series


| Parts                                                                             | Description                                       | Contour                                                                           |
|-----------------------------------------------------------------------------------|---------------------------------------------------|-----------------------------------------------------------------------------------|
|  | Button box<br>for single hole<br>IP40/IP54<br>Φ22 |  |
| XDL2-JBE01                                                                        | XDL2-BE01                                         |                                                                                   |


|                                                                                   |                                                 |                                                                                   |
|-----------------------------------------------------------------------------------|-------------------------------------------------|-----------------------------------------------------------------------------------|
|  | Button box<br>for two holes<br>IP40/IP54<br>Φ22 |  |
| XDL2-BE02                                                                         |                                                 |                                                                                   |


|                                                                                    |                                                   |                                                                                    |
|------------------------------------------------------------------------------------|---------------------------------------------------|------------------------------------------------------------------------------------|
|  | Button box<br>for three holes<br>IP40/IP54<br>Φ22 |  |
| XDL2-BE03                                                                          |                                                   |                                                                                    |


|                                                                                     |                                                                    |                                                                                     |
|-------------------------------------------------------------------------------------|--------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|  | Button box<br>for single hole<br>with din rail<br>IP54/IP65<br>Φ22 |  |
| XDL4-BE01                                                                           |                                                                    |                                                                                     |


|                                                                                     |                                                                  |                                                                                     |
|-------------------------------------------------------------------------------------|------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|  | Button box<br>for two holes<br>with din rail<br>IP54/IP65<br>Φ22 |  |
| XDL4-BE02                                                                           |                                                                  |                                                                                     |


|                                                                                     |                                                                    |                                                                                     |
|-------------------------------------------------------------------------------------|--------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|  | Button box<br>for three holes<br>with din rail<br>IP54/IP65<br>Φ22 |  |
| XDL4-BE03                                                                           |                                                                    |                                                                                     |


| Parts                                                                              | Description                                  | Contour                                                                             |
|------------------------------------------------------------------------------------|----------------------------------------------|-------------------------------------------------------------------------------------|
|  | Button box<br>for single hole<br>IP54<br>Φ22 |  |
| XDL3-JBOE01                                                                        | XDL3-B01                                     |                                                                                     |

|                                                                                   |                                            |                                                                                     |
|-----------------------------------------------------------------------------------|--------------------------------------------|-------------------------------------------------------------------------------------|
|  | Button box<br>for two holes<br>IP54<br>Φ22 |  |
| XDL3-B02                                                                          |                                            |                                                                                     |

|                                                                                     |                                              |                                                                                      |
|-------------------------------------------------------------------------------------|----------------------------------------------|--------------------------------------------------------------------------------------|
|  | Button box<br>for three holes<br>IP54<br>Φ22 |  |
| XDL3-B03                                                                            |                                              |                                                                                      |

|                                                                                      |                                             |                                                                                       |
|--------------------------------------------------------------------------------------|---------------------------------------------|---------------------------------------------------------------------------------------|
|  | Button box<br>for four holes<br>IP54<br>Φ22 |  |
| XDL3-B04                                                                             |                                             |                                                                                       |

|                                                                                      |                                             |                                                                                       |
|--------------------------------------------------------------------------------------|---------------------------------------------|---------------------------------------------------------------------------------------|
|  | Button box<br>for five holes<br>IP54<br>Φ22 |  |
| XDL3-B05                                                                             |                                             |                                                                                       |







|                                                                                      |                                            |                                                                                       |
|--------------------------------------------------------------------------------------|--------------------------------------------|---------------------------------------------------------------------------------------|
|  | Button box<br>for six holes<br>IP54<br>Φ22 |  |
| XDL3-B06                                                                             |                                            |                                                                                       |








# CONTROL BOX



**XINDALI**  
— Since 1997 —







## XDL5 Series







| Parts                                                                               | Description                                         | Contour                                                                             |
|-------------------------------------------------------------------------------------|-----------------------------------------------------|-------------------------------------------------------------------------------------|
|    | Button box<br>for single hole<br>IP40<br>Φ22<br>Φ25 |    |
| XDL5-B01 XDL5-JB01                                                                  |                                                     |                                                                                     |
|    | Button box<br>for two holes<br>IP40<br>Φ22<br>Φ25   |    |
| XDL5-B02                                                                            |                                                     |                                                                                     |
|   | Button box<br>for three holes<br>IP40<br>Φ22<br>Φ25 |   |
| XDL5-B03                                                                            |                                                     |                                                                                     |
|  | Button box<br>for four holes<br>IP40<br>Φ22<br>Φ25  |  |
| XDL5-B04                                                                            |                                                     |                                                                                     |
|  | Button box<br>for five holes<br>IP40<br>Φ22<br>Φ25  |  |
| XDL5-B05                                                                            |                                                     |                                                                                     |
|  | Button box<br>for six holes<br>IP40<br>Φ22<br>Φ25   |  |
| XDL5-B06                                                                            |                                                     |                                                                                     |

| Parts                                                                                | Description                                              | Contour                                                                               |
|--------------------------------------------------------------------------------------|----------------------------------------------------------|---------------------------------------------------------------------------------------|
|     | Button box<br>for single hole<br>IP40/IP54<br>Φ22<br>Φ25 |    |
| XDL5-B01P                                                                            |                                                          |                                                                                       |
|     | Button box<br>for two holes<br>IP40/IP54<br>Φ22<br>Φ25   |    |
| XDL5-B02P                                                                            |                                                          |                                                                                       |
|    | Button box<br>for three holes<br>IP40/IP54<br>Φ22<br>Φ25 |   |
| XDL5-B03P                                                                            |                                                          |                                                                                       |
|   | Button box<br>for four holes<br>IP40/IP54<br>Φ22<br>Φ25  |  |
| XDL5-B04P                                                                            |                                                          |                                                                                       |
|   | Button box<br>for five holes<br>IP40/IP54<br>Φ22<br>Φ25  |  |
| XDL5-B05P                                                                            |                                                          |                                                                                       |
|  | Button box<br>for six holes<br>IP40/IP54<br>Φ22<br>Φ25   |  |
| XDL5-B06P                                                                            |                                                          |                                                                                       |










## XDL7/8 Series

| Parts                                                                                                         | Description                                                         | Contour                                                                             |
|---------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| <br>XDL7-JB01P<br>XDL7-JB02P | Button box<br>for single hole<br>and two holes<br>IP65<br>$\Phi 22$ |    |
| <br>XDL7-JB03P               | Button box<br>for three hole<br>IP65<br>$\Phi 22$                   |    |
| <br>XDL7-JB04P              | Button box<br>for four hole<br>IP65<br>$\Phi 22$                    |   |
| <br>XDL7-JB05P             | Button box<br>for five hole<br>IP65<br>$\Phi 22$                    |  |
| <br>XDL7-JB06P             | Button box<br>for six hole<br>IP65<br>$\Phi 22$                     |  |
| <br>XDL7-JB07P             | Button box<br>for seven hole<br>IP65<br>$\Phi 22$                   |  |

| Parts                                                                                              | Description                                             | Contour                                                                               |
|----------------------------------------------------------------------------------------------------|---------------------------------------------------------|---------------------------------------------------------------------------------------|
| <br>XDL8-JB01F    | Button box<br>for single hole<br>IP54/IP65<br>$\Phi 22$ |    |
| <br>XDL8-JB02F    | Button box<br>for two holes<br>IP54/IP65<br>$\Phi 22$   |    |
| <br>XDL8-JB03F  | Button box<br>for three holes<br>IP54/IP65<br>$\Phi 22$ |   |
| <br>XDL8-JB04F | Button box<br>for four holes<br>IP54/IP65<br>$\Phi 22$  |  |
| <br>XDL8-JB05F | Button box<br>for five holes<br>IP54/IP65<br>$\Phi 22$  |  |
| <br>XDL8-JB06F | Button box<br>for six holes<br>IP54/IP65<br>$\Phi 22$   |  |

# CONTROL BOX

## XDL11 Series

| Parts                                                                               | Description                          | Contour                                                                              |                                                                                       |
|-------------------------------------------------------------------------------------|--------------------------------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|    | 2 holes<br>Customized<br>Control box |    |    |
| XDL11-JB02P                                                                         |                                      |                                                                                      |                                                                                       |
|   | 6 holes<br>Customized<br>Control box |   |   |
| XDL11-BB6A                                                                          |                                      |                                                                                      |                                                                                       |
|  | 2 holes<br>Customized<br>Control box |  |  |
| XDL11-BB2                                                                           |                                      |                                                                                      |                                                                                       |
|  | 6 holes<br>Customized<br>Control box |  |  |
| XDL11-BB6                                                                           |                                      |                                                                                      |                                                                                       |



**XINDALI**  
— Since 1997 —









# XDL25 CONTROL SWITCH















# CONTROL SWITCH

## XDL25 Series

| Control Switch                                                                      | Description                                                                 | Contact & Head Shape                                                                                                                                                              | Type           | Contour                                                                               |
|-------------------------------------------------------------------------------------|-----------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|---------------------------------------------------------------------------------------|
|    | 1 hole control box<br>1 flush push button<br>Spring return<br>IP40/IP54     | <br><br>N/O     | XDL25-BE101    |    |
| XDL25-BE101                                                                         |                                                                             |                                                                                                                                                                                   |                |                                                                                       |
|    | 1 hole control box<br>1 flush push button<br>Spring return<br>IP40/IP54     | <br><br>N/C     | XDL25-BE112    |    |
| XDL25-BE112                                                                         |                                                                             |                                                                                                                                                                                   |                |                                                                                       |
|   | 1 hole control box<br>1 selector switch<br>2-position stay put<br>IP40/IP54 | <br><br>N/O  | XDL25-BE132H29 |   |
| XDL25-BE132H29                                                                      |                                                                             |                                                                                                                                                                                   |                |                                                                                       |
|  | 1 hole control box<br>1 Emergency stop<br>Spring return<br>IP40/IP54        | <br><br>N/C | XDL25-BE164    |  |
| XDL25-BE164                                                                         |                                                                             |                                                                                                                                                                                   |                |                                                                                       |
|  | 1 hole control box<br>1 Emergency stop<br>Turn to release<br>IP40/IP54      | <br><br>N/C | XDL25-JE174H29 |  |
| XDL25-JE174H29                                                                      |                                                                             |                                                                                                                                                                                   |                |                                                                                       |
|  | 1 hole control box<br>1 Emergency stop<br>Key release<br>IP40/IP54          | <br><br>N/C | XDL25-BE188    |  |
| XDL25-BE188                                                                         |                                                                             |                                                                                                                                                                                   |                |                                                                                       |

# CONTROL SWITCH

## XDL25 Series













| Control Switch                                                                      | Description                                                                                                   | Contact & Head Shape                                                                | Type           | Contour                                                                               |
|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|----------------|---------------------------------------------------------------------------------------|
|    | 1 hole control box<br>1 Selector Switch key<br>Operated(Ronis key n° 445)<br>2-position stay put<br>IP40/IP54 |    | XDL25-BE142H29 |    |
| XDL25-BE142H29                                                                      |                                                                                                               |                                                                                     |                |                                                                                       |
|    | 2 holes control box<br>2 flush push button<br>Spring return<br>IP40/IP54                                      |    | XDL25-BE213    |    |
| XDL25-BE213                                                                         |                                                                                                               |                                                                                     |                |                                                                                       |
|   | 2 holes control box<br>2 flush push button<br>Spring return<br>IP40/IP54                                      |   | XDL25-BE223    |   |
| XDL25-BE223                                                                         |                                                                                                               |                                                                                     |                |                                                                                       |
|  | 3 holes control box<br>1 pilot light<br>2 flush push button<br>Spring return<br>IP40/IP54                     |  | XDL25-BE363    |  |
| XDL25-BE363                                                                         |                                                                                                               |                                                                                     |                |                                                                                       |
|  | 3 holes control box<br>3 flush push button<br>Spring return<br>IP40/IP54                                      |  | XDL25-BE334    |  |
| XDL25-BE334                                                                         |                                                                                                               |                                                                                     |                |                                                                                       |
|  | 3 holes control box<br>3 flush push button<br>Spring return<br>IP40/IP54                                      |  | XDL25-BE339    |  |
| XDL25-BE339                                                                         |                                                                                                               |                                                                                     |                |                                                                                       |

# CONTROL SWITCH



**XINDALI**  
— Since 1997 —

## XDL25 Series

| Control Switch                                                                      | Description                                                                                                     | Contact & Head Shape                                                                | Type        | Contour                                                                               |
|-------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------|---------------------------------------------------------------------------------------|
|    | 1 hole control box<br>1 flush push button<br>Spring return<br>IP40/IP54                                         |    | XDL25-BB101 |    |
| XDL25-BB101                                                                         |                                                                                                                 |                                                                                     |             |                                                                                       |
|    | 2 holes control box<br>2 flush push button<br>Spring return<br>IP40/IP54                                        |    | XDL25-BB213 |    |
| XDL25-BB213                                                                         |                                                                                                                 |                                                                                     |             |                                                                                       |
|   | 2 holes control box<br>2 flush push button<br>Spring return<br>IP40/IP54                                        |   | XDL25-BB223 |   |
| XDL25-BB223                                                                         |                                                                                                                 |                                                                                     |             |                                                                                       |
|  | 3 holes control box<br>1 Emergency stop<br>Turn to release<br>2 flush push button<br>Spring return<br>IP40/IP54 |  | XDL25-BB364 |  |
| XDL25-BB364                                                                         |                                                                                                                 |                                                                                     |             |                                                                                       |
|  | 3 holes control box<br>3 flush push button<br>Spring return<br>IP40/IP54                                        |  | XDL25-BB334 |  |
| XDL25-BB334                                                                         |                                                                                                                 |                                                                                     |             |                                                                                       |
|  | 3 holes control box<br>3 flush push button<br>Spring return<br>IP40/IP54                                        |  | XDL25-BB339 |  |
| XDL25-BB339                                                                         |                                                                                                                 |                                                                                     |             |                                                                                       |



**XINDALI**  
— Since 1997 —










# XDL35 CONTROL SWITCH



# CONTROL SWITCH

## XDL35 Series

| Control Switch                                                                      | Description                                                                                                                                                 | Contact & Head Shape                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | Type          | Contour                                                                               |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|---------------------------------------------------------------------------------------|
|    | Protective button box<br>1 hole control box<br>1 emergency stop<br>Turn to release<br>IP54/IP65                                                             | <br><br>N/C                                                                                                                                                                                                                                                                                                                                                                                                                                                           | XDL35-JBOE174 |    |
|    | 1 hole control box<br>1 flush push button<br>Spring return<br>IP54/IP65                                                                                     | <br><br>N/C                                                                                                                                                                                                                                                                                                                                                                                                                                                           | XDL35-B112    |    |
|    | 2 holes control box<br>2 flush push button<br>Spring return<br>IP54/IP65                                                                                    | <br><br><br>N/C                                                                                                                                                                                                                                                                                                                                                                      | XDL35-B213    |   |
|  | 3 holes control box<br>3 flush push button<br>Spring return<br>IP54/IP65                                                                                    | <br><br><br><br>N/O                                                                                                                                                                                                                                                                         | XDL35-B334    |  |
|  | 4 holes control box<br>1 Emergency stop<br>Turn to release<br>1 selector switch<br>2-position stay put<br>2 flush push button<br>Spring return<br>IP54/IP65 | <br><br><br><br><br>N/C                                                                                                                                                                                 | XDL35-B463    |  |
|  | 5 holes control box<br>1 Emergency stop<br>Turn to release<br>1 selector switch<br>2-position stay put<br>3 flush push button<br>Spring return<br>IP54/IP65 | <br><br><br><br><br><br>N/C                                                                                          | XDL35-B539    |  |
|  | 6 holes control box<br>1 Emergency stop<br>Turn to release<br>1 selector switch<br>2-position stay put<br>4 flush push button<br>Spring return<br>IP54/IP65 | <br><br><br><br><br><br><br>N/C | XDL35-B634    |  |



**XINDALI**  
— Since 1997 —








c **UL** <sup>®</sup> **US** **CE**  **RoHS**



# XDL55 CONTROL SWITCH

# CONTROL SWITCH

## XDL55 Series

| Control Switch                                                                      | Description                                                                                                                                                 | Contact & Head Shape                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | Type        | Contour                                                                               |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|---------------------------------------------------------------------------------------|
|    | 1 hole control box<br>1 flush push button<br>Spring return<br>IP54/IP65                                                                                     | <br><br>N/O                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | XDL55-B101P |    |
| XDL55-B101P                                                                         |                                                                                                                                                             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |             |                                                                                       |
|    | 1 hole control box<br>1 flush push button<br>Spring return<br>IP54/IP65                                                                                     | <br><br>N/C                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | XDL55-B112P |    |
| XDL55-B112P                                                                         |                                                                                                                                                             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |             |                                                                                       |
|   | 2 holes control box<br>2 flush push button<br>Spring return<br>IP54/IP65                                                                                    | <br><br><br><br>N/C N/O                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | XDL55-B213P |   |
| XDL55-B213P                                                                         |                                                                                                                                                             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |             |                                                                                       |
|  | 3 holes control box<br>3 flush push button<br>Spring return<br>IP54/IP65                                                                                    | <br><br><br><br><br><br>N/O N/C N/O                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | XDL35-B334P |  |
| XDL55-B334P                                                                         |                                                                                                                                                             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |             |                                                                                       |
|  | 4 holes control box<br>1 Emergency stop<br>Turn to release<br>3 flush push button<br>Spring return<br>IP54/IP65                                             | <br><br><br><br><br><br><br><br>N/C N/O N/C N/O                                                                                                                                                                                                                                                                                                                                                                             | XDL55-B424P |  |
| XDL55-B424P                                                                         |                                                                                                                                                             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |             |                                                                                       |
|  | 5 holes control box<br>1 Emergency stop<br>Turn to release<br>1 selector switch<br>2-position stay put<br>3 flush push button<br>Spring return<br>IP54/IP65 | <br><br><br><br><br><br><br><br><br><br>N/C N/O+N/C N/O N/C N/O                                                                                                                                                                                     | XDL55-B534P |  |
| XDL55-B534P                                                                         |                                                                                                                                                             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |             |                                                                                       |
|  | 6 holes control box<br>1 Emergency stop<br>Turn to release<br>1 selector switch<br>2-position stay put<br>4 flush push button<br>Spring return<br>IP54/IP65 | <br><br><br><br><br><br><br><br><br><br><br><br>N/C N/O+N/C N/O N/O N/C N/O | XDL35-B639P |  |
| XDL55-B639P                                                                         |                                                                                                                                                             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |             |                                                                                       |



**XINDALI**  
— Since 1997 —









# XDL721 CONTROL SWITCH












# CONTROL SWITCH

## XDL721 Series

| Control Switch                                                                      | Description                                                                                               | Contact & Head Shape                                                                                                                                                              | Type          | Contour                                                                               |
|-------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|---------------------------------------------------------------------------------------|
|    | 1 hole control box<br>1 flush push button<br>Spring return<br>IP54/IP65                                   | <br><br>N/O     | XDL721-JB101P |    |
| XDL721-JB101P                                                                       |                                                                                                           |                                                                                                                                                                                   |               |                                                                                       |
|    | 1 hole control box<br>1 flush push button<br>Spring return<br>IP54/IP65                                   | <br><br>N/C     | XDL721-JB111P |    |
| XDL721-JB111P                                                                       |                                                                                                           |                                                                                                                                                                                   |               |                                                                                       |
|  | 1 hole control box<br>1 flush push button<br>Spring return<br>IP54/IP65                                   | <br><br>N/O | XDL721-JB131P |  |
| XDL721-JB131P                                                                       |                                                                                                           |                                                                                                                                                                                   |               |                                                                                       |
|  | 1 hole control box<br>1 selector switch<br>2-position stay put<br>IP54/IP65                               | <br><br>N/O | XDL721-JB132P |  |
| XDL721-JB132P                                                                       |                                                                                                           |                                                                                                                                                                                   |               |                                                                                       |
|  | 1 hole control box<br>1 illuminated<br>Emergency stop<br>Spring return,<br>with integral LED<br>IP54/IP65 | <br><br>N/C | XDL721-JB165P |  |
| XDL721-JB165P                                                                       |                                                                                                           |                                                                                                                                                                                   |               |                                                                                       |

# CONTROL SWITCH

## XDL721 Series










| Control Switch                                                                      | Description                                                                                                                | Contact & Head Shape                                                                | Type          | Contour                                                                               |
|-------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|---------------|---------------------------------------------------------------------------------------|
|    | 1 hole control box<br>1 Emergency stop<br>Turn to release<br>IP54/IP65                                                     |    | XDL721-JB174P |    |
| XDL721-JB174P                                                                       |                                                                                                                            |                                                                                     |               |                                                                                       |
|    | 1 hole control box<br>1 double-headed push button<br>1 flush green push marked I<br>1 flush red push marked O<br>IP54/IP65 |    | XDL721-JB195P |    |
| XDL721-JB195P                                                                       |                                                                                                                            |                                                                                     |               |                                                                                       |
|  | 2 holes control box<br>2 flush push button<br>Spring return<br>IP54/IP65                                                   |  | XDL721-JB223P |  |
| XDL721-JB223P                                                                       |                                                                                                                            |                                                                                     |               |                                                                                       |
|  | 2 holes control box<br>2 flush push button<br>Spring return<br>IP54/IP65                                                   |  | XDL721-JB213P |  |
| XDL721-JB213P                                                                       |                                                                                                                            |                                                                                     |               |                                                                                       |
|  | 3 holes control box<br>3 flush push button<br>Spring return<br>IP54/IP65                                                   |  | XDL721-JB334P |  |
| XDL721-JB334P                                                                       |                                                                                                                            |                                                                                     |               |                                                                                       |

# CONTROL SWITCH



**XINDALI**  
— Since 1997 —

## XDL721 Series

| Control Switch                                                                      | Description                                                                                                                                                 | Contact & Head Shape                                                                | Type          | Contour                                                                               |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|---------------|---------------------------------------------------------------------------------------|
|    | 3 holes control box<br>3 flush push button<br>Spring return<br>IP54/IP65                                                                                    |    | XDL721-JB339P |    |
| XDL721-JB339P                                                                       |                                                                                                                                                             |                                                                                     |               |                                                                                       |
|    | 3 holes control box<br>1 pilot light<br>2 flush push button<br>Spring return<br>IP40/IP54                                                                   |    | XDL721-JB363  |    |
| XDL721-JB363P                                                                       |                                                                                                                                                             |                                                                                     |               |                                                                                       |
|  | 4 holes control box<br>1 Emergency stop<br>Turn to release<br>3 flush push button<br>Spring return<br>IP54/IP65                                             |  | XDL721-JB434P |  |
| XDL721-JB434P                                                                       |                                                                                                                                                             |                                                                                     |               |                                                                                       |
|  | 4 holes control box<br>1 Emergency stop<br>Turn to release<br>3 flush push button<br>Spring return<br>IP54/IP65                                             |  | XDL721-JB439P |  |
| XDL721-JB439P                                                                       |                                                                                                                                                             |                                                                                     |               |                                                                                       |
|  | 4 holes control box<br>1 Emergency stop<br>Turn to release<br>1 selector switch<br>2-position stay put<br>2 flush push button<br>Spring return<br>IP54/IP65 |  | XDL721-JB463P |  |
| XDL721-JB463P                                                                       |                                                                                                                                                             |                                                                                     |               |                                                                                       |



**XINDALI**  
— Since 1997 —

c **UL** <sup>®</sup> **US** **CE**  **RoHS** 



# XDL722 CONTROL SWITCH









# CONTROL SWITCH



**XINDALI**  
— Since 1997 —

## XDL722 Series







| Control Switch                                                                      | Description                                                                                                   | Contact & Head Shape                                                                                                                                                       | Type          | Contour                                                                               |
|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|---------------------------------------------------------------------------------------|
|    | 1 hole control box<br>1 flush push button<br>Spring return<br>IP54/IP65                                       | <br>     | XDL722-JB101P |    |
| XDL722-JB101P                                                                       |                                                                                                               | N/O                                                                                                                                                                        |               |                                                                                       |
|    | 1 hole control box<br>1 flush push button<br>Spring return<br>IP54/IP65                                       | <br>     | XDL722-JB111P |    |
| XDL722-JB111P                                                                       |                                                                                                               | N/C                                                                                                                                                                        |               |                                                                                       |
|   | 1 hole control box<br>1 selector switch<br>2-position stay put<br>IP54/IP65                                   | <br>  | XDL722-JB132P |   |
| XDL722-JB132P                                                                       |                                                                                                               | N/O                                                                                                                                                                        |               |                                                                                       |
|  | 1 hole control box<br>1 Welector switch key<br>Operated(Ronis key n° 445)<br>2-position stay put<br>IP54/IP65 | <br> | XDL722-JB142P |  |
| XDL722-JB142P                                                                       |                                                                                                               | N/O                                                                                                                                                                        |               |                                                                                       |
|  | 1 hole control box<br>1 Emergency stop<br>Turn to release<br>IP54/IP65                                        | <br> | XDL722-JB174P |  |
| XDL722-JB174P                                                                       |                                                                                                               | N/C                                                                                                                                                                        |               |                                                                                       |
|  | 1 hole control box<br>1 Emergency stop<br>Key release<br>IP54/IP65                                            | <br> | XDL722-JB188P |  |
| XDL722-JB188P                                                                       |                                                                                                               | N/C                                                                                                                                                                        |               |                                                                                       |

# CONTROL SWITCH













**XINDALI**  
— Since 1997 —

## XDL722 Series

| Control Switch                                                                      | Description                                                                                                                | Contact & Head Shape                                                                               | Type          | Contour                                                                               |
|-------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------|---------------|---------------------------------------------------------------------------------------|
|    | 1 hole control box<br>1 Emergency stop<br>Push-pull,<br>with windows indication<br>IP54/IP65                               | <br>N/C           | XDL722-JB184P |    |
|    | 1 hole control box<br>1 Emergency stop<br>Turn to release<br>IP54/IP65                                                     | <br>N/C           | XDL722-JB175P |    |
|   | 1 hole control box<br>1 double-headed push button<br>1 flush green push marked I<br>1 flush red push marked O<br>IP54/IP65 | <br>N/O+N/C      | XDL722-JB195P |   |
|  | 2 hole control box<br>2 flush push button<br>Spring return<br>IP54/IP65                                                    | <br>N/O N/O     | XDL722-JB222P |  |
|  | 2 hole control box<br>2 flush push button<br>Spring return<br>IP54/IP65                                                    | <br>N/C N/O     | XDL722-JB213P |  |
|  | 3 hole control box<br>3 flush push button<br>Spring return<br>IP54/IP65                                                    | <br>N/O N/C N/O | XDL722-JB324P |  |

# CONTROL SWITCH

## XDL722 Series









| Control Switch                                                                      | Description                                                                                                                                                 | Contact & Head Shape                                                                                                                                                                                                | Type           | Contour                                                                               |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|---------------------------------------------------------------------------------------|
|    | 3 holes control box<br>3 flush push button<br>Spring return<br>IP54/IP65                                                                                    | <br><br>N/O    N/C    N/O                         | XDL722-JB339P  |    |
|    | 3 holes control box<br>1 pilot light<br>2 flush push button<br>Spring return<br>IP65/IP67                                                                   | <br><br>X1    X2    N/C    N/O                    | XDL722-JB363   |    |
|  | 4 holes control box<br>1 illuminated<br>Emergency stop<br>Turn to release,<br>with integral LED<br>3 flush push button<br>Spring return<br>IP65/IP67        | <br><br>X1    X2    N/C    N/O    N/C    N/O | XDL722-JBW424P |  |
|  | 4 holes control box<br>1 illuminated<br>Emergency Stop<br>Turn to release,<br>with integral LED<br>3 flush push button<br>Spring return<br>IP65/IP67        | <br><br>X1    X2    N/C    N/O    N/C    N/O | XDL722-JBW439P |  |
|  | 4 holes control box<br>1 Emergency stop<br>Turn to release<br>1 selector switch<br>2-position stay put<br>2 flush push button<br>Spring return<br>IP65/IP67 | <br><br>N/C    N/O+N/C    N/C    N/O         | XDL722-JB463P  |  |

# CONTROL SWITCH



**XINDALI**  
— Since 1997 —

## XDL722 Series

| Control Switch                                                                      | Description                                                                                                                                                                                     | Contact & Head Shape                                                                                                                | Type           | Contour                                                                                                             |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------|----------------|---------------------------------------------------------------------------------------------------------------------|
|    | 5 holes control box<br>1 illuminated<br>Emergency stop<br>Turn to release<br>with integral LED<br>1 selector switch<br>2-position stay put<br>3 flush push button<br>Spring return<br>IP65/IP67 | <br>X1<br>X2<br>N/C N/O+N/C N/O N/C N/O           | XDL722-JBW534P | <br>49 42<br>68×216<br>PG13.5    |
|    | 5 holes control box<br>1 illuminated<br>Emergency stop<br>Turn to release<br>with integral LED<br>1 selector switch<br>2-position stay put<br>3 flush push button<br>Spring return<br>IP65/IP67 | <br>X1<br>X2<br>N/C N/O+N/C N/O N/C N/O           | XDL722-JBW539P | <br>49 42<br>68×216<br>PG13.5   |
|  | 6 holes control box<br>1 illuminated<br>Emergency stop<br>Turn to release<br>with integral LED<br>1 selector switch<br>2-position stay put<br>4 flush push button<br>Spring return<br>IP65/IP67 | <br>X1<br>X2<br>N/C N/O+N/C N/O N/O N/C N/O     | XDL722-JBW639P | <br>49 42<br>68×247<br>PG13.5  |
|  | 6 holes control box<br>1 illuminated<br>Emergency stop<br>Turn to release<br>with integral LED<br>1 selector switch<br>2-position stay put<br>4 flush push button<br>Spring return<br>IP65/IP67 | <br>X1<br>X2<br>N/C N/O+N/C N/O N/O N/C N/O     | XDL722-JBW624P | <br>49 42<br>68×247<br>PG13.5  |
|  | 7 holes control box<br>1 illuminated<br>Emergency stop<br>Turn to release<br>with integral LED<br>1 selector switch<br>2-position stay put<br>5 flush push button<br>Spring return<br>IP65/IP67 | <br>X1<br>X2<br>N/C N/O+N/C N/O N/O N/C N/O N/O | XDL722-JBW701P | <br>56 42<br>75×2331<br>PG13.5 |





**XINDALI**  
— Since 1997 —

c **UL** <sup>®</sup> **us** **CE**  **RoHS** 









# XDL75 CONTROL SWITCH

# CONTROL SWITCH














**XINDALI**  
— Since 1997 —

## XDL75 Series

| Control Switch                                                                                                    | Description                                                                                                                                                         | Contact & Head Shape                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | Type         | Contour                                                                               |
|-------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|---------------------------------------------------------------------------------------|
| <br>XDL75-JB181P<br>XDL75-JB261P | 1 hole control box<br>1 Emergency stop<br>Push-pull<br>with windows indication                                                                                      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | XDL75-JB181P |    |
|                                                                                                                   | 2 holes control box<br>1 Emergency stop<br>Turn to release<br>1 flush push button<br>Spring return                                                                  |  <br>                                                                                                                                                                                                                                                                                                                                                                          | XDL75-JB261P |                                                                                       |
| <br>XDL75-JB364P                 | 3 holes control box<br>1 Emergency stop<br>Turn to release<br>2 flush push button<br>Spring return                                                                  | <br> <br>                                                                                                                                                                                                                                                                                                                                                                     | XDL75-JB364P |    |
| <br>XDL75-JB424P                | 4 holes control box<br>1 Emergency stop<br>Turn to release<br>3 flush push button<br>Spring return                                                                  | <br> <br>                                                                                                                                                                                                                                                                           | XDL75-JB424P |   |
| <br>XDL75-JB525P               | 5 holes control box<br>1 Emergency stop<br>Push-pull<br>with windows indication<br>1 selector switch<br>2-position stay put<br>3 flush push button<br>Spring return | <br> <br> <br>                                                                                                                                                                                | XDL75-JB525P |  |
| <br>XDL75-JB625P               | 6 holes control box<br>1 Emergency stop<br>Push-pull<br>with windows indication<br>1 selector switch<br>2-position stay put<br>4 flush push button<br>Spring return | <br> <br> <br>                                                                                           | XDL75-JB625P |  |
| <br>XDL75-JB702P               | 7 holes control box<br>1 Emergency stop<br>Push-pull<br>with windows indication<br>1 selector switch<br>2-position stay put<br>5 flush push button<br>Spring return | <br> <br> <br> <br> | XDL75-JB702P |  |











# CONTROL SWITCH

## XDL75 Series

| Control Switch                                                                      | Description                                                                                                                                                          | Contact & Head Shape                                                                                            | Type          | Contour                                                                               |
|-------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------|---------------|---------------------------------------------------------------------------------------|
|    | 1 hole control box<br>1 Emergency stop<br>Push-pull,<br>with windows indication<br>IP54                                                                              | <br>N/C                        | XDL75-ETB1814 |    |
| XDL75-ETB1814                                                                       |                                                                                                                                                                      |                                                                                                                 |               |                                                                                       |
|    | 3 holes control box<br>1 Emergency stop<br>Turn to release<br>1 flush push button<br>Spring return<br>1 european socket                                              | <br>N/C N/O                    | XDL75-JB381P  |    |
| XDL75-JB381P                                                                        |                                                                                                                                                                      |                                                                                                                 |               |                                                                                       |
|   | 3 holes control box<br>1 Emergency stop<br>Turn to release<br>1 selector switch<br>2-position stay put<br>1 european socket                                          | <br>N/C N/O+N/C               | XDL75-JB371P  |   |
| XDL75-JB371P                                                                        |                                                                                                                                                                      |                                                                                                                 |               |                                                                                       |
|  | 4 holes control box<br>1 selector switch<br>2-position stay put<br>3 flush push button<br>Spring return                                                              | <br>N/C N/O+N/C N/O N/O      | XDL75-JB468P  |  |
| XDL75-JB468P                                                                        |                                                                                                                                                                      |                                                                                                                 |               |                                                                                       |
|  | 4 holes control box<br>1 Emergency stop<br>Push-pull,<br>with windows indication<br>1 selector switch<br>2-position stay put<br>2 flush push button<br>Spring return | <br>N/C N/O N/O N/O+N/C      | XDL75-JB469P  |  |
| XDL75-JB469P                                                                        |                                                                                                                                                                      |                                                                                                                 |               |                                                                                       |
|  | 4 holes control box<br>1 Emergency stop<br>Turn to release<br>1 selector switch<br>2-position stay put<br>3 flush push button<br>Spring return                       | <br>N/C N/O+N/C N/O N/C N/O | XDL75-JB534P  |  |
| XDL75-JB534P                                                                        |                                                                                                                                                                      |                                                                                                                 |               |                                                                                       |

# CONTROL SWITCH

## XDL821 Series

| Control Switch                                                                      | Description                                                                                                                                                         | Contact & Head Shape                                                                 | Type          | Contour                                                                               |
|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|---------------|---------------------------------------------------------------------------------------|
|    | 2 holes control box<br>1 Emergency stop<br>Turn to release<br>1 european socket                                                                                     |     | XDL821-JB271P |    |
| XDL821-JB271P                                                                       |                                                                                                                                                                     |                                                                                      |               |                                                                                       |
|    | 3 holes control box<br>1 Emergency stop<br>Turn to release<br>1 flush push button<br>Spring return<br>1 european socket                                             |     | XDL821-JB382P |    |
| XDL821-JB382P                                                                       |                                                                                                                                                                     |                                                                                      |               |                                                                                       |
|  | 4 holes control box<br>1 Emergency stop<br>Turn to release<br>2 flush push button<br>Spring return<br>1 european socket                                             |   | XDL821-JB471P |  |
| XDL821-JB471P                                                                       |                                                                                                                                                                     |                                                                                      |               |                                                                                       |
|  | 5 holes control box<br>1 Emergency stop<br>Turn to release<br>2 flush push button<br>Spring return<br>1 european socket                                             |  | XDL821-JB571P |  |
| XDL821-JB571P                                                                       |                                                                                                                                                                     |                                                                                      |               |                                                                                       |
|  | 6 holes control box<br>1 Emergency stop<br>Turn to release<br>1 selector switch<br>2-position stay put<br>3 flush push button<br>Spring return<br>1 european socket |  | XDL821-JB671P |  |
| XDL821-JB671P                                                                       |                                                                                                                                                                     |                                                                                      |               |                                                                                       |





**XINDALI**  
— Since 1997 —







c **UL** <sup>®</sup> **us** **CE**  **RoHS** 



# XDL85 CONTROL SWITCH

# CONTROL SWITCH

## XDL85 Series

| Control Switch                                                                      | Description                                                                                                                                                                                 | Contact & Head Shape                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | Type         | Contour                                                                               |
|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|---------------------------------------------------------------------------------------|
|    | 1 hole control box<br>1 european socket                                                                                                                                                     | <br>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | XDL85-JB183F |    |
|    | 2 holes control box<br>1 Emergency stop push-pull<br>with windows indication<br>1 european socket                                                                                           | <br><br><br>N/C                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | XDL85-JB281F |    |
|   | 3 holes control box<br>1 Emergency stop push-pull<br>with windows indication<br>1 flush push button<br>Spring return<br>1 european socket                                                   | <br><br><br><br>N/C<br><br>N/O                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | XDL85-JB381F |   |
|  | 4 holes control box<br>1 Emergency stop push-pull<br>with windows indication<br>2 flush push button<br>Spring return<br>1 european socket                                                   | <br><br><br><br><br>N/C<br><br>N/O<br><br>N/O                                                                                                                                                                                                                                                                                                                                                                                   | XDL85-JB481F |  |
|  | 5 holes control box<br>1 Emergency stop push-pull<br>with windows indication<br>3 flush push button<br>Spring return<br>1 european socket                                                   | <br><br><br><br><br><br>N/C<br><br>N/O<br><br>N/C<br><br>N/O                                                                                                                                                                                            | XDL85-JB581F |  |
|  | 6 holes control box<br>1 Emergency stop<br>Push-pull<br>with windows<br>Indication<br>1 selector switch<br>2-position stay put<br>3 flush push button<br>Spring return<br>1 european socket | <br><br><br><br><br><br><br>N/C<br><br>N/O+N/C<br><br>N/O<br><br>N/C<br><br>N/O | XDL85-JB681F |  |



**XINDALI**  
— Since 1997 —

c **UL** <sup>®</sup> **us** **CE**  **RoHS** 














# XDL10 CONTROL SWITCH

# CONTROL SWITCH



**XINDALI**  
— Since 1997 —






## XDL10 Series

| Control Switch                                                                      | Description                                                                                   | Contact & Head Shape                                                                                                                                                                                    | Type                                                                                                                                                                         | Contour                                                                                                            |
|-------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------|
|    | Box holder                                                                                    |                                                                                                                                                                                                         | XDL10-EPC                                                                                                                                                                    |                                 |
| XDL10-EPC                                                                           |                                                                                               |                                                                                                                                                                                                         |                                                                                                                                                                              |                                                                                                                    |
|    | 2 holes control box<br>2 flush push button<br>Spring return<br>(Two-button interlock)<br>IP65 | <b>2+</b> N/O <br><b>2+</b> 2N/O      | <br>     | XDL10-EPB2<br><br>XDL10-EPB22   |
| XDL10-EPB2                                                                          |                                                                                               |                                                                                                                                                                                                         |                                                                                                                                                                              |                                                                                                                    |
|   | 3 holes control box<br>3 flush push button<br>Spring return<br>(Two-button interlock)<br>IP65 | <b>3+</b> N/O <br><b>3+</b> 2N/O   | <br>  | XDL10-EPB3<br><br>XDL10-EPB32  |
| XDL10-EPB3                                                                          |                                                                                               |                                                                                                                                                                                                         |                                                                                                                                                                              |                                                                                                                    |
|  | 4 holes control box<br>4 flush push button<br>Spring return<br>(Two-button interlock)<br>IP65 | <b>4+</b> N/O <br><b>4+</b> 2N/O  | <br> | XDL10-EPB4<br><br>XDL10-EPB42 |
| XDL10-EPB4                                                                          |                                                                                               |                                                                                                                                                                                                         |                                                                                                                                                                              |                                                                                                                    |
|  | 5 holes control box<br>5 flush push button<br>Spring return<br>(Two-button interlock)<br>IP65 | <b>5+</b> N/O <br><b>5+</b> 2N/O  | <br> | XDL10-EPB5<br><br>XDL10-EPB52 |
| XDL10-EPB5                                                                          |                                                                                               |                                                                                                                                                                                                         |                                                                                                                                                                              |                                                                                                                    |
|  | 6 holes control box<br>6 flush push button<br>Spring return<br>(Two-button interlock)<br>IP65 | <b>6+</b> N/O <br><b>6+</b> 2N/O  | <br> | XDL10-EPB6<br><br>XDL10-EPB62 |
| XDL10-EPB6                                                                          |                                                                                               |                                                                                                                                                                                                         |                                                                                                                                                                              |                                                                                                                    |



# CONTROL SWITCH

## XDL10 Series






| Control Switch                                                                                         | Description                                                                                                                          | Contact & Head Shape                                                                                                                                                                                           | Type                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | Contour                                                                                                                               |
|--------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------|
| <br><br>XDL10-EPBS2   | 2 holes control box<br>1 Emergency stop<br>Turn to release<br>1 flush push button<br>Spring return<br>(Two-button interlock)<br>IP54 | N/C  1<br>2<br>N/O  3<br>4                   | <br>                                                                                                                                                                                                                                                                                                                                                                     | <br>45.9 27<br>106 × 62<br>15.8<br>PG13.5          |
|                                                                                                        |                                                                                                                                      | N/C  1<br>2<br>2N/O  3   13<br>4   14        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                                                                                                                                       |
| <br><br>XDL10-EPBS3   | 3 holes control box<br>1 Emergency stop<br>Turn to release<br>2 flush push button<br>Spring return<br>(Two-button interlock)<br>IP54 | N/C  1<br>2<br>2+ N/O  3<br>4                | <br><br>                                                                                                                                                                                                                                                                               | <br>45.9 27<br>142 × 62<br>15.8<br>8.5<br>PG13.5   |
|                                                                                                        |                                                                                                                                      | N/C  1<br>2<br>2+ 2N/O  3   13<br>4   14     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                                                                                                                                       |
| <br><br>XDL10-EPBS4 | 4 holes control box<br>1 Emergency stop<br>Turn to release<br>3 flush push button<br>Spring return<br>(Two-button interlock)<br>IP54 | N/C  1<br>2<br>3+ N/O  3<br>4            | <br><br><br>                                                                                                                                                                                 | <br>45.9 27<br>171 × 62<br>15.8<br>8.5<br>PG13.5 |
|                                                                                                        |                                                                                                                                      | N/C  1<br>2<br>3+ 2N/O  3   13<br>4   14 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                                                                                                                                       |
| <br><br>XDL10-EPBS5 | 5 holes control box<br>1 Emergency stop<br>Turn to release<br>4 flush push button<br>Spring return<br>(Two-button interlock)<br>IP54 | N/C  1<br>2<br>4+ N/O  3<br>4            | <br><br><br><br>                                                                                         | <br>45.9 27<br>201 × 62<br>15.8<br>8.5<br>PG13.5 |
|                                                                                                        |                                                                                                                                      | N/C  1<br>2<br>4+ 2N/O  3   13<br>4   14 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                                                                                                                                       |
| <br><br>XDL10-EPBS6 | 6 holes control box<br>1 Emergency stop<br>Turn to release<br>5 flush push button<br>Spring return<br>(Two-button interlock)<br>IP54 | N/C  1<br>2<br>5+ N/O  3<br>4            | <br><br><br><br><br> | <br>45.9 27<br>234 × 62<br>15.8<br>8.5<br>PG13.5 |
|                                                                                                        |                                                                                                                                      | N/C  1<br>2<br>5+ 2N/O  3   13<br>4   14 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                                                                                                                                       |

# CONTROL SWITCH



**XINDALI**  
— Since 1997 —

## XDL10 Series






| Control Switch                                                                                      | Description            | Contact & Head Shape | Type                                                                                                                                                                       | Contour                                                                               |
|-----------------------------------------------------------------------------------------------------|------------------------|----------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| <br>XDL10-EPBK2    | 2 holes control box    | N/C                  | <br>     |    |
|                                                                                                     | 1 Emergency stop       | N/O                  |                                                                                                                                                                            |                                                                                       |
|                                                                                                     | Key release            |                      |                                                                                                                                                                            |                                                                                       |
|                                                                                                     | 1 flush push button    |                      |                                                                                                                                                                            |                                                                                       |
| <br>XDL10-EPBK22   | Spring return          | N/C                  | <br>     |    |
|                                                                                                     | (Two-button interlock) | 2N/O                 |                                                                                                                                                                            |                                                                                       |
|                                                                                                     | IP54                   |                      |                                                                                                                                                                            |                                                                                       |
|                                                                                                     |                        |                      |                                                                                                                                                                            |                                                                                       |
| <br>XDL10-EPBK3  | 3 holes control box    | N/C                  | <br> |  |
|                                                                                                     | 1 Emergency stop       | 2+ N/O               |                                                                                                                                                                            |                                                                                       |
|                                                                                                     | Key release            |                      |                                                                                                                                                                            |                                                                                       |
|                                                                                                     | 2 flush push button    |                      |                                                                                                                                                                            |                                                                                       |
| <br>XDL10-EPBK32 | Spring return          | N/C                  | <br> |  |
|                                                                                                     | (Two-button interlock) | 2+ 2N/O              |                                                                                                                                                                            |                                                                                       |
|                                                                                                     | IP54                   |                      |                                                                                                                                                                            |                                                                                       |
|                                                                                                     |                        |                      |                                                                                                                                                                            |                                                                                       |
| <br>XDL10-EPBK4  | 4 holes control box    | N/C                  | <br> |  |
|                                                                                                     | 1 Emergency stop       | 3+ N/O               |                                                                                                                                                                            |                                                                                       |
|                                                                                                     | Key release            |                      |                                                                                                                                                                            |                                                                                       |
|                                                                                                     | 3 flush push button    |                      |                                                                                                                                                                            |                                                                                       |
| <br>XDL10-EPBK42 | Spring return          | N/C                  | <br> |  |
|                                                                                                     | (Two-button interlock) | 3+ 2N/O              |                                                                                                                                                                            |                                                                                       |
|                                                                                                     | IP54                   |                      |                                                                                                                                                                            |                                                                                       |
|                                                                                                     |                        |                      |                                                                                                                                                                            |                                                                                       |
| <br>XDL10-EPBK5  | 5 holes control box    | N/C                  | <br> |  |
|                                                                                                     | 1 Emergency stop       | 4+ N/O               |                                                                                                                                                                            |                                                                                       |
|                                                                                                     | Key release            |                      |                                                                                                                                                                            |                                                                                       |
|                                                                                                     | 4 flush push button    |                      |                                                                                                                                                                            |                                                                                       |
| <br>XDL10-EPBK52 | Spring return          | N/C                  | <br> |  |
|                                                                                                     | (Two-button interlock) | 4+ 2N/O              |                                                                                                                                                                            |                                                                                       |
|                                                                                                     | IP54                   |                      |                                                                                                                                                                            |                                                                                       |
|                                                                                                     |                        |                      |                                                                                                                                                                            |                                                                                       |
| <br>XDL10-EPBK6  | 6 holes control box    | N/C                  | <br> |  |
|                                                                                                     | 1 Emergency stop       | 5+ N/O               |                                                                                                                                                                            |                                                                                       |
|                                                                                                     | Key release            |                      |                                                                                                                                                                            |                                                                                       |
|                                                                                                     | 5 flush push button    |                      |                                                                                                                                                                            |                                                                                       |
| <br>XDL10-EPBK62 | Spring return          | N/C                  | <br> |  |
|                                                                                                     | (Two-button interlock) | 5+ 2N/O              |                                                                                                                                                                            |                                                                                       |
|                                                                                                     | IP54                   |                      |                                                                                                                                                                            |                                                                                       |
|                                                                                                     |                        |                      |                                                                                                                                                                            |                                                                                       |

# CONTROL SWITCH













**XINDALI**  
— Since 1997 —

## XDL10 Series

| Control Switch                                                                                     | Description                                                                                                                                        | Contact & Head Shape | Type                                                                                                                                                                                                                                                                                                                                                                                                                                                 | Contour                                                                                                                               |
|----------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------|----------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------|
| <br>XDL10-EPBG2   | 2 holes control box<br>1 Selector Switch with key<br>2-position stay put<br>1 flush push button<br>Spring return<br>(Two-button interlock)<br>IP54 | N/O                  | <br>                                                                                                                                                                                                                                                                             | <br>45.9 21<br>106 × 62<br>15.8<br>PG13.5          |
|                                                                                                    |                                                                                                                                                    | N/O                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                                                                                                                       |
|                                                                                                    |                                                                                                                                                    | N/O                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                                                                                                                       |
|                                                                                                    |                                                                                                                                                    | 2N/O                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                                                                                                                       |
| <br>XDL10-EPBG3   | 3 holes control box<br>1 Selector Switch with key<br>2-position stay put<br>2 flush push button<br>Spring return<br>(Two-button interlock)<br>IP54 | N/O                  | <br><br>                                                                                                                                                                                       | <br>45.9 21<br>142 × 62<br>15.8<br>8.5<br>PG13.5   |
|                                                                                                    |                                                                                                                                                    | 2+ N/O               |                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                                                                                                                       |
|                                                                                                    |                                                                                                                                                    | N/O                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                                                                                                                       |
|                                                                                                    |                                                                                                                                                    | 2+ 2N/O              |                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                                                                                                                       |
| <br>XDL10-EPBG4 | 4 holes control box<br>1 Selector Switch with key<br>2-position stay put<br>3 flush push button<br>Spring return<br>(Two-button interlock)<br>IP54 | N/O                  | <br><br><br>                                                                                         | <br>45.9 21<br>171 × 62<br>15.8<br>8.5<br>PG13.5 |
|                                                                                                    |                                                                                                                                                    | 3+ N/O               |                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                                                                                                                       |
|                                                                                                    |                                                                                                                                                    | N/O                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                                                                                                                       |
|                                                                                                    |                                                                                                                                                    | 3+ 2N/O              |                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                                                                                                                       |
| <br>XDL10-EPBG5 | 5 holes control box<br>1 Selector Switch with key<br>2-position stay put<br>4 flush push button<br>Spring return<br>(Two-button interlock)<br>IP54 | N/O                  | <br><br><br><br> | <br>45.9 21<br>201 × 62<br>15.8<br>8.5<br>PG13.5 |
|                                                                                                    |                                                                                                                                                    | 4+ N/O               |                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                                                                                                                       |
|                                                                                                    |                                                                                                                                                    | N/O                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                                                                                                                       |
|                                                                                                    |                                                                                                                                                    | 4+ 2N/O              |                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                                                                                                                       |
| <br>XDL10-EPBG6 | 6 holes control box<br>1 Selector Switch with key<br>2-position stay put<br>5 flush push button<br>Spring return<br>(Two-button interlock)<br>IP54 | N/O                  | <br><br><br><br> | <br>45.9 21<br>234 × 62<br>15.8<br>8.5<br>PG13.5 |
|                                                                                                    |                                                                                                                                                    | 5+ N/O               |                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                                                                                                                       |
|                                                                                                    |                                                                                                                                                    | N/O                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                                                                                                                       |
|                                                                                                    |                                                                                                                                                    | 5+ 2N/O              |                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                                                                                                                       |

# CONTROL SWITCH









## XDL10 Series

| Control Switch                                                                      | Description                                                                                                                               | Contact & Head Shape                                                                        | Type                                                                                                                                                                                                                                                                                                                                                                                                                                                      | Contour                                                                                                                               |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------|
|    | 2 holes control box<br>1 selector switch<br>2-position stay put<br>1 flush push button<br>Spring return<br>(Two-button interlock)<br>IP54 | N/O        | <br>                                                                                                                                                                                                                                                                                | <br>45.9 27<br>106 × 62<br>15.8<br>PG13.5          |
|                                                                                     |                                                                                                                                           | N/O        |                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                                                                                                                                       |
|                                                                                     |                                                                                                                                           | N/O        |                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                                                                                                                                       |
|                                                                                     |                                                                                                                                           | 2N/O       |                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                                                                                                                                       |
| XDL10-EPBD2                                                                         |                                                                                                                                           |                                                                                             |                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                                                                                                                                       |
|    | 3 holes control box<br>1 selector switch<br>2-position stay put<br>2 flush push button<br>Spring return<br>(Two-button interlock)<br>IP54 | N/O        | <br><br>                                                                                                                                                                                         | <br>45.9 27<br>142 × 62<br>15.8<br>8.5<br>PG13.5   |
|                                                                                     |                                                                                                                                           | 2+ N/O     |                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                                                                                                                                       |
|                                                                                     |                                                                                                                                           | N/O        |                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                                                                                                                                       |
|                                                                                     |                                                                                                                                           | 2+ 2N/O   |                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                                                                                                                                       |
| XDL10-EPBD3                                                                         |                                                                                                                                           |                                                                                             |                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                                                                                                                                       |
|  | 4 holes control box<br>1 selector switch<br>2-position stay put<br>3 flush push button<br>Spring return<br>(Two-button interlock)<br>IP54 | N/O      | <br><br><br>                                                                                          | <br>45.9 27<br>171 × 62<br>15.8<br>8.5<br>PG13.5 |
|                                                                                     |                                                                                                                                           | 3+ N/O   |                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                                                                                                                                       |
|                                                                                     |                                                                                                                                           | N/O      |                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                                                                                                                                       |
|                                                                                     |                                                                                                                                           | 3+ 2N/O  |                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                                                                                                                                       |
| XDL10-EPBD4                                                                         |                                                                                                                                           |                                                                                             |                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                                                                                                                                       |
|  | 5 holes control box<br>1 selector switch<br>2-position stay put<br>4 flush push button<br>Spring return<br>(Two-button interlock)<br>IP54 | N/O      | <br><br><br><br> | <br>45.9 27<br>201 × 62<br>15.8<br>8.5<br>PG13.5 |
|                                                                                     |                                                                                                                                           | 4+ N/O   |                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                                                                                                                                       |
|                                                                                     |                                                                                                                                           | N/O      |                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                                                                                                                                       |
|                                                                                     |                                                                                                                                           | 4+ 2N/O  |                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                                                                                                                                       |
| XDL10-EPBD5                                                                         |                                                                                                                                           |                                                                                             |                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                                                                                                                                       |
|  | 6 holes control box<br>1 selector switch<br>2-position stay put<br>5 flush push button<br>Spring return<br>(Two-button interlock)<br>IP54 | N/O      | <br><br><br><br> | <br>45.9 27<br>234 × 62<br>15.8<br>8.5<br>PG13.5 |
|                                                                                     |                                                                                                                                           | 5+ N/O   |                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                                                                                                                                       |
|                                                                                     |                                                                                                                                           | N/O      |                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                                                                                                                                       |
|                                                                                     |                                                                                                                                           | 5+ 2N/O  |                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                                                                                                                                       |
| XDL10-EPBD6                                                                         |                                                                                                                                           |                                                                                             |                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                                                                                                                                       |



# CONTROL SWITCH

## XDL11 Series

| Control Switch                                                                      | Description                                                                                                                                                              | Contact & Head Shape                                                                                                                                                                                                                                                                                                                                                                                                                            | Type            | Contour                                                                               |
|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|---------------------------------------------------------------------------------------|
|    | 2 holes control box<br>1 flush push button<br>Spring return<br>1 european socket                                                                                         | <br><br>                                                                                                                                                                                     | XDL11-JB272P    |    |
| XDL11-JB272P                                                                        |                                                                                                                                                                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                 |                                                                                       |
|   | 6 holes control box<br>3 flush push button<br>Spring return<br>1 selector switch<br>2-position stay put<br>1 emergency stop<br>push-pull reset button<br>1 rocker switch | <br><br><br><br>          | XDL11-BBES63152 |   |
| XDL11-BBES63152                                                                     |                                                                                                                                                                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                 |                                                                                       |
|  | 2 holes control box<br>2 flush push button<br>Spring return                                                                                                              | <br><br>                                                                                                                                                                               | XDL11-BBEA25411 |  |
| XDL11-BBEA25411                                                                     |                                                                                                                                                                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                 |                                                                                       |
|  | 6 holes control box<br>3 flush push button<br>Spring return<br>1 selector switch<br>2-position stay put<br>1 emergency stop<br>Turn to release<br>1 european socket      | <br><br><br><br> | XDL11-BBES63151 |  |
| XDL11-BBES63151                                                                     |                                                                                                                                                                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                 |                                                                                       |



**XINDALI**  
— Since 1997 —



# XDL12 CONTROL SWITCH



**MATERIAL**  
Silicone  
buttons



**REMINDER**  
LED light  
and buzzer



**WATER-PROOF**  
IP65



**INTERLOCKING  
FUNCTION**  
All directions








**DELICATE and  
EXQUISITE**  
thickness: 32mm

# CONTROL SWITCH



**XINDALI**  
— Since 1997 —

## XDL12 Series







| Control Switch                                                                      | Description                                                                                                       | Contact & Head Shape                                                                                                                                                                  | Type                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | Contour                                                                               |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|    | 2 holes control box<br>2 flush push button<br>Spring return<br>(Two-button interlock)<br>IP65                     | 2+ N/O                                                                                               | <br><br>XDL12-F21-2                                                                                                                                                                                                                                                                                                                                                                                                                                                         |    |
| XDL12-F21-2                                                                         |                                                                                                                   |                                                                                                                                                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                                                                                       |
|    | 4 holes control box<br>4 flush push button<br>Spring return<br>(Two-button interlock)<br>IP65                     | 4+ N/O                                                                                               | <br><br><br><br>XDL12-F21-4                                                                                                                                                                                                                                                                               |   |
| XDL12-F21-4                                                                         |                                                                                                                   |                                                                                                                                                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                                                                                       |
|  | 3 holes control box<br>1 Emergency stop<br>2 flush push button<br>Spring return<br>(Two-button interlock)<br>IP65 | N/C <br>2+ N/O  | <br><br><br>XDL12-F21-S3                                                                                                                                                                                                                                                                                                                                                             |  |
| XDL12-F21-S3                                                                        |                                                                                                                   |                                                                                                                                                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                                                                                       |
|  | 5 holes control box<br>1 Emergency stop<br>4 flush push button<br>Spring return<br>(Two-button interlock)<br>IP65 | N/C <br>4+ N/O  | <br><br><br><br><br>XDL12-F21-S5                                                                                                                                                                               |  |
| XDL12-F21-S5                                                                        |                                                                                                                   |                                                                                                                                                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                                                                                       |
|  | 7 holes control box<br>1 Emergency stop<br>6 flush push button<br>Spring return<br>(Two-button interlock)<br>IP65 | N/C <br>6+ N/O  | <br><br><br><br><br><br><br>XDL12-F21-S7 |  |
| XDL12-F21-S7                                                                        |                                                                                                                   |                                                                                                                                                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                                                                                       |

# CONTROL SWITCH



**XINDALI**  
— Since 1997 —

## XDL12 Series

| Control Switch                                                                      | Description                                                                                                       | Contact & Head Shape                                                                                                                                                                  | Type                                                                                                                                                                                                                                                                                                                                                                                                                                            | Contour                                                                                               |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------|
|    | 3 holes control box<br>3 flush push button<br>Spring return<br>(Two-button interlock)<br>IP65                     | 3+ N/O                                                                                               | <br><br><br>                                                                                                | XDL12-XCD-3<br>    |
| XDL12-XCD-3                                                                         |                                                                                                                   |                                                                                                                                                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                                                                                                       |
|   | 4 holes control box<br>4 flush push button<br>Spring return<br>(Two-button interlock)<br>IP65                     | 4+ N/O                                                                                              | <br><br><br>                                                                                             | XDL12-XCD-4<br>   |
| XDL12-XCD-4                                                                         |                                                                                                                   |                                                                                                                                                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                                                                                                       |
|  | 4 holes control box<br>1 Emergency stop<br>3 flush push button<br>Spring return<br>(Two-button interlock)<br>IP65 | N/C <br>3+ N/O  | <br><br><br><br> | XDL12-XCD-S4<br> |
| XDL12-XCD-S4                                                                        |                                                                                                                   |                                                                                                                                                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                                                                                                       |
|  | 5 holes control box<br>1 Emergency stop<br>4 flush push button<br>Spring return<br>(Two-button interlock)<br>IP65 | N/C <br>4+ N/O  | <br><br><br><br> | XDL12-XCD-S5<br> |
| XDL12-XCD-S5                                                                        |                                                                                                                   |                                                                                                                                                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                                                                                                       |

# WATER-PROOF LIFTING BUTTON CONTROL SWITCH


## XCD Series

### Brief Introduction

XCD series Water-proof crane control button station is a newly developed product which combined with the advantages of both made products and imported products. The plastic cover is good-looking, strong and easy for handling. It has good structure and big area of contact. The forward and backward control can be mechanically locked in a reciprocal direction. It also can be locked in a reciprocal direction by the circuit if necessary, and is therefore more safety in operation. It also has IP65 dust proof and water proof level thus it is suitable for operating in open area, dusty environment, rainy, snowy weather conditions by wet hands for controlling the electric circuit, conveyer belt and construction apparatus.

The product meets the standards of Q/YDD02-00, GB 14048.5-2001 and EN60947-5-1:1997.

### Models and Meaning



### Applicable environment

Surrounding Temperature: -25°C~+40°C

Relative Humidity: ≤90%

### Button marks

|                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                       |                                                                                       |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|  |  |  |  |  |  |
| Up/Rise                                                                             | Down/Drop                                                                           | Quick up                                                                            | Quick down                                                                          | Left/East                                                                             | Right/West                                                                            |
|  |  |  |  |  |  |
| Front/South                                                                         | Back/North                                                                          | Veer                                                                                | Backspin                                                                            | Operation                                                                             | Stop                                                                                  |
| 0                                                                                   | I                                                                                   | I                                                                                   | II                                                                                  |  |  |
| Off                                                                                 | On                                                                                  | Vehicle1                                                                            | Vehicle2                                                                            | Lighting                                                                              | Alarm bell                                                                            |




















# WATER-PROOF LIFTING BUTTON CONTROL SWITCH



**XINDALI**  
— Since 1997 —

## XCD Series











| Control Switch                                                                                 | Description                                                                                                                                                                     | Circuit                                                                                                                                                                              | Type    | Contour                                                                               |
|------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|---------------------------------------------------------------------------------------|
| <br>XCD-61C   | 3 holes control box<br>1 Emergency stop<br>Turn to release<br>2 flush push button<br>Spring return<br>(Two-button interlock)<br>Ui:500V Ith:10A AC-15<br>380V~2A<br>220V~3.5A   | <br>               | XCD-61C |    |
|                                                                                                |                                                                                                                                                                                 |                                                                                                                                                                                      | XCD-61D |    |
| <br>XCD-62C   | 5 holes control box<br>1 Emergency stop<br>Turn to release<br>4 flush push button<br>Spring return<br>(Two-button interlock)<br>Ui:500V Ith:10A AC-15<br>380V~2A<br>220V~3.5A   | <br><b>2+</b>      | XCD-62C |    |
|                                                                                                |                                                                                                                                                                                 |                                                                                                                                                                                      | XCD-62D |    |
| <br>XCD-63C | 7 holes control box<br>1 Emergency stop<br>Turn to release<br>6 flush push button<br>Spring return<br>(Two-button interlock)<br>Ui:500V Ith:10A AC-15<br>380V~2A<br>220V~3.5A   | <br><b>3+</b>  | XCD-63C |  |
|                                                                                                |                                                                                                                                                                                 |                                                                                                                                                                                      | XCD-63D |  |
| <br>XCD-64C | 9 holes control box<br>1 Emergency stop<br>Turn to release<br>8 flush push button<br>Spring return<br>(Two-button interlock)<br>Ui:500V Ith:10A AC-15<br>380V~2A<br>220V~3.5A   | <br><b>3+</b>  | XCD-64C |   |
|                                                                                                |                                                                                                                                                                                 |                                                                                                                                                                                      | XCD-64D |   |
| <br>XCD-65C | 11 holes control box<br>1 Emergency stop<br>Turn to release<br>10 flush push button<br>Spring return<br>(Two-button interlock)<br>Ui:500V Ith:10A AC-15<br>380V~2A<br>220V~3.5A | <br><b>4+</b>  | XCD-65C |   |
|                                                                                                |                                                                                                                                                                                 |                                                                                                                                                                                      | XCD-65D |   |

# WATER-PROOF LIFTING BUTTON CONTROL SWITCH



**XINDALI**  
— Since 1997 —

## XCD Series















| Control Switch                                                                                             | Description                                                                                                                                                                                                                 | Circuit                                                                             | Type     | Contour                                                                               |
|------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|----------|---------------------------------------------------------------------------------------|
| <br>XCD-66C    XCD-66D    | 12 holes control box<br>1 Emergency stop<br>Turn to release<br>1 selector switch<br>2-position stay put<br>10 flush push button<br>Spring return<br>(Two-button interlock)<br>Ui:500V Ith:10A AC-15<br>380V~2A    220V~3.5A |    | XCD-66C  |     |
|                                                                                                            |                                                                                                                                                                                                                             |                                                                                     | XCD-66D  |                                                                                       |
| <br>XCD-67C    XCD-67D    | 14 holes control box<br>1 Emergency stop<br>Turn to release<br>1 selector switch<br>2-position stay put<br>12 flush push button<br>Spring return<br>(Two-button interlock)<br>Ui:500V Ith:10A AC-15<br>380V~2A    220V~3.5A |   | XCD-67C  |     |
|                                                                                                            |                                                                                                                                                                                                                             |                                                                                     | XCD-67D  |                                                                                       |
| <br>XCD-68C    XCD-68D  | 16 holes control box<br>1 Emergency Stop<br>Turn to release<br>1 selector switch<br>2-position stay put<br>14 flush push button<br>Spring return<br>(Two-button interlock)<br>Ui:500V Ith:10A AC-15<br>380V~2A    220V~3.5A |  | XCD-68C  |   |
|                                                                                                            |                                                                                                                                                                                                                             |                                                                                     | XCD-68D  |                                                                                       |
| <br>XCD-61Y    XCD-61YD | 4 holes control box<br>1 Emergency stop turn to release<br>1 flush button spring return with NO<br>2 flush push button spring return<br>(two-button interlock)<br>Ui:500V Ith:10A AC-15<br>380V~2A    220V~3.5A             |  | XCD-61Y  |  |
|                                                                                                            |                                                                                                                                                                                                                             |                                                                                     | XCD-61YD |                                                                                       |
| <br>XCD-62Y    XCD-62YD | 6 holes control box<br>1 Emergency stop turn to release<br>1 flush button spring return with NO<br>4 flush push button spring return<br>(two-button interlock)<br>Ui:500V Ith:10A AC-15<br>380V~2A    220V~3.5A             |  | XCD-62Y  |  |
|                                                                                                            |                                                                                                                                                                                                                             |                                                                                     | XCD-62YD |                                                                                       |

# WATER-PROOF LIFTING BUTTON CONTROL SWITCH





















**XINDALI**  
— Since 1997 —

## XCD Series

| Control Switch                                                                                             | Description                                                                                                                                                                                                  | Circuit                                                                             | Type     | Contour                                                                               |
|------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|----------|---------------------------------------------------------------------------------------|
| <br>XCD-63Y    XCD-63YD   | 8 holes control box<br>1 Emergency stop turn to release<br>1 flush button spring return with NO<br>4 flush push button spring return (two-button interlock)<br>Ui:500V Ith:10A AC-15<br>380V~2A<br>220V~3.5A |    | XCD-63Y  |    |
|                                                                                                            |                                                                                                                                                                                                              |                                                                                     | XCD-63YD |    |
| <br>XCD-64Y    XCD-64YD   | 10 holes control box<br>1 Emergency stop turn to release<br>1 flush button spring return with NO<br>8 flush push button Spring return (two-button interlock)                                                 |   | XCD-64Y  |     |
|                                                                                                            |                                                                                                                                                                                                              |                                                                                     | XCD-64YD |     |
| <br>XCD-61F    XCD-61FD | 3 holes control box<br>1 Emergency stop Turn to release<br>2 flush push button Spring return (Two-button interlock)<br>Ui:500V Ith:10A AC-15<br>380V~2A<br>220V~3.5A                                         |  | XCD-61F  |  |
|                                                                                                            |                                                                                                                                                                                                              |                                                                                     | XCD-61FD |  |
| <br>XCD-62F    XCD-62FD | 5 holes control box<br>1 Emergency stop Turn to release<br>4 flush push button Spring return (Two-button interlock)<br>Ui:500V Ith:10A AC-15<br>380V~2A<br>220V~3.5A                                         |  | XCD-62F  |  |
|                                                                                                            |                                                                                                                                                                                                              |                                                                                     | XCD-62FD |  |
| <br>XCD-63F    XCD-63FD | 7 holes control box<br>1 Emergency stop Turn to release<br>6 flush push button Spring return (Two-button interlock)<br>Ui:500V Ith:10A AC-15<br>380V~2A<br>220V~3.5A                                         |  | XCD-63F  |  |
|                                                                                                            |                                                                                                                                                                                                              |                                                                                     | XCD-63FD |  |

# WATER-PROOF LIFTING BUTTON CONTROL SWITCH

## XCD Series















| Control Switch                                                                                             | Description                                                                                                                                                                                   | Circuit                                                                             | Type     | Contour                                                                               |
|------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|----------|---------------------------------------------------------------------------------------|
| <br>XCD-61E    XCD-61ED   | 3 holes control box<br>1 Emergency Stop<br>Turn to release<br>2 flush push button<br>Spring return<br>(Two-button interlock)<br>Ui:500V Ith:10A AC-15<br>380V~2A<br>220V~3.5A                 |    | XCD-61E  |    |
|                                                                                                            |                                                                                                                                                                                               |                                                                                     | XCD-61ED |    |
| <br>XCD-61K    XCD-61KD   | 2 holes control box<br>1 Selector Switch with key<br>2-position stay put<br>1 flush push button<br>Spring return<br>(Two-button interlock)<br>Ui:500V Ith:10A AC-15<br>380V~2A    220V~3.5A   |    | XCD-61K  |    |
|                                                                                                            |                                                                                                                                                                                               |                                                                                     | XCD-61KD |    |
| <br>XCD-62K    XCD-62KD  | 5 holes control box<br>1 Selector Switch with key<br>2-position stay put<br>4 flush push button<br>Spring return<br>(Two-button interlock)<br>Ui:500V Ith:10A AC-15<br>380V~2A    220V~3.5A   |   | XCD-62K  |   |
|                                                                                                            |                                                                                                                                                                                               |                                                                                     | XCD-62KD |  |
| <br>XCD-63K    XCD-63KD | 7 holes control box<br>1 Selector Switch with key<br>2-position stay put<br>6 flush push button<br>Spring return<br>(Two-button interlock)<br>Ui:500V Ith:10A AC-15<br>380V~2A    220V~3.5A   |  | XCD-63K  |  |
|                                                                                                            |                                                                                                                                                                                               |                                                                                     | XCD-63KD |  |
| <br>XCD-64K    XCD-64KD | 9 holes control box<br>1 Selector Switch with key<br>2-position stay put<br>8 flush push button<br>Spring return<br>(Two-button interlock)<br>Ui:500V Ith:10A AC-15<br>380V~2A    220V~3.5A   |  | XCD-64K  |   |
|                                                                                                            |                                                                                                                                                                                               |                                                                                     | XCD-64KD |   |
| <br>XCD-65K    XCD-65KD | 11 holes control box<br>1 Selector Switch with key<br>2-position stay put<br>10 flush push button<br>Spring return<br>(Two-button interlock)<br>Ui:500V Ith:10A AC-15<br>380V~2A    220V~3.5A |  | XCD-65K  |   |
|                                                                                                            |                                                                                                                                                                                               |                                                                                     | XCD-65KD |   |

# WATER-PROOF LIFTING BUTTON CONTROL SWITCH



**XINDALI**  
— Since 1997 —

## XCD Series

| Control Switch                                                                      | Description                                                                                                                         | Circuit                                                                             | Type      | Contour                                                                               |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-----------|---------------------------------------------------------------------------------------|
|    | 2 holes control box<br>2 flush push button<br>Spring return<br>(Two-button interlock)<br>Ui:500V Ith:10A AC-15<br>380V~2A 220V~5A   |    | XCD-61NP  |    |
|                                                                                     |                                                                                                                                     |                                                                                     | XCD-61NPD |    |
|    | 4 holes control box<br>4 flush push button<br>Spring return<br>(Two-button interlock)<br>Ui:500V Ith:10A AC-15<br>380V~2A 220V~5A   |    | XCD-62NP  |    |
|                                                                                     |                                                                                                                                     |                                                                                     | XCD-62NPD |    |
|   | 6 holes control box<br>6 flush push button<br>Spring return<br>(Two-button interlock)<br>Ui:500V Ith:10A AC-15<br>380V~2A 220V~5A   |   | XCD-63NP  |   |
|                                                                                     |                                                                                                                                     |                                                                                     | XCD-63NPD |  |
|  | 8 holes control box<br>8 flush push button<br>Spring return<br>(Two-button interlock)<br>Ui:500V Ith:10A AC-15<br>380V~2A 220V~5A   |  | XCD-64NP  |  |
|                                                                                     |                                                                                                                                     |                                                                                     | XCD-64NPD |  |
|  | 10 holes control box<br>10 flush push button<br>Spring return<br>(Two-button interlock)<br>Ui:500V Ith:10A AC-15<br>380V~2A 220V~5A |  | XCD-65NP  |   |
|                                                                                     |                                                                                                                                     |                                                                                     | XCD-65NPD |   |
|  | 12 holes control box<br>12 flush push button<br>Spring return<br>(Two-button interlock)<br>Ui:500V Ith:10A AC-15<br>380V~2A 220V~5A |  | XCD-66NP  |   |
|                                                                                     |                                                                                                                                     |                                                                                     | XCD-66NPD |   |















# WATER-PROOF LIFTING BUTTON CONTROL SWITCH












**XINDALI**  
— Since 1997 —

## XCD Series

| Control Switch                                                                                 | Description                                                                                                                                                                  | Circuit                                                                             | Type     | Contour                                                                               |
|------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|----------|---------------------------------------------------------------------------------------|
| <br>XCD-61P   | 3 holes control box<br>1 Emergency stop<br>Turn to release<br>2 flush push button<br>Spring return<br>(Two-button interlock)<br>Ui:500V Ith:10A AC-15<br>380V~2A 220V~3.5A   |    | XCD-61P  |    |
|                                                                                                |                                                                                                                                                                              |                                                                                     | XCD-61PD |    |
| <br>XCD-62P   | 5 holes control box<br>1 Emergency stop<br>Turn to release<br>4 flush push button<br>Spring return<br>(Two-button interlock)<br>Ui:500V Ith:10A AC-15<br>380V~2A 220V~3.5A   |    | XCD-62P  |    |
|                                                                                                |                                                                                                                                                                              |                                                                                     | XCD-62PD |    |
| <br>XCD-63P  | 7 holes control box<br>1 Emergency stop<br>Turn to release<br>6 flush push button<br>Spring return<br>(Two-button interlock)<br>Ui:500V Ith:10A AC-15<br>380V~2A 220V~3.5A   |   | XCD-63P  |   |
|                                                                                                |                                                                                                                                                                              |                                                                                     | XCD-63PD |  |
| <br>XCD-64P | 9 holes control box<br>1 Emergency stop<br>Turn to release<br>8 flush push button<br>Spring return<br>(Two-button interlock)<br>Ui:500V Ith:10A AC-15<br>380V~2A 220V~3.5A   |  | XCD-64P  |  |
|                                                                                                |                                                                                                                                                                              |                                                                                     | XCD-64PD |  |
| <br>XCD-65P | 11 holes control box<br>1 Emergency stop<br>Turn to release<br>10 flush push button<br>Spring return<br>(Two-button interlock)<br>Ui:500V Ith:10A AC-15<br>380V~2A 220V~3.5A |  | XCD-65P  |   |
|                                                                                                |                                                                                                                                                                              |                                                                                     | XCD-65PD |   |
| <br>XCD-66P | 13 holes control box<br>1 Emergency stop<br>Turn to release<br>12 flush push button<br>Spring return<br>(Two-button interlock)<br>Ui:500V Ith:10A AC-15<br>380V~2A 220V~3.5A |  | XCD-66P  |   |
|                                                                                                |                                                                                                                                                                              |                                                                                     | XCD-66PD |   |






# WATER-PROOF LIFTING BUTTON CONTROL SWITCH

## XCD Series

| Control Switch                                                                      | Description                                                                                                                           | Circuit                                                                             | Type   | Contour                                                                               |
|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------|---------------------------------------------------------------------------------------|
|    | 2 holes control box<br>2 flush push button<br>Spring return<br>(Two-button interlock)<br>Ui:500V Ith:10A AC-15<br>380V~1.5A 220V~3A   |    | XCD-61 |    |
| XCD-61                                                                              |                                                                                                                                       |                                                                                     |        |                                                                                       |
|    | 4 holes control box<br>4 flush push button<br>Spring return<br>(Two-button interlock)<br>Ui:500V Ith:10A AC-15<br>380V~1.5A 220V~3A   |    | XCD-62 |    |
| XCD-62                                                                              |                                                                                                                                       |                                                                                     |        |                                                                                       |
|  | 6 holes control box<br>6 flush push button<br>Spring return<br>(Two-button interlock)<br>Ui:500V Ith:10A AC-15<br>380V~1.5A 220V~3A   |  | XCD-63 |  |
| XCD-63                                                                              |                                                                                                                                       |                                                                                     |        |                                                                                       |
|  | 8 holes control box<br>8 flush push button<br>Spring return<br>(Two-button interlock)<br>Ui:500V Ith:10A AC-15<br>380V~1.5A 220V~3A   |  | XCD-64 |  |
| XCD-64                                                                              |                                                                                                                                       |                                                                                     |        |                                                                                       |
|  | 10 holes control box<br>10 flush push button<br>Spring return<br>(Two-button interlock)<br>Ui:500V Ith:10A AC-15<br>380V~1.5A 220V~3A |  | XCD-65 |   |
| XCD-65                                                                              |                                                                                                                                       |                                                                                     |        |                                                                                       |

# WATER-PROOF LIFTING BUTTON CONTROL SWITCH

## XCD Series










| Control Switch                                                                      | Description                                                                                                                                                                                   | Circuit                                                                             | Type    | Contour                                                                               |
|-------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|---------|---------------------------------------------------------------------------------------|
|    | 4 holes control box<br>ON green button self-lock<br>OFF red button drive reset<br>2 flush push button spring return<br>(two-button interlock)<br>Ui:500V Ith:10A AC-15<br>380V~2A<br>220V~5A  |    | XCD-61A |    |
| XCD-61A                                                                             |                                                                                                                                                                                               |                                                                                     |         |                                                                                       |
|   | 6 holes control box<br>ON green button self-lock<br>OFF red button drive reset<br>4 flush push button spring return<br>(two-button interlock)<br>Ui:500V Ith:10A AC-15<br>380V~2A<br>220V~5A  |   | XCD-62A |   |
| XCD-62A                                                                             |                                                                                                                                                                                               |                                                                                     |         |                                                                                       |
|  | 8 holes control box<br>ON green button self-lock<br>OFF red button drive reset<br>6 flush push button spring return<br>(two-button interlock)<br>Ui:500V Ith:10A AC-15<br>380V~2A<br>220V~5A  |  | XCD-63A |  |
| XCD-63A                                                                             |                                                                                                                                                                                               |                                                                                     |         |                                                                                       |
|  | 10 holes control box<br>ON green button self-lock<br>OFF red button drive reset<br>8 flush push button spring return<br>(two-button interlock)<br>Ui:500V Ith:10A AC-15<br>380V~2A<br>220V~5A |  | XCD-64A |   |
| XCD-64A                                                                             |                                                                                                                                                                                               |                                                                                     |         |                                                                                       |

# WATER-PROOF LIFTING BUTTON CONTROL SWITCH













**XINDALI**  
— Since 1997 —

## XCD Series

| Control Switch                                                                                      | Description                                                                                                                                                                                | Circuit                                                                             | Type     | Contour                                                                               |
|-----------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|----------|---------------------------------------------------------------------------------------|
|  <p>XCD-61CB</p>   | <p>3 holes control box<br/>1 Emergency stop<br/>Turn to release<br/>2 flush push button<br/>Spring return<br/>(Two-button interlock)<br/>Ui:500V Ith:10A AC-15<br/>380V~2A 220V~3.5A</p>   |    | XCD-61CB |    |
|  <p>XCD-62CB</p>   | <p>5 holes control box<br/>1 Emergency stop<br/>Turn to release<br/>4 flush push button<br/>Spring return<br/>(Two-button interlock)<br/>Ui:500V Ith:10A AC-15<br/>380V~2A 220V~3.5A</p>   |    | XCD-62CB |    |
|  <p>XCD-63CB</p> | <p>7 holes control box<br/>1 Emergency stop<br/>Turn to release<br/>6 flush push button<br/>Spring return<br/>(Two-button interlock)<br/>Ui:500V Ith:10A AC-15<br/>380V~2A 220V~3.5A</p>   |  | XCD-63CB |  |
|  <p>XCD-64CB</p> | <p>9 holes control box<br/>1 Emergency stop<br/>Turn to release<br/>8 flush push button<br/>Spring return<br/>(Two-button interlock)<br/>Ui:500V Ith:10A AC-15<br/>380V~2A 220V~3.5A</p>   |  | XCD-64CB |   |
|  <p>XCD-65CB</p> | <p>11 holes control box<br/>1 Emergency stop<br/>Turn to release<br/>10 flush push button<br/>Spring return<br/>(Two-button interlock)<br/>Ui:500V Ith:10A AC-15<br/>380V~2A 220V~3.5A</p> |  | XCD-65CB |   |

# WATER-PROOF LIFTING BUTTON CONTROL SWITCH

## XCD Series

| Control Switch                                                                      | Description                                                                                                                                                        | Circuit                                                                             | Type    | Contour                                                                               |
|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|---------|---------------------------------------------------------------------------------------|
|    | 2 phase direct contact switch<br>2 holes control box<br>2 flush push button<br>Spring return<br>(Two-button interlock)<br>Ui:500V Ith:10A AC-15<br>380V~2A 220V~5A |    | XCD-21  |    |
| XCD-21                                                                              |                                                                                                                                                                    |                                                                                     |         |                                                                                       |
|    | 2 phase direct contact switch<br>4 holes control box<br>4 flush push button<br>Spring return<br>(Two-button interlock)<br>Ui:500V Ith:10A AC-15<br>380V~2A 220V~5A |    | XCD-22  |    |
| XCD-22                                                                              |                                                                                                                                                                    |                                                                                     |         |                                                                                       |
|   | 2 phase direct contact switch<br>6 holes control box<br>6 flush push button<br>Spring return<br>(Two-button interlock)<br>Ui:500V Ith:10A AC-15<br>380V~2A 220V~5A |  | XCD-23  |   |
| XCD-23                                                                              |                                                                                                                                                                    |                                                                                     |         |                                                                                       |
|  | 2 phase direct contact switch<br>2 holes control box<br>2 flush push button<br>Spring return<br>(Two-button interlock)<br>Ui:500V Ith:10A AC-15<br>380V~2A 220V~5A |  | XCD-21P |  |
| XCD-21P                                                                             |                                                                                                                                                                    |                                                                                     |         |                                                                                       |
|  | 2 phase direct contact switch<br>4 holes control box<br>4 flush push button<br>Spring return<br>(Two-button interlock)<br>Ui:500V Ith:10A AC-15<br>380V~2A 220V~5A |  | XCD-22P |  |
| XCD-22P                                                                             |                                                                                                                                                                    |                                                                                     |         |                                                                                       |
|  | 2 phase direct contact switch<br>6 holes control box<br>6 flush push button<br>Spring return<br>(Two-button interlock)<br>Ui:500V Ith:10A AC-15<br>380V~2A 220V~5A |  | XCD-23P |  |
| XCD-23P                                                                             |                                                                                                                                                                    |                                                                                     |         |                                                                                       |












# WATER-PROOF LIFTING BUTTON CONTROL SWITCH



**XINDALI**  
— Since 1997 —

## XCD Series

| Control Switch                                                                                    | Description                                                                                                                                                                                                          | Circuit                                                                             | Type     | Contour                                                                               |
|---------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|----------|---------------------------------------------------------------------------------------|
| <br><br>XCD-21SP | 3 holes control box<br>1 Emergency stop<br>Turn to release<br>2 flush push button<br>Spring return<br>(Two-button interlock)<br>Ui:500V Ith:10A AC-15<br>380V~2A 220V~3.5A                                           |    | XCD-21SP |    |
| <br><br>XCD-21SN | 2 holes control box<br>2 flush push button<br>Spring return<br>(Two-button interlock)<br>Ui:500V Ith:10A AC-15<br>380V~2A 220V~5A                                                                                    |    | XCD-21SN |    |
| <br><br>XCD-31 | 3 phases direct contact switch<br>2 holes control box<br>2 flush push button spring return<br>(two-button interlock)<br>(three groups contact<br>Operate together)<br>Ui:500V Ith:10A AC-15<br>380V~2A<br>220V~5A    |  | XCD-31   |  |
| <br><br>XCD-32 | 3 phases direct contact switch<br>4 holes control box<br>4 flush push button<br>Spring return<br>(two-button interlock)<br>(three groups contact<br>Operate together)<br>Ui:500V Ith:10A AC-15<br>380V~2A<br>220V~5A |  | XCD-32   |  |
| <br><br>XCD-33 | 3 phases direct contact switch<br>6 holes control box<br>6 flush push button<br>spring return<br>(two-button interlock)<br>(three groups contact<br>Operate together)<br>Ui:500V Ith:10A AC-15<br>380V~2A<br>220V~5A |  | XCD-33   |  |



**XINDALI**  
— Since 1997 —

CE FC



# XDL19

## INDUSTRIAL REMOTE CONTROL

## XDL19 Series

### FOR INDUSTRIAL CRANE



XDL19-F21-8



XDL19-F21-2



XDL19-F21-4



XDL19-F21-6

### FOR TRUCK TAILBOARD



XDL19-XCD-3



XDL19-XCD-4

### XINDALI Remote control emitter

- Its appearance design compiles with human engineering, which is compact, light, and comfortable to operate.
- Correr button setting, clear function indication.
- Sensitive button, medium pressing power.
- Reasonable function button setting avoids fault operation effectively.
- Clear indication of communication signals.
- There is alarm indication for battery electric quantity is less than 3/5 of the original, a corresponding yellow alarm indicating lamp will slow blinking.
- State indication. There are corresponding indications for different Operating state.
- "Emergency stop" button for convenient operation
- Nice and elegant appearance
- Protection degree IP65

### XINDALI Remote control receiver

- Small and elegant appearance
- Protection degree IP 65
- Clear outgoing line mark and wiring connection
- Easy installation with clear display of each function Indicator lights
- With various kinds of power supply signal, emergency stop, segment and power on.
- Embedded antenna with sensitive receiving.

### Technical parameter


|                          |                                                                  |
|--------------------------|------------------------------------------------------------------|
| Material of Housing      | Glass fiber reinforced nylon                                     |
| Controlling Distance     | Within 200M                                                      |
| Protection Level         | IP65                                                             |
| Controller Power         | 3.7V (2000mAh Battery)                                           |
| Receiver Rated Voltage   | AC36V、AC220V、AC380V、DC12V~24V                                    |
| Frequency Range          | 415~435MHz                                                       |
| Power of Signal Transmit | ≤10dBm                                                           |
| Receiver Sensitivity     | ≥-110dBm                                                         |
| Power Consumption        | < 5W                                                             |
| Cable Length/Size        | 1.2M (can be customized) /0.75mm <sup>2</sup>                    |
| Surrounding Temperature  | -35℃~+55℃                                                        |
| Air relative humidity    | < 90%RH                                                          |
| Air Pressure             | 86~106KPa                                                        |
| Controller Dimension     | 8 buttons (L158mm×W56mm×H47mm)<br>6 buttons (L138mm×W56mm×H47mm) |
| Receiver Dimension       | L195mm×W85mm×H62mm                                               |
| Weight                   | Controller: 180g, Receiver: 650~950g.                            |

## XDL19 Series


### Dimensions

Transmitter


2~6 push-buttons



8 push-buttons



Receiver



(Unit: mm)



## XDL19 Series



XDL19-A6100



XDL19-A8211



XDL19-A6100AB



XDL19-A6200S



XDL19-F621-E1B



XDL19-A4100

### Remote control emitter

- Its appearance design compiles with human engineering, which is compact, light, and comfortable to operate.
- Correr button seting, clear function indication.
- Sensitive button, medium pressing power.
- Reasonable function button setting avoids fault operation effectively.
- Clear indication of communication signals.
- There is alarm indication for battery electric quantity is less than 3/5 of the original, a corresponding red alarm indicating lamp will slow blinking.
- State indication. There are corresponding indications for different Operating state.
- "Emergency stop" button for convenient operation
- Nice and elegant appearance
- Protection degree IP64

### Remote control receiver

- Small and elegant appearance
- Protection degree IP 65
- Clear outgoing line mark and wiring connection
- Easy installation with clear display of each function Indicator lights
- With various kinds of power supply signal, emergency stop, segment and power on.
- Embedded antenna with sensitive receiving.

### Technical parameter

- Work frequency:FM419m(20CH)
- Emission distance:<100M
- Receiver work power supply:36V,48V,220V,380V (special power can be customized ).
- Output interface:relay
- Control operation:8(12 double controls)
- Receiving direction:360° undirectional
- Remote control emitter power:<10MW
- Working temperature-20°C+65°C
- Relative humidity:≤85%

### Type

- XINDALI A6100(CD series) Single-speed 6 buttons, puls a point of action and self-locking buttons, stop button which can be pressure or spin, the distance 100M.
- XINDALI A6100AB(QD series) Single-speed 6 buttons, puls a 3 function buttons(which can be set up A/B/A+B car features), stop button which can be pressure or spin, the distance 100M.
- XINDALI A8211(MD series) Single speed 8 point type, add 1 point start button, the only pressure into the spin out abrupt stop button, the distance of 100M.
- XINDALI B6200s Double speed 6 type, add 1 only lock button, the pressure from the spin out abrupt stop button, distance of 100M.
- XINDALI F621-E1B(CD series) Single speed 6 point type, an emergency switch, distance of 100M.
- XINDALI A4100(CD series) Single-speed 4 buttons, puls a point of action and self-locking buttons, stop button which can be pressure or spin, the distance 100M.




### XDL19 Series

#### Out dimension diagram



#### Output interface & function

| promotion and de motion motor |      | operating motor |             | big vehicle motor |             |
|-------------------------------|------|-----------------|-------------|-------------------|-------------|
| up                            | down | left(east)      | right(west) | front(south)      | back(north) |



BLACK POWER 1

BROWN

ORANGE POWER 2

RED

COM(MAIN)

YELLOW MAIN(COM)

GREEN UP

BLUE DOWN


PURPLE EAST

GREY WEST

WHITE SOUTH

PINK NORTH

RO/START



AC-380V

AC-220V

AC-36V



**XINDALI**  
— Since 1997 —



Industrial  
Remote Control



Push Button



Indicator Lamp



Control Switch



Cable Gland



Electromagnetic  
Switch

## **XINDALI INDUSTRIES CO., LTD.**

📍 Sulv Industrial Zone, Liushi, Yueqing, Zhejiang, China

☎ 0086-577-62795533

✉ [sales@xindali.com](mailto:sales@xindali.com)

