



XDL17 METAL PUSH BUTTON


Brief Introduction

XDL17(LED) series of indicator is equally used LED shining chip as light source. Because of long life, low consumption, small volume and light weight, it is a new type of product replaced the older incandescent lamp and indicator of neon lamp. XDL17 indicators are produced by our factory enjoying following characters: high brightness, good reliability, beautiful shape and careful manufactured. Products are well praised by lots of clients. In order to fit in with top quality and aesthetic demand of user, we develop XDL17-22B, C, D, E, G, H, double-color lamp, position indicator, shining buzzer and mini short indicator, as well as design shape of XDL17-22G/22GS series button and it is possible to meet all kinds of international standard Lampshade, which is made of polycarbonate with high intension and enjoying better anti-surge performance, and bolt-type connector designed will make it safer and more convenient. All improvement will be provided to make your choice more convenient and your design perfect.


Use

XDL17series of indicators are used as indicating, foretelling, accident and other signals in the lines of equipment (such aselectrical power, telecommunication, machine tool, watercraft, textile, printing and mine machinery, etc).

Type and meaning



- a. B means Ball, A means Flat, L means convex, without letter means short housing, L means long housing
- b.Z maintained, without letter momentary, E ring type, EP ring type with power symbol, G means with Key, K means Key with lamp, D means selector switch with short handle, S means E-Stop
- c.1 means White, 2 means Black, 3 means Green, 4 means Red, 5 means Yellow, 6 means Blue, 7 means transparent, 8 means Orange, 9 means Metal colour.
- d.1 means 1NO, 2 means 1NC, 3 means 2NO, 4 means 2NC, 5 means 1NO+1NC, 6 means 3NO, 7 means 2NC+1NO, 8 means 2NO+1NC



- a. means White, 2 means Black, 3 means Green, 4 means Red, 5 means Yellow, 6 means Blue, 7 means transparent, 8 means Orange, 9 means Metal colour.

Contrast list of voltage, current

Supply Voltage	AC.DC							DC	FD		AC	
Voltage	6V	12V	24V	36V	48V	110V	127V	220V	380V	500V	220V	380V
Current	140	72	18~72	18	18	16	16	12	12	12	16	17

Note: "FD" in the list means a discharging lamp can be installed on the cupboard of capacitor. PG denotes pure green, PB denotespure blue, PW denotes pure white.

Applicable environment

- (1) Surrounding temperature: $-25^{\circ}\text{C} \sim +55^{\circ}\text{C}$.
- (2) Relative humidity: $\leq 98\%$.
- (3) It can normally work under the conditions of 2-80Hz vibration frequency and 0.7g/h accelerated speed.
- (4) Pollution grade: III; Installed sort: III.
- (5) It is possible to work under the moist tropical environment if there is a "TH" sign.


Main technical target

- | | |
|---|---|
| (1) Voltage of working frequency: 2.5kV (AC valid value), 1min. | (2) Insulated resistance $\geq 2\text{M}\Omega$ |
| (3) Voltage wave allowed by AC indicator $\pm 20\%$ | (4) Continual working life $\geq 30000\text{h}$ |
| (5) Brightness $\geq 60\text{cd/m}^2$ | (6) Index of leakage CT1 ≥ 100 |
| (7) Protection grade is IP40, and it is possible to be made to up to Ip67 | (8) Using frequency: AC50 ~ 60 Hz |


Circuit Introduction

<<<

(1) AC and DC indicator (AC/DC6V ~ 220V)




(2) AC indicator (AC 220V, AC380V)



Note: It should be considered radiating condition
When DC is up to 110V, 220V and 380V, for there is a great of heat.

(3) Return of double-color indicator (DC, Ac110 ~ 220V)



Note: When put through X0 and X1, lamp is shining green, when done X0 and X2, lamp is shining red.

Brief Introduction

The high-quality metal push button switch is a new type of signal indicator developed and developed by XINDALI. The new push button switch features has long life, high brightness, low energy consumption, safety and reliability, beautiful appearance, exquisite production and multiple functions.

Xindali's original design of C-type terminal of push button switch is designed with anti-shock safety protection structure, suitable for mounting holes of $\Phi 12\text{mm}$, $\Phi 16\text{mm}$, $\Phi 19\text{mm}$, $\Phi 22\text{mm}$, $\Phi 25\text{mm}$ and $\Phi 30\text{mm}$. It is used in most mechanical equipment, both at home and abroad, more and more used in buildings of controlled electrical cabinet and power stations of the electric equipment.

In addition to the standard push button switches, different color switches and different indications can be generated, and the color matching can be changed according to the needs of the customer. The outer casing is made of stainless steel and brass (chrome) nickel. Durable, impact resistant, waterproof, corrosion resistant, and abrasion resistant. Built-in terminal blocks make wiring safer and more convenient. Therefore, it is usually popular with users.

Metal Push button

XDL17 Push Button Series

FOCUS ON INNOVATION

Specification

Surrounding temperature		-25°C ~ +55°C
Relative humidity		≤98%
Pollution grade:III		Installed sort:III
Voltage of working frequency		2.5KVAC/min
Insulated resistance		≥1000MΩ
Contact resistance		≤30MΩ
Protection grade		IP67
Continual working life		≥30000h
Mechanical life		≥100.0000 times
Material	Body	Stainless steel type/brass clad nickel
	Button	Stainless steel type/brass clad nickel
	Contact	Silver alloy
	Base	PBT
LED ratings	Lamp type	Dot/Ring
	Rated voltage	6V/12V/24V/36V/220V
	Lamp color	     
	Lamp life	40000h
	Brightness	≥50cd/m ²

Indicator



Voltage

Contour





XDL17-16/L

24V AC/DC 110V AC
36V AC/DC 127V AC
48V AC/DC 220V AC





XDL17-19/L

24V AC/DC 110V AC/DC
36V AC/DC 127V AC/DC
48V AC/DC 220V AC/DC



XDL17-22/L







24V AC/DC 110V AC/DC
36V AC/DC 127V AC/DC
48V AC/DC 220V AC/DC



Metal Push button

XDL17 Push Button Series

FOCUS ON INNOVATION

Indicator	Voltage	Color	Sign	Contour
 XDL17-6B/L	24V AC/DC	Red	Φ6	
	36V AC/DC	Green		
	48V AC/DC	Yellow		
	110V AC/DC	Pure Blue		
	127V AC/DC	Orange		
	220V AC/DC	White		
 XDL17-8B/L	24V AC/DC	Red	Φ8	
	36V AC/DC	Green		
	48V AC/DC	Yellow		
	110V AC/DC	Pure Blue		
	127V AC/DC	Orange		
	220V AC/DC	White		
 XDL17-10B/L	24V AC/DC	Red	Φ10	
	36V AC/DC	Green		
	48V AC/DC	Yellow		
	110V AC/DC	Pure Blue		
	127V AC/DC	Orange		
	220V AC/DC	White		
 XDL17-12B/L	24V AC/DC	Red	Φ12	
	36V AC/DC	Green		
	48V AC/DC	Yellow		
	110V AC/DC	Pure Blue		
	127V AC/DC	Orange		
	220V AC/DC	White		
 XDL17-12A/S	24V AC/DC	Red	Φ12	
	36V AC/DC	Green		
	48V AC/DC	Yellow		
	110V AC/DC	Pure Blue		
	127V AC/DC	Orange		
	220V AC/DC	White		
 XDL17-16A/S	24V AC/DC	Red	Φ16	
	36V AC/DC	Green		
	48V AC/DC	Yellow		
	110V AC/DC	Pure Blue		
	127V AC/DC	Orange		
	220V AC/DC	White		

XDL17











Metal Push button

XINDALI
Since 1997

XDL17 Push Button Series

FOCUS ON INNOVATION










XDL17

Indicator	Description	Contact	Circuit	Color	Sign	Type	Contour
 XDL17-19A/S	24V AC/DC			Red	Φ19		
	36V AC/DC			Green			
	48V AC/DC			Yellow			
	110V AC/DC			Pure Blue			
	127V AC/DC			Orange			
	220V AC/DC			White			
 XDL17-22A/S	24V AC/DC			Red	Φ22		
	36V AC/DC			Green			
	48V AC/DC			Yellow			
	110V AC/DC			Pure Blue			
	127V AC/DC			Orange			
	220V AC/DC			White			
 XDL17-12BB41/S	ball type push button Momentary	N/O + N/C		Red	Φ12	XDL17-12BB41/S	
	12V			Green	Φ12	XDL17-12BB31/S	
	24V			Yellow	Φ12	XDL17-12BB51/S	
	110-130V			Pure Blue	Φ12	XDL17-12BB61/S	
	220-240V			Orange	Φ12	XDL17-12BB81/S	
				White	Φ12	XDL17-12BB11/S	
 XDL17-12NB91/C	ball type push button Momentary	N/O + N/C		Red	Φ12	XDL17-12NB41/S	
	12V			Green	Φ12	XDL17-12NB31/S	
	24V			Yellow	Φ12	XDL17-12NB51/S	
	110-130V			Pure Blue	Φ12	XDL17-12NB61/S	
	220-240V			Orange	Φ12	XDL17-12NB81/S	
				White	Φ12	XDL17-12NB11/S	
 XDL17-12NA91/C	Flush button spring return	N/O			Φ12	XDL17-12NA91/S	
 XDL17-12NL91/C	Convex button spring return	N/O			Φ12	XDL17-12NL91/S	

Metal Push button

XDL17 Push Button Series

FOCUS ON INNOVATION

Indicator	Description	Contact	Circuit	Sign	Type	Contour
	Flush button spring return	N/O		Φ16	XDL17-16NB91/S	
XDL17-16NB91/S						
	Convex button spring return	N/O		Φ16	XDL17-16NL91/S	
XDL17-16NL91/S						
	Flush button spring return	N/O		Φ16	XDL17-16NAL95/C	
XDL17-16NAL95/C						
	Convex button spring return	N/O		Φ16	XDL17-16NLL95/C	
XDL17-16NAL95/C						
	2 position Momentary key push button	N/O+N/C		Φ16	XDL17-16NG25/C	
	3 position Momentary	2N/O+2N/C		Φ16	XDL17-16NG35/C	
XDL17-16NG25/C						
	2 position Momentary standard handle push button	N/O+N/C		Φ16	XDL17-16ND25/C	
	3 position Momentary	2N/O+2N/C		Φ16	XDL17-16ND35/C	
XDL17-16ND25/C						













Metal Push button

XINDALI
Since 1997

XDL17 Push Button Series

FOCUS ON INNOVATION











XDL17

Indicator	Description	Contact	Circuit	Color	Sign	Type	Contour
	Flush button	N/O + N/C		 Red	Φ16	XDL17-16NAE45/C	
	spring return			 Green	Φ16	XDL17-16NAE35/C	
	LED			 Yellow	Φ16	XDL17-16NAE55/C	
	12V			 Pure Blue	Φ16	XDL17-16NAEZ65/C	
	24V			 Orange	Φ16	XDL17-16NAEZ85/C	
	110~130V			 White	Φ16	XDL17-16NAEZ15/C	
XDL17-16NAE15/C	220~240V						
	Convex button	N/O + N/C		 Red	Φ16	XDL17-16NLE45/C	
	spring return			 Green	Φ16	XDL17-16NLE35/C	
	LED			 Yellow	Φ16	XDL17-16NLE55/C	
	12V			 Pure Blue	Φ16	XDL17-16NLEZ65/C	
	24V			 Orange	Φ16	XDL17-16NLEZ85/C	
	110~130V			 White	Φ16	XDL17-16NLEZ15/C	
XDL17-16NLE15/C	220~240V						
	Flush button	N/O + N/C		 Red	Φ16	XDL17-16NLE45/C	
	spring return			 Green	Φ16	XDL17-16NLE35/C	
	LED			 Yellow	Φ16	XDL17-16NLE55/C	
	12V			 Pure Blue	Φ16	XDL17-16NLEZ65/C	
	24V			 Orange	Φ16	XDL17-16NLEZ85/C	
	110~130V			 White	Φ16	XDL17-16NLEZ15/C	
XDL17-16NAEP15/C	220~240V						
	Convex button	N/O + N/C		 Red	Φ16	XDL17-16NLE45/C	
	spring return			 Green	Φ16	XDL17-16NLE35/C	
	LED			 Yellow	Φ16	XDL17-16NLE55/C	
	12V			 Pure Blue	Φ16	XDL17-16NLEZ65/C	
	24V			 Orange	Φ16	XDL17-16NLEZ85/C	
	110~130V			 White	Φ16	XDL17-16NLEZ15/C	
XDL17-16NLEP15/C	220~240V						
	Flush button	N/O + N/C		 Red		XDL17-16BAE45/C	
	spring return			 Green	Φ16	XDL17-16BAE35/C	
	LED			 Yellow	Φ16	XDL17-16BAE55/C	
	12V			 Pure Blue	Φ16		
	24V			 Orange	Φ16		
	110~130V			 White			
XDL17-16BAE15/C	220~240V						
	Convex button	N/O + N/C		 Red		XDL17-16BAEZ65/C	
	spring return			 Green	Φ16	XDL17-16BAEZ85/C	
	LED			 Yellow	Φ16		
	12V			 Pure Blue	Φ16		
	24V			 Orange	Φ16		
	110~130V			 White			
XDL17-16BAEZ15/C	220~240V						

Metal Push button

XDL17 Push Button Series

FOCUS ON INNOVATION

Indicator	Description	Contact	Circuit	Color	Sign	Type	Contour
	Flush button spring return LED 12V 24V 110~130V 220~240V	N/O + N/C		Red Green Yellow Pure Blue Orange White	Φ16 Φ16 Φ16	XDL17-16BAEP45/C XDL17-16BAEP35/C XDL17-16BAEP55/C	
	Convex button spring return LED 12V 24V 110~130V 220~240V	N/O + N/C		Red Green Yellow Pure Blue Orange White	Φ16 Φ16 Φ16	XDL17-16BAEPZ65/C XDL17-16BAEPZ85/C XDL17-16BAEPZ15/C	
	2 position Momentary LED standard handle push button 3 position Momentary	N/O+N/C 2N/O+2N/C		Red Green Yellow Pure Blue Orange White	Φ16 Φ16 Φ16	XDL17-16NK2465/C XDL17-16NK2365/C XDL17-16NK2565/C	
	mushroom head Emergency push button Momentary	N/O+N/C 2N/O+2N/C		Red Green Yellow Pure Blue Orange White	Φ16	XDL17-16NS45/C	
	Flush button spring return	N/O			Φ19	XDL17-12NA91/S	
	Convex button spring return	N/O			Φ19	XDL17-19NAL91/S	











Metal Push button

XINDALI
Since 1997

XDL17 Push Button Series

FOCUS ON INNOVATION












XDL17

Indicator	Description	Contact	Circuit	Color	Sign	Type	Contour
	Flush button spring return	N/O			Φ19	XDL17-19NAL95/C	
XDL17-19NAL95/C							
	Convex button spring return	N/O			Φ19	XDL17-19NLL95/C	
XDL17-19NLL95/C							
	Flush button spring return LED 12V 24V 110~130V 220~240V	N/O + N/C		 Red  Green  Yellow  Pure Blue  Orange  White	Φ19 Φ19 Φ19 Φ19 Φ19 Φ19	XDL17-19NAE45/C XDL17-19NAE35/C XDL17-19NAE55/C XDL17-19NAEZ65/C XDL17-19NAEZ85/C XDL17-19NAEZ15/C	
XDL17-19NAE15/C							
	Convex button spring return LED 12V 24V 110~130V 220~240V	N/O + N/C		 Red  Green  Yellow  Pure Blue  Orange  White	Φ19 Φ19 Φ19 Φ19 Φ19 Φ19	XDL17-19NLE45/C XDL17-19NLE35/C XDL17-19NLE55/C XDL17-19NLEZ65/C XDL17-19NLEZ85/C XDL17-19NLEZ15/C	
XDL17-19NLE15/C							
	Flush button spring return LED 12V 24V 110~130V 220~240V	N/O + N/C		 Red  Green  Yellow  Pure Blue  Orange  White	Φ19 Φ19 Φ19 Φ19 Φ19 Φ19	XDL17-19NAEP45/C XDL17-19NAEP35/C XDL17-19NAEP55/C XDL17-19NAEPZ65/C XDL17-19NAEPZ85/C XDL17-19NAEPZ15/C	
XDL17-19NAEP15/C							
	Convex button spring return LED 12V 24V 110~130V 220~240V	N/O + N/C		 Red  Green  Yellow  Pure Blue  Orange  White	Φ19 Φ19 Φ19 Φ19 Φ19 Φ19	XDL17-19NLEP45/C XDL17-19NLEP35/C XDL17-19NLEP55/C XDL17-19NLEPZ65/C XDL17-19NLEPZ85/C XDL17-19NLEPZ15/C	
XDL17-19NLEP15/C							

Metal Push button

XDL17 Push Button Series

FOCUS ON INNOVATION












Indicator	Description	Contact	Circuit	Color	Sign	Type	Contour
 XDL17-19BAE15/C	Flush button spring return LED 12V 24V 110~130V 220~240V	N/O + N/C		 Red			
				 Green	Φ19	XDL17-19BAE45/C	
				 Yellow	Φ19	XDL17-19BAE35/C	
				 Pure Blue	Φ19	XDL17-19BAE55/C	
				 Orange	Φ19		
				 White			
 XDL17-19BAEZ15/C	Convex button spring return LED 12V 24V 110~130V 220~240V	N/O + N/C		 Red			
				 Green	Φ19	XDL17-19BAEZ65/C	
				 Yellow	Φ19	XDL17-19BAEZ85/C	
				 Pure Blue	Φ19	XDL17-19BAEZ15/C	
				 Orange	Φ19		
				 White			
 XDL17-19BAEP15/C	Flush button spring return LED 12V 24V 110~130V 220~240V	N/O + N/C		 Red			
				 Green	Φ19	XDL17-19BAEP45/C	
				 Yellow	Φ19	XDL17-19BAEP35/C	
				 Pure Blue	Φ19	XDL17-19BAEP55/C	
				 Orange	Φ19		
				 White			
 XDL17-19BAEPZ15/C	Convex button spring return LED 12V 24V 110~130V 220~240V	N/O + N/C		 Red			
				 Green	Φ19	XDL17-19BAEPZ65/C	
				 Yellow	Φ19	XDL17-19BAEPZ85/C	
				 Pure Blue	Φ19	XDL17-19BAEPZ15/C	
				 Orange	Φ19		
				 White			
 XDL17-19NK2465/C	2 position Momentary LED standard handle push button 3 position Momentary	N/O+N/C		 Red			
				 Green	Φ19	XDL17-19NK2465/C	
				 Yellow	Φ19	XDL17-19NK2365/C	
				 Pure Blue	Φ19	XDL17-19NK2565/C	
				 Orange	Φ19		
				 White			
 XDL17-19ND25/C	2 position Momentary standard handle push button 3 position Momentary	N/O+N/C			Φ19	XDL17-19ND25/C	
					Φ19	XDL17-19ND35/C	

Metal Push button

XDL17 Push Button Series

FOCUS ON INNOVATION













XDL17

Indicator	Description	Contact	Circuit	Color	Sign	Type	Contour
	2 position Momentary key push button	N/O+N/C			Φ19	XDL17-19NG25/C	
	3 position Momentary	2N/O+2N/C			Φ19	XDL17-19NG35/C	
XDL17-19NG25/C							
	mushroom head Emergency push button Momentary	N/O+N/C 2N/O+2N/C		 Red  Green  Yellow  Pure Blue  Orange  White	Φ19	XDL17-19NS45/C	
XDL17-19NS45/C							
	Flush button spring return LED 12V 24V 110~130V 220~240V	N/O + N/C		 Red  Green  Yellow  Pure Blue  Orange  White	Φ22 Φ22 Φ22 Φ22 Φ22 Φ22	XDL17-22NAE45/C XDL17-22NAE35/C XDL17-22NAE55/C XDL17-22NAEZ65/C XDL17-22NAEZ85/C XDL17-22NAEZ15/C	
XDL17-22NAE15/C							
	Convex button spring return LED 12V 24V 110~130V 220~240V	N/O + N/C		 Red  Green  Yellow  Pure Blue  Orange  White	Φ22 Φ22 Φ22 Φ22 Φ22 Φ22	XDL17-22NLE45/C XDL17-22NLE35/C XDL17-22NLE55/C XDL17-22NLEZ65/C XDL17-22NLEZ85/C XDL17-22NLEZ15/C	
XDL17-22NLE15/C							
	Flush button spring return LED 12V 24V 110~130V 220~240V	N/O + N/C		 Red  Green  Yellow  Pure Blue  Orange  White	Φ22 Φ22 Φ22 Φ22 Φ22 Φ22	XDL17-22NAEP45/C XDL17-22NAEP35/C XDL17-22NAEP55/C XDL17-22NAEPZ65/C XDL17-22NAEPZ85/C XDL17-22NAEPZ15/C	
XDL17-22NAEP15/C							
	Convex button spring return LED 12V 24V 110~130V 220~240V	N/O + N/C		 Red  Green  Yellow  Pure Blue  Orange  White	Φ22 Φ22 Φ22 Φ22 Φ22 Φ22	XDL17-22NLEP45/C XDL17-22NLEP35/C XDL17-22NLEP55/C XDL17-22NLEPZ65/C XDL17-22NLEPZ85/C XDL17-22NLEPZ15/C	
XDL17-22NLEP15/C							

Metal Push button

XDL17 Push Button Series

FOCUS ON INNOVATION









Indicator	Description	Contact	Circuit	Color	Sign	Type	Contour
	Flush button spring return LED 12V 24V 110~130V 220~240V	N/O + N/C		Red Green Yellow Pure Blue Orange White	Φ22	XDL17-22BAE45/C XDL17-22BAE35/C XDL17-22BAE55/C	
	Convex button spring return LED 12V 24V 110~130V 220~240V	N/O + N/C		Red Green Yellow Pure Blue Orange White	Φ22	XDL17-22BAEZ65/C XDL17-22BAEZ85/C XDL17-22BAEZ15/C	
	Flush button spring return LED 12V 24V 110~130V 220~240V	N/O + N/C		Red Green Yellow Pure Blue Orange White	Φ22	XDL17-22BAEP45/C XDL17-22BAEP35/C XDL17-22BAEP55/C	
	Convex button spring return LED 12V 24V 110~130V 220~240V	N/O + N/C		Red Green Yellow Pure Blue Orange White	Φ22	XDL17-22BAEPZ65/C XDL17-22BAEPZ85/C XDL17-22BAEPZ15/C	
	2 position Momentary LED standard handle push button 3 position Momentary	N/O+N/C 2N/O+2N/C		Red Green Yellow Pure Blue Orange White	Φ22	XDL17-22NK2465/C XDL17-22NK2365/C XDL17-22NK2565/C	
	mushroom head Emergency push button Momentary	N/O+N/C 2N/O+2N/C		Red Green Yellow Pure Blue Orange White	Φ22	XDL17-22NS45/C	

Metal Push button

XDL17 Push Button Series

FOCUS ON INNOVATION

XDL17

Indicator	Description	Contact	Circuit	Sign	Type	Contour
	2 position Momentary key push button 3 position Momentary	N/O+N/C 2N/O+2N/C		Φ22 Φ22	XDL17-22NG25/C XDL17-22NG35/C	
XDL17-22NG25/C						
	2 position Momentary standard handle push button 3 position Momentary	N/O+N/C 2N/O+2N/C		Φ22 Φ22	XDL17-22ND25/C XDL17-22ND35/C	
XDL17-22ND25/C						
	Flush button spring return	N/O		Φ22	XDL17-22NA91/S	
XDL17-22NA91/S						
	Convex button spring return	N/O		Φ22	XDL17-22NAL91/S	
XDL17-22NAL91/S						
	Flush button spring return	N/O		Φ22	XDL17-22NAL95/C	
XDL17-22NAL95/C						
	Convex button spring return	N/O		Φ22	XDL17-22NLL95/C	
XDL17-22NLL95/C						