



BROCHURE

Control box & Control Switch

COMPANY PROFILE

1997

Xindali Industries Co., Ltd. Company was established



Xindali Industries Co., Ltd. is located in the famous low voltage appliance market Liush in Wenzhou City.

Our company mainly produces and sells push button switches, indicators, saving signal lamps, cable connectors, circuit breakers, changeover switches, rocker switches and wiring boards.

We own abundant technical source and have introduced advanced technologies and production equipment from abroad.

At the same time, we also provide consultation and after-sales services to clients. Our products have been exported to the Middle East, Southeastern Asia, Africa, Europe and South and North America. "Taking quality for efficiency, security for stability, innovation for development, regulations for environmental protection" is our purpose. We will try our utmost to offer excellent prices and efficient services to you!



4800 m²
Modern Factory

14 Set
Injection Molding

1500 Set
Product mould

6
Production Lines

WHY CHOOSE US ?



COMPANY

We have been 27 years' export experience




TEAM

We have professional team and fast response sales team



QUALITY

Strictly control each step of processes



PRODUCT

A variety of styles for your choice



AUTHORITATIVE DETECTION

(Part of the test display)



PRODUCTS CONTENTS

Control Box

	XDL Series	01-03
	XDL2/3/4 Series	04
	XDL5 Series	05
	XDL7/8 Series	06
	XDL11 Series	07

Control Switch

	XDL25 Series	08-11
	XDL35 Series	12-13
	XDL55 Series	14-15
	XDL721 Series	16-19
	XDL722 Series	20-24
	XDL75 Series	25-27
	XDL821 Series	28
	XDL85 Series	29-30
	XDL10 Series	31-36
	XDL11 Series	37
	XDL12 Series	38-40

Water-proof Lifting Button Control Switch

	XCD Series	41-52
---	------------	-------

Industrial Remote Control

	XDL19 Series	53-57
---	--------------	-------



XINDALI
— Since 1997 —

c **UL** [®] **us** **CE**  **RoHS** 




XDL CONTROL BOX

CONTROL BOX

XDL Series

Model and Meaning



Control Box combined Code

One Hole	Combination																	
Code	101	102	103	111	112	114	131	132	133	134	142	164	165	174	175	188	181	182


Two Holes	Combination										
Code	222	223	224	213	215	241	251	261	271	272	281


Three Holes	Combination														
Code	324	334	339	363	366	351	352	361	364	365	371	372	373	381	382

CONTROL BOX

XDL Series


 Four Holes	Combination												
													
													
													
													
Code	424	434	439	451	463	464	465	466	467	468	469	471	481


 Five Holes	Combination											
												
												
												
												
												
	Code	524	525	534	535	539	563	566	551	561	571	581


 Six Holes	Combination										
	     	     	     	     	     	     	     	     	     	     	
	Code	624	625	634	639	663	666	651	661	671	681


 Seven Holes	Combination				
Code	701	702	711	721	772


XDL2/3/4 Series


Parts	Description	Contour
 XDL2-JBE01 XDL2-BE01	Button box for single hole IP40/IP54 Φ22	


Parts	Description	Contour
 XDL3-JBOE01 XDL3-B01	Button box for single hole IP54 Φ22	


 XDL2-BE02	Button box for two holes IP40/IP54 Φ22	
--	---	---


 XDL3-B02	Button box for two holes IP54 Φ22	
---	--	---


 XDL2-BE03	Button box for three holes IP40/IP54 Φ22	
---	---	--


 XDL3-B03	Button box for three holes IP54 Φ22	
---	--	--


 XDL4-BE01	Button box for single hole with din rail IP54/IP65 Φ22	
--	--	---

 XDL3-B04	Button box for four holes IP54 Φ22	
--	---	---

 XDL4-BE02	Button box for two holes with din rail IP54/IP65 Φ22	
--	--	---

 XDL3-B05	Button box for five holes IP54 Φ22	
--	---	---

 XDL4-BE03	Button box for three holes with din rail IP54/IP65 Φ22	
--	--	---







 XDL3-B06	Button box for six holes IP54 Φ22	
--	--	---







CONTROL BOX









XINDALI
— Since 1997 —







XDL5 Series

Parts	Description	Contour
	Button box for single hole IP40 Φ22 Φ25	
XDL5-B01 XDL5-JB01		
	Button box for two holes IP40 Φ22 Φ25	
XDL5-B02		
	Button box for three holes IP40 Φ22 Φ25	
XDL5-B03		
	Button box for four holes IP40 Φ22 Φ25	
XDL5-B04		
	Button box for five holes IP40 Φ22 Φ25	
XDL5-B05		
	Button box for six holes IP40 Φ22 Φ25	
XDL5-B06		

Parts	Description	Contour
	Button box for single hole IP40/IP54 Φ22 Φ25	
XDL5-B01P		
	Button box for two holes IP40/IP54 Φ22 Φ25	
XDL5-B02P		
	Button box for three holes IP40/IP54 Φ22 Φ25	
XDL5-B03P		
	Button box for four holes IP40/IP54 Φ22 Φ25	
XDL5-B04P		
	Button box for five holes IP40/IP54 Φ22 Φ25	
XDL5-B05P		
	Button box for six holes IP40/IP54 Φ22 Φ25	
XDL5-B06P		






XDL7/8 Series

Parts	Description	Contour
 XDL7-JB01P XDL7-JB02P	Button box for single hole and two holes IP65 $\Phi 22$	
 XDL7-JB03P	Button box for three hole IP65 $\Phi 22$	
 XDL7-JB04P	Button box for four hole IP65 $\Phi 22$	
 XDL7-JB05P	Button box for five hole IP65 $\Phi 22$	
 XDL7-JB06P	Button box for six hole IP65 $\Phi 22$	
 XDL7-JB07P	Button box for seven hole IP65 $\Phi 22$	

Parts	Description	Contour
 XDL8-JB01F	Button box for single hole IP54/IP65 $\Phi 22$	
 XDL8-JB02F	Button box for two holes IP54/IP65 $\Phi 22$	
 XDL8-JB03F	Button box for three holes IP54/IP65 $\Phi 22$	
 XDL8-JB04F	Button box for four holes IP54/IP65 $\Phi 22$	
 XDL8-JB05F	Button box for five holes IP54/IP65 $\Phi 22$	
 XDL8-JB06F	Button box for six holes IP54/IP65 $\Phi 22$	

CONTROL BOX

XDL11 Series

Parts	Description	Contour	
	2 holes Customized Control box		
XDL11-JB02P			
	6 holes Customized Control box		
XDL11-BB6A			
	2 holes Customized Control box		
XDL11-BB2			
	6 holes Customized Control box		
XDL11-BB6			



XINDALI
— Since 1997 —









XDL25 CONTROL SWITCH

CONTROL SWITCH














XINDALI
— Since 1997 —

XDL25 Series

Control Switch	Description	Contact & Head Shape	Type	Contour
	1 hole control box 1 flush push button Spring return IP40/IP54	  N/O	XDL25-BE101	
XDL25-BE101				
	1 hole control box 1 flush push button Spring return IP40/IP54	  N/C	XDL25-BE112	
XDL25-BE112				
	1 hole control box 1 selector switch 2-position stay put IP40/IP54	  N/O	XDL25-BE132H29	
XDL25-BE132H29				
	1 hole control box 1 Emergency stop Spring return IP40/IP54	  N/C	XDL25-BE164	
XDL25-BE164				
	1 hole control box 1 Emergency stop Turn to release IP40/IP54	  N/C	XDL25-JE174H29	
XDL25-JE174H29				
	1 hole control box 1 Emergency stop Key release IP40/IP54	  N/C	XDL25-BE188	
XDL25-BE188				













CONTROL SWITCH

XDL25 Series

Control Switch	Description	Contact & Head Shape	Type	Contour
	1 hole control box 1 Selector Switch key Operated(Ronis key n° 445) 2-position stay put IP40/IP54		XDL25-BE142H29	
XDL25-BE142H29				
	2 holes control box 2 flush push button Spring return IP40/IP54		XDL25-BE213	
XDL25-BE213				
	2 holes control box 2 flush push button Spring return IP40/IP54		XDL25-BE223	
XDL25-BE223				
	3 holes control box 1 pilot light 2 flush push button Spring return IP40/IP54		XDL25-BE363	
XDL25-BE363				
	3 holes control box 3 flush push button Spring return IP40/IP54		XDL25-BE334	
XDL25-BE334				
	3 holes control box 3 flush push button Spring return IP40/IP54		XDL25-BE339	
XDL25-BE339				

CONTROL SWITCH

XDL25 Series

Control Switch	Description	Contact & Head Shape	Type	Contour
	1 hole control box 1 flush push button Spring return IP40/IP54		XDL25-BB101	
XDL25-BB101				
	2 holes control box 2 flush push button Spring return IP40/IP54		XDL25-BB213	
XDL25-BB213				
	2 holes control box 2 flush push button Spring return IP40/IP54		XDL25-BB223	
XDL25-BB223				
	3 holes control box 1 Emergency stop Turn to release 2 flush push button Spring return IP40/IP54		XDL25-BB364	
XDL25-BB364				
	3 holes control box 3 flush push button Spring return IP40/IP54		XDL25-BB334	
XDL25-BB334				
	3 holes control box 3 flush push button Spring return IP40/IP54		XDL25-BB339	
XDL25-BB339				















XINDALI
— Since 1997 —



XDL35 CONTROL SWITCH

CONTROL SWITCH

XDL35 Series

Control Switch	Description	Contact & Head Shape	Type	Contour
	Protective button box 1 hole control box 1 emergency stop Turn to release IP54/IP65	  N/C	XDL35-JBOE174	
	1 hole control box 1 flush push button Spring return IP54/IP65	  N/C	XDL35-B112	
	2 holes control box 2 flush push button Spring return IP54/IP65	   N/C N/O	XDL35-B213	
	3 holes control box 3 flush push button Spring return IP54/IP65	    N/O N/C N/O	XDL35-B334	
	4 holes control box 1 Emergency stop Turn to release 1 selector switch 2-position stay put 2 flush push button Spring return IP54/IP65	     N/C N/O+N/C N/C N/O	XDL35-B463	
	5 holes control box 1 Emergency stop Turn to release 1 selector switch 2-position stay put 3 flush push button Spring return IP54/IP65	      N/C N/O+N/C N/O N/C N/O	XDL35-B539	
	6 holes control box 1 Emergency stop Turn to release 1 selector switch 2-position stay put 4 flush push button Spring return IP54/IP65	       N/C N/O+N/C N/O N/O N/C N/O	XDL35-B634	



XINDALI
— Since 1997 —








c **UL** [®] **US** **CE**  **RoHS**



XDL55 CONTROL SWITCH

CONTROL SWITCH

XDL55 Series

Control Switch	Description	Contact & Head Shape	Type	Contour					
	1 hole control box 1 flush push button Spring return IP54/IP65	  N/O	XDL55-B101P						
XDL55-B101P									
	1 hole control box 1 flush push button Spring return IP54/IP65	  N/C	XDL55-B112P						
XDL55-B112P									
	2 holes control box 2 flush push button Spring return IP54/IP65	  N/C	  N/O	XDL55-B213P					
XDL55-B213P									
	3 holes control box 3 flush push button Spring return IP54/IP65	  N/O	  N/C	  N/O	XDL35-B334P				
XDL55-B334P									
	4 holes control box 1 Emergency stop Turn to release 3 flush push button Spring return IP54/IP65	  N/C	  N/O	  N/C	  N/O	XDL55-B424P			
XDL55-B424P									
	5 holes control box 1 Emergency stop Turn to release 1 selector switch 2-position stay put 3 flush push button Spring return IP54/IP65	  N/C	  N/O+N/C	  N/O	  N/C	  N/O	XDL55-B534P		
XDL55-B534P									
	6 holes control box 1 Emergency stop Turn to release 1 selector switch 2-position stay put 4 flush push button Spring return IP54/IP65	  N/C	  N/O+N/C	  N/O	  N/O	  N/C	  N/O	XDL35-B639P	
XDL55-B639P									













XINDALI
— Since 1997 —



XDL721 CONTROL SWITCH

CONTROL SWITCH

XDL721 Series











Control Switch	Description	Contact & Head Shape	Type	Contour
	1 hole control box 1 flush push button Spring return IP54/IP65	 N/O	XDL721-JB101P	
XDL721-JB101P				
	1 hole control box 1 flush push button Spring return IP54/IP65	 N/C	XDL721-JB111P	
XDL721-JB111P				
	1 hole control box 1 flush push button Spring return IP54/IP65	 N/O	XDL721-JB131P	
XDL721-JB131P				
	1 hole control box 1 selector switch 2-position stay put IP54/IP65	 N/O	XDL721-JB132P	
XDL721-JB132P				
	1 hole control box 1 illuminated Emergency stop Spring return, with integral LED IP54/IP65	 N/C	XDL721-JB165P	
XDL721-JB165P				

CONTROL SWITCH



XINDALI
— Since 1997 —

XDL721 Series











Control Switch	Description	Contact & Head Shape	Type	Contour
 XDL721-JB174P	1 hole control box 1 Emergency stop Turn to release IP54/IP65	 N/C	XDL721-JB174P	
 XDL721-JB195P	1 hole control box 1 double-headed push button 1 flush green push marked I 1 flush red push marked O IP54/IP65	 N/O+N/C	XDL721-JB195P	
 XDL721-JB223P	2 holes control box 2 flush push button Spring return IP54/IP65	 N/O N/O	XDL721-JB223P	
 XDL721-JB213P	2 holes control box 2 flush push button Spring return IP54/IP65	 N/C N/O	XDL721-JB213P	
 XDL721-JB334P	3 holes control box 3 flush push button Spring return IP54/IP65	 N/O N/C N/O	XDL721-JB334P	

CONTROL SWITCH



XINDALI
— Since 1997 —

XDL721 Series

Control Switch	Description	Contact & Head Shape	Type	Contour
	3 holes control box 3 flush push button Spring return IP54/IP65		XDL721-JB339P	
XDL721-JB339P				
	3 holes control box 1 pilot light 2 flush push button Spring return IP40/IP54		XDL721-JB363	
XDL721-JB363P				
	4 holes control box 1 Emergency stop Turn to release 3 flush push button Spring return IP54/IP65		XDL721-JB434P	
XDL721-JB434P				
	4 holes control box 1 Emergency stop Turn to release 3 flush push button Spring return IP54/IP65		XDL721-JB439P	
XDL721-JB439P				
	4 holes control box 1 Emergency stop Turn to release 1 selector switch 2-position stay put 2 flush push button Spring return IP54/IP65		XDL721-JB463P	
XDL721-JB463P				



XINDALI
— Since 1997 —

c **UL** [®] **US** **CE**  **RoHS** 









XDL722 CONTROL SWITCH

CONTROL SWITCH



XINDALI
— Since 1997 —

XDL722 Series







Control Switch	Description	Contact & Head Shape	Type	Contour
	1 hole control box 1 flush push button Spring return IP54/IP65	 	XDL722-JB101P	
XDL722-JB101P		N/O		
	1 hole control box 1 flush push button Spring return IP54/IP65	 	XDL722-JB111P	
XDL722-JB111P		N/C		
	1 hole control box 1 selector switch 2-position stay put IP54/IP65	 	XDL722-JB132P	
XDL722-JB132P		N/O		
	1 hole control box 1 Welector switch key Operated(Ronis key n° 445) 2-position stay put IP54/IP65	 	XDL722-JB142P	
XDL722-JB142P		N/O		
	1 hole control box 1 Emergency stop Turn to release IP54/IP65	 	XDL722-JB174P	
XDL722-JB174P		N/C		
	1 hole control box 1 Emergency stop Key release IP54/IP65	 	XDL722-JB188P	
XDL722-JB188P		N/C		

CONTROL SWITCH













XINDALI
— Since 1997 —

XDL722 Series

Control Switch	Description	Contact & Head Shape	Type	Contour
	1 hole control box 1 Emergency stop Push-pull, with windows indication IP54/IP65	 1 2 N/C	XDL722-JB184P	
	1 hole control box 1 Emergency stop Turn to release IP54/IP65	 1 2 N/C	XDL722-JB175P	
	1 hole control box 1 double-headed push button 1 flush green push marked I 1 flush red push marked O IP54/IP65	 1 2 3 4 N/O+N/C	XDL722-JB195P	
	2 hole control box 2 flush push button Spring return IP54/IP65	 3 4 N/O N/O	XDL722-JB222P	
	2 hole control box 2 flush push button Spring return IP54/IP65	 1 2 3 4 N/C N/O	XDL722-JB213P	
	3 hole control box 3 flush push button Spring return IP54/IP65	 3 4 1 2 3 4 N/O N/C N/O	XDL722-JB324P	

CONTROL SWITCH

XDL722 Series











Control Switch	Description	Contact & Head Shape	Type	Contour
	3 holes control box 3 flush push button Spring return IP54/IP65	  N/O N/C N/O	XDL722-JB339P	
XDL722-JB339P				
	3 holes control box 1 pilot light 2 flush push button Spring return IP65/IP67	  X1 X2 N/C N/O	XDL722-JB363	
XDL722-JB363P				
	4 holes control box 1 illuminated Emergency stop Turn to release, with integral LED 3 flush push button Spring return IP65/IP67	  X1 X2 N/C N/O N/C N/O	XDL722-JBW424P	
XDL722-JBW424P				
	4 holes control box 1 illuminated Emergency Stop Turn to release, with integral LED 3 flush push button Spring return IP65/IP67	  X1 X2 N/C N/O N/C N/O	XDL722-JBW439P	
XDL722-JBW439P				
	4 holes control box 1 Emergency stop Turn to release 1 selector switch 2-position stay put 2 flush push button Spring return IP65/IP67	  N/C N/O+N/C N/C N/O	XDL722-JB463P	
XDL722-JB463P				

CONTROL SWITCH



XINDALI
— Since 1997 —

XDL722 Series

Control Switch	Description	Contact & Head Shape	Type	Contour
	5 holes control box 1 illuminated Emergency stop Turn to release with integral LED 1 selector switch 2-position stay put 3 flush push button Spring return IP65/IP67	 N/C N/O+N/C N/O N/C N/O	XDL722-JBW534P	 PG13.5
	5 holes control box 1 illuminated Emergency stop Turn to release with integral LED 1 selector switch 2-position stay put 3 flush push button Spring return IP65/IP67	 N/C N/O+N/C N/O N/C N/O	XDL722-JBW539P	 PG13.5
	6 holes control box 1 illuminated Emergency stop Turn to release with integral LED 1 selector switch 2-position stay put 4 flush push button Spring return IP65/IP67	 N/C N/O+N/C N/O N/O N/C N/O	XDL722-JBW639P	 PG13.5
	6 holes control box 1 illuminated Emergency stop Turn to release with integral LED 1 selector switch 2-position stay put 4 flush push button Spring return IP65/IP67	 N/C N/O+N/C N/O N/O N/C N/O	XDL722-JBW624P	 PG13.5
	7 holes control box 1 illuminated Emergency stop Turn to release with integral LED 1 selector switch 2-position stay put 5 flush push button Spring return IP65/IP67	 N/C N/O+N/C N/O N/O N/C N/O N/O	XDL722-JBW701P	 PG13.5



XINDALI
— Since 1997 —







c **UL** [®] **us** **CE**  **RoHS** 



XDL75 CONTROL SWITCH

CONTROL SWITCH

XDL75 Series


















Control Switch	Description	Contact & Head Shape	Type	Contour
 XDL75-JB181P XDL75-JB261P	1 hole control box 1 Emergency stop Push-pull with windows indication	 	XDL75-JB181P	
	2 holes control box 1 Emergency stop Turn to release 1 flush push button Spring return	   	XDL75-JB261P	
 XDL75-JB364P	3 holes control box 1 Emergency stop Turn to release 2 flush push button Spring return	      N/C N/O N/O	XDL75-JB364P	
 XDL75-JB424P	4 holes control box 1 Emergency stop Turn to release 3 flush push button Spring return	        N/C N/O N/C N/O	XDL75-JB424P	
 XDL75-JB525P	5 holes control box 1 Emergency stop Push-pull with windows indication 1 selector switch 2-position stay put 3 flush push button Spring return	          N/C N/O+N/C N/O N/C N/O	XDL75-JB525P	
 XDL75-JB625P	6 holes control box 1 Emergency stop Push-pull with windows indication 1 selector switch 2-position stay put 4 flush push button Spring return	            N/C N/O+N/C N/O N/O N/C N/O	XDL75-JB625P	
 XDL75-JB702P	7 holes control box 1 Emergency stop Push-pull with windows indication 1 selector switch 2-position stay put 5 flush push button Spring return	              N/C N/O+N/C N/O N/O N/C N/O N/O	XDL75-JB702P	

CONTROL SWITCH











XINDALI
— Since 1997 —

XDL75 Series

Control Switch	Description	Contact & Head Shape	Type	Contour
	1 hole control box 1 Emergency stop Push-pull, with windows indication IP54	 	Φ54 XDL75-ETB1812 Φ40 XDL75-ETB1822 Φ54 XDL75-ETB1814 Φ40 XDL75-ETB1824	
	3 holes control box 1 Emergency stop Turn to release 1 flush push button Spring return 1 european socket	 	XDL75-JB381P	
	3 holes control box 1 Emergency stop Turn to release 1 selector switch 2-position stay put 1 european socket	 	XDL75-JB371P	
	4 holes control box 1 selector switch 2-position stay put 3 flush push button Spring return	   	XDL75-JB468P	
	4 holes control box 1 Emergency stop Push-pull, with windows indication 1 selector switch 2-position stay put 2 flush push button Spring return	   	XDL75-JB469P	
	4 holes control box 1 Emergency stop Turn to release 1 selector switch 2-position stay put 3 flush push button Spring return	    	XDL75-JB534P	

CONTROL SWITCH

XDL821 Series

Control Switch	Description	Contact & Head Shape	Type	Contour
	2 holes control box 1 Emergency stop Turn to release 1 european socket		XDL821-JB271P	
XDL821-JB271P				
	3 holes control box 1 Emergency stop Turn to release 1 flush push button Spring return 1 european socket		XDL821-JB382P	
XDL821-JB382P				
	4 holes control box 1 Emergency stop Turn to release 2 flush push button Spring return 1 european socket		XDL821-JB471P	
XDL821-JB471P				
	5 holes control box 1 Emergency stop Turn to release 2 flush push button Spring return 1 european socket		XDL821-JB571P	
XDL821-JB571P				
	6 holes control box 1 Emergency stop Turn to release 1 selector switch 2-position stay put 3 flush push button Spring return 1 european socket		XDL821-JB671P	
XDL821-JB671P				



XINDALI
— Since 1997 —







c **UL** [®] **us** **CE**  **RoHS** 



XDL85 CONTROL SWITCH

CONTROL SWITCH

XDL85 Series

Control Switch	Description	Contact & Head Shape	Type	Contour
	1 hole control box 1 european socket	 	XDL85-JB183F	
XDL85-JB183F				
	2 holes control box 1 Emergency stop push-pull with windows indication 1 european socket	   N/C	XDL85-JB281F	
XDL85-JB281F				
	3 holes control box 1 Emergency stop push-pull with windows indication 1 flush push button Spring return 1 european socket	    N/C  N/O	XDL85-JB381F	
XDL85-JB381F				
	4 holes control box 1 Emergency stop push-pull with windows indication 2 flush push button Spring return 1 european socket	     N/C  N/O  N/O	XDL85-JB481F	
XDL85-JB481F				
	5 holes control box 1 Emergency stop push-pull with windows indication 3 flush push button Spring return 1 european socket	      N/C  N/O  N/C  N/O	XDL85-JB581F	
XDL85-JB581F				
	6 holes control box 1 Emergency stop Push-pull with windows Indication 1 selector switch 2-position stay put 3 flush push button Spring return 1 european socket	       N/C  N/O+N/C  N/O  N/C  N/O	XDL85-JB681F	
XDL85-JB681F				



XINDALI
— Since 1997 —

c **UL** [®] **us** **CE**  **RoHS** 














XDL10 CONTROL SWITCH

CONTROL SWITCH



XINDALI
— Since 1997 —

XDL10 Series

Control Switch	Description	Contact & Head Shape	Type	Contour
	Box holder		XDL10-EPC	
XDL10-EPC				
	2 holes control box 2 flush push button Spring return (Two-button interlock) IP65	2+ N/O  2+ 2N/O 	 	XDL10-EPB2 XDL10-EPB22 
XDL10-EPB2				
	3 holes control box 3 flush push button Spring return (Two-button interlock) IP65	3+ N/O  3+ 2N/O 	 	XDL10-EPB3 XDL10-EPB32 
XDL10-EPB3				
	4 holes control box 4 flush push button Spring return (Two-button interlock) IP65	4+ N/O  4+ 2N/O 	 	XDL10-EPB4 XDL10-EPB42 
XDL10-EPB4				
	5 holes control box 5 flush push button Spring return (Two-button interlock) IP65	5+ N/O  5+ 2N/O 	 	XDL10-EPB5 XDL10-EPB52 
XDL10-EPB5				
	6 holes control box 6 flush push button Spring return (Two-button interlock) IP65	6+ N/O  6+ 2N/O 	 	XDL10-EPB6 XDL10-EPB62 
XDL10-EPB6				






Control Switch	Description	Contact & Head Shape	Type	Contour	
	2 holes control box 1 Emergency stop Turn to release 1 flush push button Spring return (Two-button interlock) IP54	N/C 1 2 N/O 3 4 N/C 1 2 2N/O 3 13 4 14		XDL10-EPBS2 XDL10-EPBS22	
	3 holes control box 1 Emergency stop Turn to release 2 flush push button Spring return (Two-button interlock) IP54	N/C 1 2 2+ N/O 3 4 N/C 1 2 2+ 2N/O 3 13 4 14		XDL10-EPBS3 XDL10-EPBS32	
	4 holes control box 1 Emergency stop Turn to release 3 flush push button Spring return (Two-button interlock) IP54	N/C 1 2 3+ N/O 3 4 N/C 1 2 3+ 2N/O 3 13 4 14		XDL10-EPBS4 XDL10-EPBS42	
	5 holes control box 1 Emergency stop Turn to release 4 flush push button Spring return (Two-button interlock) IP54	N/C 1 2 4+ N/O 3 4 N/C 1 2 4+ 2N/O 3 13 4 14		XDL10-EPBS5 XDL10-EPBS52	
	6 holes control box 1 Emergency stop Turn to release 5 flush push button Spring return (Two-button interlock) IP54	N/C 1 2 5+ N/O 3 4 N/C 1 2 5+ 2N/O 3 13 4 14		XDL10-EPBS6 XDL10-EPBS62	

CONTROL SWITCH








XINDALI
— Since 1997 —

XDL10 Series

Control Switch	Description	Contact & Head Shape	Type	Contour	
	2 holes control box	N/C			
	1 Emergency stop	N/O			XDL10-EPBK2
	Key release				
	1 flush push button				
XDL10-EPBK2	Spring return (Two-button interlock) IP54	N/C		XDL10-EPBK22	
		2N/O			
	3 holes control box	N/C			
	1 Emergency stop	2+ N/O			XDL10-EPBK3
	Key release				
	2 flush push button				
XDL10-EPBK3	Spring return (Two-button interlock) IP54	N/C		XDL10-EPBK32	
		2+ 2N/O			
	4 holes control box	N/C			
	1 Emergency stop	3+ N/O			XDL10-EPBK4
	Key release				
	3 flush push button				
XDL10-EPBK4	Spring return (Two-button interlock) IP54	N/C		XDL10-EPBK42	
		3+ 2N/O			
	5 holes control box	N/C			
	1 Emergency stop	4+ N/O			XDL10-EPBK5
	Key release				
	4 flush push button				
XDL10-EPBK5	Spring return (Two-button interlock) IP54	N/C		XDL10-EPBK52	
		4+ 2N/O			
	6 holes control box	N/C			
	1 Emergency stop	5+ N/O			XDL10-EPBK6
	Key release				
	5 flush push button				
XDL10-EPBK6	Spring return (Two-button interlock) IP54	N/C		XDL10-EPBK62	
		5+ 2N/O			

CONTROL SWITCH

XDL10 Series






Control Switch	Description	Contact & Head Shape	Type	Contour
 XDL10-EPBG2	2 holes control box	N/O	 	 45.9 21 106 × 62 15.8 PG13.5
	1 Selector Switch with key	N/O		
	2-position stay put	N/O		
	1 flush push button Spring return (Two-button interlock) IP54	2N/O		
 XDL10-EPBG3	3 holes control box	N/O	  	 45.9 21 142 × 62 15.8 8.5 PG13.5
	1 Selector Switch with key	2+ N/O		
	2-position stay put	N/O		
	2 flush push button Spring return (Two-button interlock) IP54	2+ 2N/O		
 XDL10-EPBG4	4 holes control box	N/O	   	 45.9 21 171 × 62 15.8 8.5 PG13.5
	1 Selector Switch with key	3+ N/O		
	2-position stay put	N/O		
	3 flush push button Spring return (Two-button interlock) IP54	3+ 2N/O		
 XDL10-EPBG5	5 holes control box	N/O	    	 45.9 21 201 × 62 15.8 8.5 PG13.5
	1 Selector Switch with key	4+ N/O		
	2-position stay put	N/O		
	4 flush push button Spring return (Two-button interlock) IP54	4+ 2N/O		
 XDL10-EPBG6	6 holes control box	N/O	     	 45.9 21 234 × 62 15.8 8.5 PG13.5
	1 Selector Switch with key	5+ N/O		
	2-position stay put	N/O		
	5 flush push button Spring return (Two-button interlock) IP54	5+ 2N/O		

CONTROL SWITCH











XINDALI
— Since 1997 —

XDL10 Series

Control Switch	Description	Contact & Head Shape	Type	Contour
 XDL10-EPBD2	2 holes control box 1 selector switch 2-position stay put 1 flush push button Spring return (Two-button interlock) IP54	N/O	 	 45.9 27 106 × 62 15.8 PG13.5
		N/O		
		N/O	 	
		2N/O		
 XDL10-EPBD3	3 holes control box 1 selector switch 2-position stay put 2 flush push button Spring return (Two-button interlock) IP54	N/O	 	 45.9 27 142 × 62 15.8 8.5 PG13.5
		2+ N/O		
		N/O	 	
		2+ 2N/O		
 XDL10-EPBD4	4 holes control box 1 selector switch 2-position stay put 3 flush push button Spring return (Two-button interlock) IP54	N/O	 	 45.9 27 171 × 62 15.8 8.5 PG13.5
		3+ N/O		
		N/O	 	
		3+ 2N/O		
 XDL10-EPBD5	5 holes control box 1 selector switch 2-position stay put 4 flush push button Spring return (Two-button interlock) IP54	N/O	 	 45.9 27 201 × 62 15.8 8.5 PG13.5
		4+ N/O		
		N/O	 	
		4+ 2N/O		
 XDL10-EPBD6	6 holes control box 1 selector switch 2-position stay put 5 flush push button Spring return (Two-button interlock) IP54	N/O	 	 45.9 27 234 × 62 15.8 8.5 PG13.5
		5+ N/O		
		N/O	 	
		5+ 2N/O		

CONTROL SWITCH

XDL11 Series


Control Switch	Description	Contact & Head Shape	Type	Contour
	2 holes control box 1 flush push button Spring return 1 european socket	   N/O	XDL11-JB272P	
XDL11-JB272P				
	6 holes control box 3 flush push button Spring return 1 selector switch 2-position stay put 1 emergency stop push-pull reset button 1 rocker switch	     N/O N/O N/O N/C N/O+N/C	XDL11-BBES63152	
XDL11-BBES63152				
	2 holes control box 2 flush push button Spring return	   N/C N/O	XDL11-BBEA25411	
XDL11-BBEA25411				
	6 holes control box 3 flush push button Spring return 1 selector switch 2-position stay put 1 emergency stop Turn to release 1 european socket	     N/O N/O N/O N/O+N/C N/C	XDL11-BBES63151	
XDL11-BBES63151				



XINDALI
— Since 1997 —



XDL12 CONTROL SWITCH



MATERIAL
Silicone
buttons



REMINDER
LED light
and buzzer



WATER-PROOF
IP65



**INTERLOCKING
FUNCTION**
All directions








**DELICATE and
EXQUISITE**
thickness: 32mm

CONTROL SWITCH



XINDALI
— Since 1997 —

XDL12 Series





Control Switch	Description	Contact & Head Shape	Type	Contour
	2 holes control box 2 flush push button Spring return (Two-button interlock) IP65	2+ N/O 	 	XDL12-F21-2 
XDL12-F21-2				
	4 holes control box 4 flush push button Spring return (Two-button interlock) IP65	4+ N/O 	   	XDL12-F21-4 
XDL12-F21-4				
	3 holes control box 1 Emergency stop 2 flush push button Spring return (Two-button interlock) IP65	N/C  2+ N/O 	  	XDL12-F21-S3 
XDL12-F21-S3				
	5 holes control box 1 Emergency stop 4 flush push button Spring return (Two-button interlock) IP65	N/C  4+ N/O 	    	XDL12-F21-S5 
XDL12-F21-S5				
	7 holes control box 1 Emergency stop 6 flush push button Spring return (Two-button interlock) IP65	N/C  6+ N/O 	      	XDL12-F21-S7 
XDL12-F21-S7				

CONTROL SWITCH



XINDALI
— Since 1997 —

XDL12 Series

Control Switch	Description	Contact & Head Shape	Type	Contour
	3 holes control box 3 flush push button Spring return (Two-button interlock) IP65	3+ N/O 	 XDL12-XCD-3	
XDL12-XCD-3				
	4 holes control box 4 flush push button Spring return (Two-button interlock) IP65	4+ N/O 	 XDL12-XCD-4	
XDL12-XCD-4				
	4 holes control box 1 Emergency stop 3 flush push button Spring return (Two-button interlock) IP65	N/C  3+ N/O 	 XDL12-XCD-S4	
XDL12-XCD-S4				
	5 holes control box 1 Emergency stop 4 flush push button Spring return (Two-button interlock) IP65	N/C  4+ N/O 	 XDL12-XCD-S5	
XDL12-XCD-S5				

WATER-PROOF LIFTING BUTTON CONTROL SWITCH


XCD Series

Brief Introduction

XCD series Water-proof crane control button station is a newly developed product which combined with the advantages of both made products and imported products. The plastic cover is good-looking, strong and easy for handling. It has good structure and big area of contact. The forward and backward control can be mechanically locked in a reciprocal direction. It also can be locked in a reciprocal direction by the circuit if necessary, and is therefore more safety in operation. It also has IP65 dust proof and water proof level thus it is suitable for operating in open area, dusty environment, rainy, snowy weather conditions by wet hands for controlling the electric circuit, conveyer belt and construction apparatus.

The product meets the standards of Q/YDD02-00, GB 14048.5-2001 and EN60947-5-1:1997.

Models and Meaning



Applicable environment

Surrounding Temperature: -25°C ~ +40°C

Relative Humidity: ≤90%

Button marks


















					
Up/Rise	Down/Drop	Quick up	Quick down	Left/East	Right/West
					
Front/South	Back/North	Veer	Backspin	Operation	Stop
0	I	I	II		
Off	On	Vehicle1	Vehicle2	Lighting	Alarm bell

WATER-PROOF LIFTING BUTTON CONTROL SWITCH



XINDALI
— Since 1997 —

XCD Series











Control Switch	Description	Circuit	Type	Contour
 XCD-61C	3 holes control box 1 Emergency stop Turn to release 2 flush push button Spring return (Two-button interlock) Ui:500V Ith:10A AC-15 380V~2A 220V~3.5A	 	XCD-61C	
			XCD-61D	
 XCD-62C	5 holes control box 1 Emergency stop Turn to release 4 flush push button Spring return (Two-button interlock) Ui:500V Ith:10A AC-15 380V~2A 220V~3.5A	 2+ 	XCD-62C	
			XCD-62D	
 XCD-63C	7 holes control box 1 Emergency stop Turn to release 6 flush push button Spring return (Two-button interlock) Ui:500V Ith:10A AC-15 380V~2A 220V~3.5A	 3+ 	XCD-63C	
			XCD-63D	
 XCD-64C	9 holes control box 1 Emergency stop Turn to release 8 flush push button Spring return (Two-button interlock) Ui:500V Ith:10A AC-15 380V~2A 220V~3.5A	 3+ 	XCD-64C	
			XCD-64D	
 XCD-65C	11 holes control box 1 Emergency stop Turn to release 10 flush push button Spring return (Two-button interlock) Ui:500V Ith:10A AC-15 380V~2A 220V~3.5A	 4+ 	XCD-65C	
			XCD-65D	

WATER-PROOF LIFTING BUTTON CONTROL SWITCH



XINDALI
— Since 1997 —

XCD Series











Control Switch	Description	Circuit	Type	Contour
 XCD-66C XCD-66D	12 holes control box 1 Emergency stop Turn to release 1 selector switch 2-position stay put 10 flush push button Spring return (Two-button interlock) Ui:500V Ith:10A AC-15 380V~2A 220V~3.5A		XCD-66C XCD-66D	
 XCD-67C XCD-67D	14 holes control box 1 Emergency stop Turn to release 1 selector switch 2-position stay put 12 flush push button Spring return (Two-button interlock) Ui:500V Ith:10A AC-15 380V~2A 220V~3.5A		XCD-67C XCD-67D	
 XCD-68C XCD-68D	16 holes control box 1 Emergency Stop Turn to release 1 selector switch 2-position stay put 14 flush push button Spring return (Two-button interlock) Ui:500V Ith:10A AC-15 380V~2A 220V~3.5A		XCD-68C XCD-68D	
 XCD-61Y XCD-61YD	4 holes control box 1 Emergency stop turn to release 1 flush button spring return with NO 2 flush push button spring return (two-button interlock) Ui:500V Ith:10A AC-15 380V~2A 220V~3.5A		XCD-61Y XCD-61YD	
 XCD-62Y XCD-62YD	6 holes control box 1 Emergency stop turn to release 1 flush button spring return with NO 4 flush push button spring return (two-button interlock) Ui:500V Ith:10A AC-15 380V~2A 220V~3.5A		XCD-62Y XCD-62YD	

WATER-PROOF LIFTING BUTTON CONTROL SWITCH















XINDALI
— Since 1997 —

XCD Series

Control Switch	Description	Circuit	Type	Contour
 XCD-63Y XCD-63YD	8 holes control box 1 Emergency stop turn to release 1 flush button spring return with NO 4 flush push button spring return (two-button interlock) Ui:500V Ith:10A AC-15 380V~2A 220V~3.5A		XCD-63Y XCD-63YD	
 XCD-64Y XCD-64YD	10 holes control box 1 Emergency stop turn to release 1 flush button spring return with NO 8 flush push button Spring return (two-button interlock)		XCD-64Y XCD-64YD	
 XCD-61F XCD-61FD	3 holes control box 1 Emergency stop Turn to release 2 flush push button Spring return (Two-button interlock) Ui:500V Ith:10A AC-15 380V~2A 220V~3.5A		XCD-61F XCD-61FD	
 XCD-62F XCD-62FD	5 holes control box 1 Emergency stop Turn to release 4 flush push button Spring return (Two-button interlock) Ui:500V Ith:10A AC-15 380V~2A 220V~3.5A		XCD-62F XCD-62FD	
 XCD-63F XCD-63FD	7 holes control box 1 Emergency stop Turn to release 6 flush push button Spring return (Two-button interlock) Ui:500V Ith:10A AC-15 380V~2A 220V~3.5A		XCD-63F XCD-63FD	















WATER-PROOF LIFTING BUTTON CONTROL SWITCH

XCD Series

Control Switch	Description	Circuit	Type	Contour
 XCD-61E XCD-61ED	3 holes control box 1 Emergency Stop Turn to release 2 flush push button Spring return (Two-button interlock) Ui:500V Ith:10A AC-15 380V~2A 220V~3.5A		XCD-61E XCD-61ED	
 XCD-61K XCD-61KD	2 holes control box 1 Selector Switch with key 2-position stay put 1 flush push button Spring return (Two-button interlock) Ui:500V Ith:10A AC-15 380V~2A 220V~3.5A		XCD-61K XCD-61KD	
 XCD-62K XCD-62KD	5 holes control box 1 Selector Switch with key 2-position stay put 4 flush push button Spring return (Two-button interlock) Ui:500V Ith:10A AC-15 380V~2A 220V~3.5A		XCD-62K XCD-62KD	
 XCD-63K XCD-63KD	7 holes control box 1 Selector Switch with key 2-position stay put 6 flush push button Spring return (Two-button interlock) Ui:500V Ith:10A AC-15 380V~2A 220V~3.5A		XCD-63K XCD-63KD	
 XCD-64K XCD-64KD	9 holes control box 1 Selector Switch with key 2-position stay put 8 flush push button Spring return (Two-button interlock) Ui:500V Ith:10A AC-15 380V~2A 220V~3.5A		XCD-64K XCD-64KD	
 XCD-65K XCD-65KD	11 holes control box 1 Selector Switch with key 2-position stay put 10 flush push button Spring return (Two-button interlock) Ui:500V Ith:10A AC-15 380V~2A 220V~3.5A		XCD-65K XCD-65KD	

WATER-PROOF LIFTING BUTTON CONTROL SWITCH

XCD Series















Control Switch	Description	Circuit	Type	Contour
	2 holes control box 2 flush push button Spring return (Two-button interlock) Ui:500V Ith:10A AC-15 380V~2A 220V~5A		XCD-61NP	
			XCD-61NPD	
	4 holes control box 4 flush push button Spring return (Two-button interlock) Ui:500V Ith:10A AC-15 380V~2A 220V~5A		XCD-62NP	
			XCD-62NPD	
	6 holes control box 6 flush push button Spring return (Two-button interlock) Ui:500V Ith:10A AC-15 380V~2A 220V~5A		XCD-63NP	
			XCD-63NPD	
	8 holes control box 8 flush push button Spring return (Two-button interlock) Ui:500V Ith:10A AC-15 380V~2A 220V~5A		XCD-64NP	
			XCD-64NPD	
	10 holes control box 10 flush push button Spring return (Two-button interlock) Ui:500V Ith:10A AC-15 380V~2A 220V~5A		XCD-65NP	
			XCD-65NPD	
	12 holes control box 12 flush push button Spring return (Two-button interlock) Ui:500V Ith:10A AC-15 380V~2A 220V~5A		XCD-66NP	
			XCD-66NPD	

WATER-PROOF LIFTING BUTTON CONTROL SWITCH












XINDALI
— Since 1997 —

XCD Series

Control Switch	Description	Circuit	Type	Contour
 XCD-61P	3 holes control box 1 Emergency stop Turn to release 2 flush push button Spring return (Two-button interlock) Ui:500V Ith:10A AC-15 380V~2A 220V~3.5A		XCD-61P	
			XCD-61PD	
 XCD-62P	5 holes control box 1 Emergency stop Turn to release 4 flush push button Spring return (Two-button interlock) Ui:500V Ith:10A AC-15 380V~2A 220V~3.5A		XCD-62P	
			XCD-62PD	
 XCD-63P	7 holes control box 1 Emergency stop Turn to release 6 flush push button Spring return (Two-button interlock) Ui:500V Ith:10A AC-15 380V~2A 220V~3.5A		XCD-63P	
			XCD-63PD	
 XCD-64P	9 holes control box 1 Emergency stop Turn to release 8 flush push button Spring return (Two-button interlock) Ui:500V Ith:10A AC-15 380V~2A 220V~3.5A		XCD-64P	
			XCD-64PD	
 XCD-65P	11 holes control box 1 Emergency stop Turn to release 10 flush push button Spring return (Two-button interlock) Ui:500V Ith:10A AC-15 380V~2A 220V~3.5A		XCD-65P	
			XCD-65PD	
 XCD-66P	13 holes control box 1 Emergency stop Turn to release 12 flush push button Spring return (Two-button interlock) Ui:500V Ith:10A AC-15 380V~2A 220V~3.5A		XCD-66P	
			XCD-66PD	






WATER-PROOF LIFTING BUTTON CONTROL SWITCH

XCD Series

Control Switch	Description	Circuit	Type	Contour
	2 holes control box 2 flush push button Spring return (Two-button interlock) Ui:500V Ith:10A AC-15 380V~1.5A 220V~3A		XCD-61	
XCD-61				
	4 holes control box 4 flush push button Spring return (Two-button interlock) Ui:500V Ith:10A AC-15 380V~1.5A 220V~3A		XCD-62	
XCD-62				
	6 holes control box 6 flush push button Spring return (Two-button interlock) Ui:500V Ith:10A AC-15 380V~1.5A 220V~3A		XCD-63	
XCD-63				
	8 holes control box 8 flush push button Spring return (Two-button interlock) Ui:500V Ith:10A AC-15 380V~1.5A 220V~3A		XCD-64	
XCD-64				
	10 holes control box 10 flush push button Spring return (Two-button interlock) Ui:500V Ith:10A AC-15 380V~1.5A 220V~3A		XCD-65	
XCD-65				

WATER-PROOF LIFTING BUTTON CONTROL SWITCH

XCD Series










Control Switch	Description	Circuit	Type	Contour
	4 holes control box ON green button self-lock OFF red button drive reset 2 flush push button spring return (two-button interlock) Ui:500V Ith:10A AC-15 380V~2A 220V~5A		XCD-61A	
XCD-61A				
	6 holes control box ON green button self-lock OFF red button drive reset 4 flush push button spring return (two-button interlock) Ui:500V Ith:10A AC-15 380V~2A 220V~5A		XCD-62A	
XCD-62A				
	8 holes control box ON green button self-lock OFF red button drive reset 6 flush push button spring return (two-button interlock) Ui:500V Ith:10A AC-15 380V~2A 220V~5A		XCD-63A	
XCD-63A				
	10 holes control box ON green button self-lock OFF red button drive reset 8 flush push button spring return (two-button interlock) Ui:500V Ith:10A AC-15 380V~2A 220V~5A		XCD-64A	
XCD-64A				

WATER-PROOF LIFTING BUTTON CONTROL SWITCH



XINDALI
— Since 1997 —

XCD Series












Control Switch	Description	Circuit	Type	Contour
 XCD-61CB	3 holes control box 1 Emergency stop Turn to release 2 flush push button Spring return (Two-button interlock) Ui:500V Ith:10A AC-15 380V~2A 220V~3.5A		XCD-61CB	
 XCD-62CB	5 holes control box 1 Emergency stop Turn to release 4 flush push button Spring return (Two-button interlock) Ui:500V Ith:10A AC-15 380V~2A 220V~3.5A		XCD-62CB	
 XCD-63CB	7 holes control box 1 Emergency stop Turn to release 6 flush push button Spring return (Two-button interlock) Ui:500V Ith:10A AC-15 380V~2A 220V~3.5A		XCD-63CB	
 XCD-64CB	9 holes control box 1 Emergency stop Turn to release 8 flush push button Spring return (Two-button interlock) Ui:500V Ith:10A AC-15 380V~2A 220V~3.5A		XCD-64CB	
 XCD-65CB	11 holes control box 1 Emergency stop Turn to release 10 flush push button Spring return (Two-button interlock) Ui:500V Ith:10A AC-15 380V~2A 220V~3.5A		XCD-65CB	

WATER-PROOF LIFTING BUTTON CONTROL SWITCH



XINDALI
— Since 1997 —

XCD Series










Control Switch	Description	Circuit	Type	Contour
	2 phase direct contact switch 2 holes control box 2 flush push button Spring return (Two-button interlock) Ui:500V Ith:10A AC-15 380V~2A 220V~5A		XCD-21	
XCD-21				
	2 phase direct contact switch 4 holes control box 4 flush push button Spring return (Two-button interlock) Ui:500V Ith:10A AC-15 380V~2A 220V~5A		XCD-22	
XCD-22				
	2 phase direct contact switch 6 holes control box 6 flush push button Spring return (Two-button interlock) Ui:500V Ith:10A AC-15 380V~2A 220V~5A		XCD-23	
XCD-23				
	2 phase direct contact switch 2 holes control box 2 flush push button Spring return (Two-button interlock) Ui:500V Ith:10A AC-15 380V~2A 220V~5A		XCD-21P	
XCD-21P				
	2 phase direct contact switch 4 holes control box 4 flush push button Spring return (Two-button interlock) Ui:500V Ith:10A AC-15 380V~2A 220V~5A		XCD-22P	
XCD-22P				
	2 phase direct contact switch 6 holes control box 6 flush push button Spring return (Two-button interlock) Ui:500V Ith:10A AC-15 380V~2A 220V~5A		XCD-23P	
XCD-23P				

WATER-PROOF LIFTING BUTTON CONTROL SWITCH



XINDALI
— Since 1997 —

XCD Series

Control Switch	Description	Circuit	Type	Contour
	3 holes control box 1 Emergency stop Turn to release 2 flush push button Spring return (Two-button interlock) Ui:500V Ith:10A AC-15 380V~2A 220V~3.5A		XCD-21SP	
XCD-21SP				
	2 holes control box 2 flush push button Spring return (Two-button interlock) Ui:500V Ith:10A AC-15 380V~2A 220V~5A		XCD-21SN	
XCD-21SN				
	3 phases direct contact switch 2 holes control box 2 flush push button spring return (two-button interlock) (three groups contact Operate together) Ui:500V Ith:10A AC-15 380V~2A 220V~5A		XCD-31	
XCD-31				
	3 phases direct contact switch 4 holes control box 4 flush push button Spring return (two-button interlock) (three groups contact Operate together) Ui:500V Ith:10A AC-15 380V~2A 220V~5A		XCD-32	
XCD-32				
	3 phases direct contact switch 6 holes control box 6 flush push button spring return (two-button interlock) (three groups contact Operate together) Ui:500V Ith:10A AC-15 380V~2A 220V~5A		XCD-33	
XCD-33				



XINDALI
— Since 1997 —

CE FC



XDL19

INDUSTRIAL REMOTE CONTROL

XDL19 Series

FOR INDUSTRIAL CRANE



XDL19-F21-8



XDL19-F21-2



XDL19-F21-4



XDL19-F21-6

FOR TRUCK TAILBOARD



XDL19-XCD-3



XDL19-XCD-4

XINDALI Remote control emitter

- Its appearance design compiles with human engineering, which is compact, light, and comfortable to operate.
- Correr button setting, clear function indication.
- Sensitive button, medium pressing power.
- Reasonable function button setting avoids fault operation effectively.
- Clear indication of communication signals.
- There is alarm indication for battery electric quantity is less than 3/5 of the original, a corresponding yellow alarm indicating lamp will slow blinking.
- State indication. There are corresponding indications for different Operating state.
- "Emergency stop" button for convenient operation
- Nice and elegant appearance
- Protection degree IP65

XINDALI Remote control receiver

- Small and elegant appearance
- Protection degree IP 65
- Clear outgoing line mark and wiring connection
- Easy installation with clear display of each function Indicator lights
- With various kinds of power supply signal, emergency stop, segment and power on.
- Embedded antenna with sensitive receiving.

Technical parameter


Material of Housing	Glass fiber reinforced nylon
Controlling Distance	Within 200M
Protection Level	IP65
Controller Power	3.7V (2000mAh Battery)
Receiver Rated Voltage	AC36V、AC220V、AC380V、DC12V~24V
Frequency Range	415~435MHz
Power of Signal Transmit	≤10dBm
Receiver Sensitivity	≥-110dBm
Power Consumption	< 5W
Cable Length/Size	1.2M (can be customized) /0.75mm ²
Surrounding Temperature	-35℃~+55℃
Air relative humidity	< 90%RH
Air Pressure	86~106KPa
Controller Dimension	8 buttons (L158mm×W56mm×H47mm) 6 buttons (L138mm×W56mm×H47mm)
Receiver Dimension	L195mm×W85mm×H62mm
Weight	Controller: 180g, Receiver: 650~950g.

XDL19 Series


Dimensions

Transmitter


2~6 push-buttons



8 push-buttons



Receiver



(Unit: mm)

XDL19 Series



XDL19-A6100



XDL19-A8211



XDL19-A6100AB



XDL19-A6200S



XDL19-F621-E1B



XDL19-A4100

Remote control emitter

- Its appearance design compiles with human engineering, which is compact, light, and comfortable to operate.
- Correr button seting, clear function indication.
- Sensitive button, medium pressing power.
- Reasonable function button setting avoids fault operation effectively.
- Clear indication of communication signals.
- There is alarm indication for battery electric quantity is less than 3/5 of the original, a corresponding red alarm indicating lamp will slow blinking.
- State indication. There are corresponding indications for different Operating state.
- "Emergency stop" button for convenient operation
- Nice and elegant appearance
- Protection degree IP64

Remote control receiver

- Small and elegant appearance
- Protection degree IP 65
- Clear outgoing line mark and wiring connection
- Easy installation with clear display of each function Indicator lights
- With various kinds of power supply signal, emergency stop, segment and power on.
- Embedded antenna with sensitive receiving.

Technical parameter

- Work frequency:FM419m(20CH)
- Emission distance:<100M
- Receiver work power supply:36V,48V,220V,380V (special power can be customized).
- Output interface:relay
- Control operation:8(12 double controls)
- Receiving direction:360° undirectional
- Remote control emitter power:<10MW
- Working temperature-20°C+65°C
- Relative humidity:≤85%

Type

- XINDALI A6100(CD series) Single-speed 6 buttons, puls a point of action and self-locking buttons, stop button which can be pressure or spin, the distance 100M.
- XINDALI A6100AB(QD series) Single-speed 6 buttons, puls a 3 function buttons(which can be set up A/B/A+B car features), stop button which can be pressure or spin, the distance 100M.
- XINDALI A8211(MD series) Single speed 8 point type, add 1 point start button, the only pressure into the spin out abrupt stop button, the distance of 100M.
- XINDALI B6200s Double speed 6 type, add 1 only lock button, the pressure from the spin out abrupt stop button, distance of 100M.
- XINDALI F621-E1B(CD series) Single speed 6 point type, an emergency switch, distance of 100M.
- XINDALI A4100(CD series) Single-speed 4 buttons, puls a point of action and self-locking buttons, stop button which can be pressure or spin, the distance 100M.


XDL19 Series

Out dimension diagram



Output interface & function

promotion and de motion motor		operating motor		big vehicle motor	
up	down	left(east)	right(west)	front(south)	back(north)



BLACK POWER 1

BROWN

ORANGE POWER 2

RED

COM(MAIN)

YELLOW MAIN(COM)

GREEN UP

BLUE DOWN


PURPLE EAST

GREY WEST

WHITE SOUTH

PINK NORTH

RO/START





XINDALI
— Since 1997 —



Industrial
Remote Control



Push Button




Indicator Lamp



Control Switch



Cable Gland



Electromagnetic
Switch

XINDALI INDUSTRIES CO., LTD.

📍 Sulv Industrial Zone, Liushi, Yueqing, Zhejiang, China

☎ 0086-577-62795533

✉ sales@xindali.com

