

DERSONN[®]
Lighting your life

150W

Diamond Series High Bay Light



Ultra Low Glare LED Panel Luminaire

The Diamond Series High Bay light boasts a hollow design for heat convection, high light efficiency, and flexible installation options that set it apart from other products on the market. With multiple installation methods available, it offers superior illumination to upgrade your space.

Product Specification

Model Name	Diamond Series High Bay light 150W
Net Power (Watts)	150W
Input Voltage	AC100-277V,50/60Hz
System Efficacy	150-200lm/W (Option)
Total Lumen Flux (Lm)	22500-30000lm (Option)
LED Brand	2835/3030 (Option)
CCT	3000K / 4000K / 5000K (Option)
Color Rendering Index(CRI)	> 70
Optic Options	60°/90°/120°
House color	Black
IP Rating	IP65
IK Rating	Ik09
Driver	Inventronics Sosen MeanWell option
Surge Protection	4KV
Power Factor	>0.95
DALI&0-10V &Intelligent	Yes (Option)
Wireless Control	Zigbee wireless, IoT devices control
Certificate	SAA RCM CE ROHS ENEC TUV UKCA
Warranty	5 years
Lamp Body Material	PC, Aluminum
Operating Temperature	-20°C ~ +45°C
Installation	Bracket style/Hoisting payment/lamp shade model
Dimensions(mm)	Φ300*150mm

Models (Sku Code Example)

DSDBL - 150W - 4K + F90

Model	Power	CCT	Beam	Add Ons
DSDBL	150W 150W Total Power	4K 4000K Pure	F90 90 ° Lens	NA NA Options Currently

Dimensions (Unit:mm)

