

**10W&16W**

# Flex 10 Strip light & Flex 16 Strip light

DSF2-10W



DSF2-16W



## Flex 10 Strip light & Flex 16 Strip light

Our LED Strip Light is designed with constant voltage, ensuring a stable and reliable performance. With a color rendering index (CRI) of over 80, it produces high-quality light that is perfect for illuminating any space. The 3M 300LSE adhesive backing ensures easy installation, allowing you to effortlessly brighten up any area of your home or workplace.

## Product Specification

| Model Name        | Flex 10 Strip light           | Flex 16 Strip light           |
|-------------------|-------------------------------|-------------------------------|
| Watts/M           | 9.6W/M                        | 16W/M                         |
| LED/M             | 120 LED/M                     | 238 LED/M                     |
| LED               | SMD2835                       |                               |
| LED Spacing       | 8.33mm                        | 4.2mm                         |
| LED Efficacy Lm/W | 110-130 lm/w                  | 130-150 lm/w                  |
| Topology          | Constant Voltage              |                               |
| LED LM80          | 50,000+ Hours (L70 TM-21 10K) | 60,000+ Hours (L70 TM-21 10K) |
| Operating Voltage | DC24V                         |                               |
| CRI               | 80+ CRI                       |                               |
| SDCM              | 4-SDCM                        |                               |
| CCT               | 2700K, 3000K, 4000K           |                               |
| IP Rating         | IP20                          |                               |
| Cut Length        | 50mm                          | 29.41mm                       |
| Copper Layer      | 2OZ                           | 3OZ                           |
| Adhesive          | 3M 300LSE                     |                               |
| Warranty          | 2 Years                       |                               |
| Dimensions(IP20)  | 5000mm X 8mm                  | 5000mm X10mm                  |

## Models (Sku Code Example)

| Model | Power  | IP   | CCT | Metres  |
|-------|--|------|-----|---------|
| DSF2  | 10W<br>10W Total Power<br><br>16W<br>16W Total Power | IP20 |     | 5M/Reel |

## Dimensions (Unit:mm)

