


**10W/12W/16W**

## Flex Pro series Strip Light


DSF3-10W



DSF3-12W



DSF3-16W



## Flex Pro Series Strip light

Our LED Strip Light is designed with constant voltage, ensuring a stable and reliable performance. With a color rendering index (CRI) of over 80, it produces high-quality light that is perfect for illuminating any space. The 3M 300LSE adhesive backing ensures easy installation, allowing you to effortlessly brighten up any area of your home or workplace.

## Product Specification

Model Name	Flex Pro 10 Strip light	Flex Pro 12 Strip light	Flex Pro 16 Strip light
Watts/M	10W/M	12W/M	16W/M
LED/M	120 LED/M	140 LED/M	160 LED/M
LED	SMD2835		
LED Spacing	8.33mm	7.14mm	6.25mm
LED Efficacy lm/w	130-150 lm/w	140-160 lm/w	140-160 lm/w
Topology	Constant Voltage + Constant Current Sub Circuits		
LED LM80	50,000+ Hours (L70 TM-21 10K)		
Operating Voltage	DC24V		
CRI	90+ CRI		
SDCM	4-SDCM		
CCT	2700K, 3000K, 4000K		
IP Rating	IP65		
Cut Length	50mm		
Copper Layer	2OZ	3OZ	
Adhesive	3M 300LSE		
Warranty	2 Years		
Dimensions(IP20)	5000mm X 10mm		

## Models (Sku Code Example)

Model	Power	IP	CCT	Metres
DSF3	<b>10W</b> 10W Total Power <b>12W</b> 12W Total Power <b>16W</b> 16W Total Power	IP 65 IP 68	<b>27K</b> (2700K) <b>3K</b> (3000K) <b>4K</b> (4000K)	5M/Reel

## Dimensions (Unit:mm)

