



8W/12W/15W/20W


MAGIC Rotated Series Downlight



Cutout:140mm



Cutout:95mm



Cutout:120mm



Cutout:75mm

MAGIC Rotated Series LED Downlight

Introducing our latest innovation in lighting technology – LED deep anti-glare downlights. This revolutionary product perfectly combines functionality and beauty, making it ideal for a variety of interior lighting needs. With the option to connect to a cellular network, this downlight offers a level of connectivity and control unmatched in the industry.

Product Specification

Model Name	MAGIC Rotated LED Downlight 8W 15-55D Adjustable	MAGIC Rotated LED Downlight 12W 15-55D Adjustable	MAGIC Rotated LED Downlight 15W 15-55D Adjustable	MAGIC Rotated LED Downlight 20W 15-55D Adjustable
Net Power (Watts)	8W	12W	15W	20W
Lamp Efficacy	Up to 100lm/W			
Total Lumen Flux (Lm)	Up to 800lm	Up to 1200lm	Up to 1500lm	Up to 2000lm
LED Brand	Cree		Bridgelux	
CCT	2700K/3000K/4000K(Option)			
CRI	80CRI/90CRI/98CRI			
Optic Options	15°-55° (angle adjustment)			
Reflector Options	White			
UGR	<19			
IP Rating	IP20			
Lifespan	50000hours			
Driver	HEP			
Input Voltage	AC100-240V 50-60HZ			
PF	0.9 Typical			
Non-dim or Dimmable	Option			
DALI&0-10V &Intelligent	Option			
Lamp Body Material	PC, Aluminum			
Operating Temperature	-20°C ~ +50°C			
Dimensions(mm)	φ85*54	φ110*64	φ140*71	φ160*80
CUT-OUT	φ75mm	φ95mm	φ120mm	φ140mm
Certificates	SAA, C-Tick, CE, RoHS			

Models (Sku Code Example)

DSM - D85 - D - W - 27K - F1555 - R

Model	Size	Driver	Colour	CCT	Beam Angle	Technology
DSM	D85 Trim diameter 85mm D110 Trim diameter 110mm D140 Trim diameter 140mm D160 Trim diameter 160mm	D Dimmable N Non-dimmable	W White trim	27K (2700K) 3K (3000K) 4K (4000K)	F1555 15°~ 55° adjustable	R Rotated S Standard

More examples

DSM-D85DW27KF1555-R

(85mm Diameter Trim/Dimmable / White Trim/ 2700K / 15-55D adjustable / Roatated)

DSM-D160NW4KF1555-R

(160mm Diameter Trim/Non-Dimmable / White Trim/ 4000K / 15-55D Adjustable / Roatated)

Dimensions (Unit:mm)

