3BSC950192R1 1/3



PRODUCT-DETAILS

## 3BSC950192R1

## TK850V007 CEX-Bus Extension Cable



General Information		
Product ID	3BSC950192R1	
ABB Type Designation	TK850V007	
Catalog Description	TK850V007 CEX-Bus Extension Cable	
Long Description	Length 0,7 m Use of TK850V007 needs TK851 as CEX-bus terminator.	

# Additional Information Medium Description Length 0,7 m Use of TK850V007 needs TK851 as CEX-bus terminator. Product Type Prefabricated\_Cable

Ordering	
HS Code	854442 Insulated (including enamelled or anodised) wire, cable
	(including co-axial cable) and other insulated electric conductors, whether
	or not fitted with connectors; optical fibre cables, made up of individually
	sheathed fibres, whether or not assembled with electric conductors or
	fitted with connectors Other electric conductors, for a voltage not
	exceeding 1,000 V Fitted with connectors

3BSC950192R1 2/3

**Customs Tariff Number** 85444210

Dimensions	
Product Net Depth / Length	700 mm
Product Net Height	6 mm
Product Net Width	13 mm
Product Net Weight	0.2 kg
Cable Length	0,7 m

#### **Environmental**

RoHS Status	No declaration needed
WEEE Category	Product Not in WEEE Scope

### **Categories**

Control System Products  $\rightarrow$  Control & Communication  $\rightarrow$  AC 800M  $\rightarrow$  AC 800M - Accessories  $\rightarrow$  TK850V007 CEX-Bus Extension Cable

Control Systems  $\rightarrow$  800xA  $\rightarrow$  Controllers  $\rightarrow$  AC 800M Hardware  $\rightarrow$  AC 800M Hardware 4.0  $\rightarrow$  Prefabricated Cables

Control Systems  $ightarrow 800 \text{xA} 
ightarrow \text{Controllers} 
ightarrow \text{AC } 800 \text{M} \ \text{Hardware} 
ightarrow \text{AC } 800 \text{M} \ \text{Hardware} \ 4.1 
ightarrow \text{Prefabricated Cables}$ 

Control Systems  $\rightarrow$  800xA  $\rightarrow$  Controllers  $\rightarrow$  AC 800M Hardware  $\rightarrow$  AC 800M Hardware 5.0  $\rightarrow$  Prefabricated Cables

Control Systems  $\rightarrow$  800xA  $\rightarrow$  Controllers  $\rightarrow$  AC 800M Hardware  $\rightarrow$  AC 800M Hardware 5.1  $\rightarrow$  Prefabricated Cables

 $Control \ System \rightarrow 800xA \rightarrow System \rightarrow 800xA \ System \rightarrow 800xA \ 6.0 \ System \rightarrow Prefabricated \ Cables$ 

 $\texttt{Control Systems} \rightarrow \texttt{Compact Product Suite} \rightarrow \texttt{Controllers} \rightarrow \texttt{AC 800M} \rightarrow \texttt{AC 800M} \ 4.1 \rightarrow \texttt{Prefabricated Cables}$ 

 ${\sf Control \ Systems \to Compact \ Product \ Suite \to Controllers \to AC \ 800M \to AC \ 800M \ 5.0 \to Prefabricated \ Cables}$ 

 $\textbf{Control Systems} \rightarrow \textbf{Compact Product Suite} \rightarrow \textbf{Controllers} \rightarrow \textbf{AC 800M} \rightarrow \textbf{AC 800M} \rightarrow \textbf{AC 800M} \rightarrow \textbf{Prefabricated Cables}$ 

 ${\sf Control \, Systems \to Compact \, Product \, Suite \to Controllers \to AC \, 800M \to AC \, 800M \, 6.0 \to Prefabricated \, Cables}$ 

Control Systems ightarrow 800xA ightarrow Controllers ightarrow AC 800M Hardware ightarrow AC 800M Hardware 4.1 ightarrow Prefabricated Cables

Control Systems  $\rightarrow$  800xA  $\rightarrow$  Controllers  $\rightarrow$  AC 800M Hardware  $\rightarrow$  AC 800M Hardware 5.0  $\rightarrow$  Prefabricated Cables

Control Systems  $\rightarrow$  800xA  $\rightarrow$  Controllers  $\rightarrow$  AC 800M Hardware  $\rightarrow$  AC 800M Hardware 5.1  $\rightarrow$  Prefabricated Cables

 $\texttt{Control Systems} \rightarrow \texttt{Compact Product Suite} \rightarrow \texttt{Controllers} \rightarrow \texttt{AC 800M} \rightarrow \texttt{AC 800M} + \texttt{A.1} \rightarrow \texttt{Prefabricated Cables}$ 

 ${\sf Control \ Systems \to Compact \ Product \ Suite \to Controllers \to AC \ 800M \to AC \ 800M \ 5.0 \to Prefabricated \ Cables}$ 

 $Control \ Systems \rightarrow Compact \ Product \ Suite \rightarrow Controllers \rightarrow AC\ 800M \rightarrow AC\ 800M \ 5.1 \rightarrow Prefabricated \ Cables$ 

3BSC950192R1 3/3

