3BSC950193R1 1/3



PRODUCT-DETAILS

### 3BSC950193R1

## TB850 CEX-Bus Terminator



General Information	
Product ID	3BSC950193R1
ABB Type Designation	TB850
Catalog Description	TB850 CEX-Bus Terminator
Long Description	With 25-pin DB25P male connector. With screw fixing. A TB850 CEX-Bus terminator must always be installed on the last unit on the CEX bus.

Additional Information		
Medium Description	With 25-pin DB25P male connector. With screw fixing. A TB850 CEX-Bus terminator must always be installed on the last unit on the CEX bus.	
Product Type	Prefabricated_Cable	

#### **Ordering**

HS Code

853690-- Electrical apparatus for switching or protecting electrical circuits, or for making connections to or in electrical circuits (for example, switches, relays, fuses, surge suppressors, plugs, sockets, lamp-holders and other connectors, junction boxes), for a voltage not exceeding 1,000 volts; connectors for optical fibres, optical fibre bundles or cables.- Other

3BSC950193R1 2/3

	apparatus
Customs Tariff Number	85369095

Dimensions		
Product Net Depth / Length	55 mm	
Product Net Height	16 mm	
Product Net Width	50 mm	
Product Net Weight	0.04 kg	
Cable Length	0 m	

# Environmental RoHS Status No declaration needed WEEE Category Product Not in WEEE Scope

#### **Categories**

```
Control System Products \rightarrow Control & Communication \rightarrow AC 800M \rightarrow AC 800M - Accessories \rightarrow TB850 CEX-Bus Terminator
Control \ Systems \rightarrow 800 xA \rightarrow Controllers \rightarrow AC\ 800 M\ Control \ Software \rightarrow AC\ 800 M\ Control \ Software \ 4.0 \rightarrow Prefabricated \ Cables
Control Systems \rightarrow 800xA \rightarrow Controllers \rightarrow AC 800M Hardware \rightarrow AC 800M Hardware 4.0 \rightarrow Prefabricated Cables
Control Systems 
ightarrow 800xA 
ightarrow Controllers 
ightarrow AC 800M Hardware 
ightarrow AC 800M Hardware 4.1 
ightarrow Prefabricated Cables
Control Systems \rightarrow 800xA \rightarrow Controllers \rightarrow AC 800M Hardware \rightarrow AC 800M Hardware 5.0 \rightarrow Prefabricated Cables
Control Systems \rightarrow 800xA \rightarrow Controllers \rightarrow AC 800M Hardware \rightarrow AC 800M Hardware 5.1 \rightarrow Prefabricated Cables
\texttt{Control System} \rightarrow \texttt{800xA} \rightarrow \texttt{System} \rightarrow \texttt{800xA System} \rightarrow \texttt{800xA 6.0 System} \rightarrow \texttt{Prefabricated Cables}
Control Systems \rightarrow Compact Product Suite \rightarrow Controllers \rightarrow AC 800M \rightarrow AC 800M 4.1 \rightarrow Prefabricated Cables
Control Systems \rightarrow Compact Product Suite \rightarrow Controllers \rightarrow AC 800M \rightarrow AC 800M 5.0 \rightarrow Prefabricated Cables
Control Systems \rightarrow Compact Product Suite \rightarrow Controllers \rightarrow AC 800M \rightarrow AC 800M 5.1 \rightarrow Prefabricated Cables
Control Systems \rightarrow Compact Product Suite \rightarrow Controllers \rightarrow AC 800M \rightarrow AC 800M 6.0 \rightarrow Prefabricated Cables
\texttt{Control Systems} \rightarrow 800 \texttt{xA} \rightarrow \texttt{Controllers} \rightarrow \texttt{AC 800M Hardware} \rightarrow \texttt{AC 800M Hardware} \ 4.1 \rightarrow \texttt{Prefabricated Cables}
Control Systems \rightarrow 800xA \rightarrow Controllers \rightarrow AC 800M Hardware \rightarrow AC 800M Hardware 5.0 \rightarrow Prefabricated Cables
Control Systems \rightarrow 800xA \rightarrow Controllers \rightarrow AC 800M Hardware \rightarrow AC 800M Hardware 5.1 \rightarrow Prefabricated Cables
Control Systems \rightarrow Compact Product Suite \rightarrow Controllers \rightarrow AC 800M \rightarrow AC 800M 4.1 \rightarrow Prefabricated Cables
Control Systems \rightarrow Compact Product Suite \rightarrow Controllers \rightarrow AC 800M \rightarrow AC 800M 5.0 \rightarrow Prefabricated Cables
{\sf Control \, Systems \rightarrow Compact \, Product \, Suite \rightarrow Controllers \rightarrow AC \, 800M \rightarrow AC \, 800M \, 5.1 \rightarrow Prefabricated \, Cables}
```

3BSC950193R1 3/3

