



PRODUCT-DETAILS

3BSE031151R1

PM865K01 Processor Unit HI



General Information	
Product ID	3BSE031151R1
ABB Type Designation	PM865K01
Catalog Description	PM865K01 Processor Unit HI
Long Description	High integrity, certified for SIL3. Requires configuration according to Safety Manual. Local organizations must comply with the Qualifications to secure successful sales of ABB safety systems, to order safety equipment.96MHz and 32MB.Package including:- PM865, Safety CPU- TP830, Baseplate- TB850, CEX-bus terminator- TB807, ModuleBus terminator- TB852, RCU-Link terminator- Battery for memory backup (4943013-6)- No license included.Note! This part is not RoHS 2 2011/65/EU compliant. This is a spare part for systems placed on the market before July 22, 2017 and may only be ordered for repair, reuse, updating of functionalities or upgrading of capacity. For new installations, please order PM867K01 instead."

Additional Information	
Medium Description	High integrity, certified for SIL3. Requires configuration according to Safety Manual. Local organizations must comply with the Qualifications to secure successful sales of ABB safety systems, to order safety equipment.96MHz and 32MB.Package including:- PM865, Safety CPU- TP830, Baseplate- TB850, CEX-bus terminator- TB807, ModuleBus terminator- TB852, RCU-Link terminator- Battery for memory backup

(4943013-6)- No license included.Note! This part is not RoHS 2 2011/65/EU compliant. This is a spare part for systems placed on the market before July 22, 2017 and may only be ordered for repair, reuse, updating of functionalities or upgrading of capacity. For new installations, please order PM867K01 instead."

Product Type	Central_Unit
--------------	--------------

Ordering

HS Code	853710-- Boards, panels, consoles, desks, cabinets and other bases, equipped with two or more apparatus of heading 85.35 or 85.36, for electric control or the distribution of electricity, including those incorporating instruments or apparatus of Chapter 90, and numerical control apparatus, other than switching apparatus of heading 85.17.- For a voltage not exceeding 1,000 V
Customs Tariff Number	85371091

Dimensions

Product Net Depth / Length	135 mm
Product Net Height	186 mm
Product Net Width	119 mm
Product Net Weight	1.2 kg

External Classifications and Standards

Dangerous Goods UN Classification	Class 9: Miscellaneous Dangerous Substances and Articles, Including Environmentally Hazardous Substances
Dangerous Goods UN Number	UN3091-PI969

Environmental

RoHS Status	Not RoHs Compliant
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
Number of Batteries	1
Battery Chemical Composition	Lithium
Battery Type	Portable
Battery Weight	9 g
SCIP	159186b8-1923-4758-909b-dc5acb592343 Sweden

Categories

- Control System Products → Control & Communication → AC 800M → AC 800M - High Integrity → PM865 Processor Units → PM865K01 Processor Unit HI
- Control Systems → 800xA → Controllers → AC 800M Control Software → AC 800M Control Software 4.0 → Central Units
- Control Systems → 800xA → Controllers → AC 800M Hardware → AC 800M Hardware 4.0 → Central Units
- Control Systems → 800xA → Controllers → AC 800M Hardware → AC 800M Hardware 4.1 → Central Units
- Control Systems → 800xA → Controllers → AC 800M Hardware → AC 800M Hardware 5.0 → Central Units
- Control Systems → 800xA → Controllers → AC 800M Hardware → AC 800M Hardware 5.1 → Central Units
- Control Systems → 800xA → System → 800xA System → 800xA 6.0 System → Central Units
- Control Systems → 800xA → Controllers → AC 800M Hardware → AC 800M Hardware 4.1 → Central Units
- Control Systems → 800xA → Controllers → AC 800M Hardware → AC 800M Hardware 5.0 → Central Units
- Control Systems → 800xA → Controllers → AC 800M Hardware → AC 800M Hardware 5.1 → Central Units
- Control Systems → Compact Product Suite → Controllers → AC 800M → AC 800M 4.1 → Central Units
- Control Systems → Compact Product Suite → Controllers → AC 800M → AC 800M 5.0 → Central Units
- Control Systems → Compact Product Suite → Controllers → AC 800M → AC 800M 5.1 → Central Units

