

Category: POM

# IRONtong



IRON DEXTRAN INJECTION 10%

#### COMPOSITION

Each ml contains iron dextran 100mg.

#### INDICATION

Prevention and treatment of iron deficiency anaemia in calves.

#### DOSAGE AND ADMINISTRATIONS

Only by deep intramuscular injection.

Calves: 4-12ml in the first week after birth. Repeat the dose at 4-6 weeks of age.

#### SIDE EFFECTS

Muscle tissue is coloured temporarily by this preparation.

Leaking of injection fluid can cause a persistent discoloration of skin.

#### PRECAUTION

1. Not to be used in animals with serious impairment of hepatorenal function.
2. Intramuscular injection can cause local pain, so deep intramuscular injection should be applied.
3. Pay attention to avoid freeze, precipitation may occur after long-term storage.
4. Excessive injection can easily lead to poisoning, so the dose should be strictly controlled.
5. Mixing of iron dextran injection with other preparations should be avoided, so as not to impair its stability, efficacy and tolerability.

#### WITHDRAWAL PERIOD

Nil.

#### PRESENTATION

Available in 10ml, 50 ml and 100 ml bottle.

#### STORAGE

Store in a cool and dry place below 30°C, protect from light.

#### VALIDITY

3 years.

#### MANUFACTURED BY

Chongqing Fangtong Animal Pharmaceutical Co., Ltd  
No. 80, East Part of Changzhou Road, Rongchang, Chongqing, China



FOR VETERINARY USE ONLY  
KEEP OUT OF REACH OF CHILDREN

EDITION NO. :2111IRON VERIFY DATE: SINCE NOV.,2021



78×130mm