

Thanks for choosing our products, in order to protect your consumption right and personal safety, please read this instruction carefully before uses and keep this as the future reference.

Attention:

- Before installing the luminaire, please check whether the rated voltage of the luminaire is consistent with the voltage of the wiring power supply to avoid damage to the luminaire due to voltage inconsistency.
- Touching these parts without disconnecting the power supply may cause an electric shock. So, installation must be done by professional electrician.
- Please ensure the power has been cut off before installation, in order to prevent the electric shock, make sure the power supply that can't be resumed by anybody before the job done.
- Keep the surface of the lamp housing and transparent parts clean to ensure good light transmission.
- Plastic materials are used in some parts of the spotlight. Applying organic solvents (such as benzene), or other chemicals for cleaning may cause deformation or discolouration. Clean the device gently, using a soft dry cloth.
- Each fixing screw must be tightened when installing.
- The cable entry line should be fixed and prevented from pulling the wire and damaging the lamp.
- Avoid collision with hard objects to avoid scratches.
- Do not spray or pour water on the unit, this may cause an electric shock.
- Do not install the unit in locations subject to high and/or low temperatures (this may damage the LED lamp).
- The maintenance should be done by the professional. The luminaire must be grounded reliably and non-professionals must not disassemble the luminaire.
- The front-end power supply must be cut off during installation. The power supply must be cut off when repairing or replacing parts.
- The defective ballast could not be treated as the normal rubbish and should be returned and make use of the normal parts.
- Regarding the repair of the equipment contact Technical Support.



Our official website: www.fitlight-tech.com



Dongguan Fitlight Lighting Co., Ltd.

Alibaba Store: <https://fitlight.en.alibaba.com>

Dongguan Fitlight Lighting Co., Ltd.

Add: 10th floor, building C1, Songhu Zhigu building, No. 9, Yanhe South Road, Liaobu Town, Dongguan City, Guangdong Province, China.

Email : liu@fitlight-tech.com URL: www.fitlight-tech.com / <https://fitlight.en.alibaba.com>



OEM/ODM

Professional Lighting Product Manufacturer

- 1. 14+ Years of Industry Leadership
- 2. Full Customization (OEM/ODM)
- 3. Certified Excellence: Globally recognized certifications (CE, RoHS, SAA, etc.)
- 4. Energy-Efficient & Sustainable Solutions
- 5. Competitive Pricing & Fast Turnaround
- 6. Dedicated R&D & Continuous Innovation

14⁺

Production experience

3000⁺

Factory space

50⁺

Patent certificate

100⁺

Projects

10000⁺

Daily output value

100⁺

Service country

**CE****CB**


Dongguan Fitlight Lighting Co.,Ltd.

Add: 10th floor, building C1, Songhu Zhigu building, No. 9, Yanhe South Road, Liaobu Town,
Dongguan City, Guangdong Province, China.

Email : liu@fitlight-tech.com URL: www.fitlight-tech.com / <https://fitlight.en.alibaba.com>

Features and Benefits

- Light source: SMD Chip
- Long LED life: More than 50,000 hours
- Low heat, less than 60°C
- No UV or IR light radiation
- No mercury or other inorganic
- Homogeneous flood illumination
- Machined aluminum heat fins with excellent thermal efficiencies
- The LED down light is available in the following white color temperatures:
2700/3000/3500/4000/5000/6000K
- 3-5 years limited warranty
- Works with worldwide lighting systems
AC200-240V/AC110V



Typical Applications

- Retail spaces: Clothing stores, cosmetic shops, jewelry boutiques, mall showrooms
- Hospitality projects: Hotel lobbies, guest rooms, restaurants, cafes, villas
- Offices & exhibition: Office rooms, galleries, museums, exhibition halls
- Home decoration: No-main-light design apartments, real estate fitting projects
- Sales channels: Cross-border e-commerce, offline lighting retail stores, wholesale distribution

Suitable buyers: Lighting brand owners, bulk wholesalers, engineering distributors, trading companies, Amazon & independent site sellers, small trial order purchasers.



Dongguan Fitlight Lighting Co.,Ltd.

Add: 10th floor, building C1, Songhu Zhigu building, No. 9, Yanhe South Road, Liaobu Town, Dongguan City, Guangdong Province, China.

Email : liu@fitlight-tech.com URL: www.fitlight-tech.com / <https://fitlight.en.alibaba.com>

PRODUCT SPECIFICATIONS

LAMP TYPE	Square Style SMD Chip Recessed LED Downlight
LIGHT SOURCE	SMD bridgelux chip
Driver	Osram / Tridonic/ LIFUD (Other driver brands can also choose from)
Input voltage (volts)	AC 200-240V/AC110V
Power	9W /12W /15W / 18W / 20W / 25W / 30W / 35W / 2*9W / 2*12W
BEAM ANGLE	120° ±3°
RENDERING INDEX (Ra)	>80Ra or 90Ra
Material Quality	Aluminum
Color Temperature	Warm White(2700K/3000K/3500K) / Natural White(4000K) / Cool white(5000K/6000K)
Efficiency	80lm/W
HEATSINK	Machined pure aluminum with anodize finish
Installation	Recessed/Embedded
BASE TYPE	External Driver
Key Feature 1	Square recessed downlight with SMD LED chips
Key Feature 2	SMD chip square embedded ceiling downlight
Certification	CE/EMC/LVD/ROHS/SAA(Whole lamp);Driver(CE/EMC/LVD/ROHS/CB/SAA/UL)

ENVIRONMENTAL SPECIFICATIONS

TEMPERATURE RANGE	Ambient: -20°C to 40°C; Surface of Lamp: 60°C to 70°C
HUMIDITY RANGE	0 to 95% non-condensing humidity

PRODUCT CODE: FT-DLT08-X₁/X₂

X1: Power

X2: LED chip(bridgelux)

Caution:

- WARNING-Risk of fire or electric shock. LED Down light installation requires knowledge of luminaires electrical systems.
- If not qualified, do not attempt installation. Contact a qualified electrician.
- WARNING-To prevent wiring damage or abrasion, do not expose wiring to edges of sheet ; metal or other sharp objects.

Dongguan Fitlight Lighting Co.,Ltd.

Add: 10th floor, building C1, Songhu Zhigu building, No. 9, Yanhe South Road, Liaobu Town, Dongguan City, Guangdong Province, China.

Email : liu@fitlight-tech.com URL: www.fitlight-tech.com / <https://fitlight.en.alibaba.com>

FEITL

14+ YEARS Lighting Manufacturer

OEM /ODM

Square recessed
downlight

Bridgelux chip, CRI > 90


5-year warranty



Dongguan Fitlight Lighting Co.,Ltd.


Add: 10th floor, building C1, Songhu Zhigu building, No. 9, Yanhe South Road, Liaobu Town, Dongguan City, Guangdong Province, China.

Email : liu@fitlight-tech.com URL: www.fitlight-tech.com / <https://fitlight.en.alibaba.com>




1.0=92.03lm/wn

CRI90



1.0=98.49lm/wn

CRI97



1.0=111.97lm/wn

Sunlight

CCT option








2700K

3000K

3500K

4000K

5000K

6000K




Material Brand Cooperation

COB brand





OSRAM

CREE

Bridgelux

Other brands are also available

Power brand






Lifud

Tridonic

NOVBO

Boke

Five-year warranty, no flicker PF>0.9

Dongguan Fitlight Lighting Co.,Ltd.

Add: 10th floor, building C1, Songhu Zhigu building, No. 9, Yanhe South Road, Liaobu Town, Dongguan City, Guangdong Province, China.

Email : liu@fitlight-tech.com URL: www.fitlight-tech.com / <https://fitlight.en.alibaba.com>



Square Recessed Downlight with SMD Chips



MODEL	POWER	CUTOUT	SIZE(mm)	CRI	COLOR TEMPERATURE	WORKING VOLTAGE
FT-DLTO8-9W	9W	75*75mm	100*100*43mm	≥90	2700K 3000K 3500K 4000K 5000K 6000K	AC 200-240V or AC 100-240V
FT-DLTO8-2*9W	2*9W	160*75mm	183*100*43 mm			
FT-DLTO8-12W	12W	90*90mm	120*120*43mm			
FT-DLTO8-2*12W	2*12W	195*90mm	220*120*43 mm			
FT-DLTO8-12W	12W	120*120mm	150*150*45mm			
FT-DLTO8-15W	15W	120*120mm	150*150*45mm			
FT-DLTO8-18W	18W	140*140mm	175*175*50mm			
FT-DLTO8-20W	20W	160*160mm	197*197*50mm			
FT-DLTO8-25W	25W	160*160mm	197*197*50mm			
FT-DLTO8-30W	30W	190*190mm	230*230*55mm			
FT-DLTO8-35W	35W	190*190mm	230*230*55mm			





















Dongguan Fitlight Lighting Co.,Ltd.

Add: 10th floor, building C1, Songhu Zhigu building, No. 9, Yanhe South Road, Liaobu Town, Dongguan City, Guangdong Province, China.

Email : liu@fitlight-tech.com URL: www.fitlight-tech.com / <https://fitlight.en.alibaba.com>

PRODUCT SIZE

8 different body sizes are available

2.5-inch, 3.5-inch, 4-inch, 5-inch, 6-inch, 8-inch



Dongguan Fitlight Lighting Co.,Ltd.

Add: 10th floor, building C1, Songhu Zhigu building, No. 9, Yanhe South Road, Liaobu Town, Dongguan City, Guangdong Province, China.

Email : liu@fitlight-tech.com URL: www.fitlight-tech.com / <https://fitlight.en.alibaba.com>

Single-Head/Double-Head Optional

Meet various application requirements

Classic black and white colors are available



Dongguan Fitlight Lighting Co.,Ltd.

Add: 10th floor, building C1, Songhu Zhigu building, No. 9, Yanhe South Road, Liaobu Town, Dongguan City, Guangdong Province, China.

Email : liu@fitlight-tech.com URL: www.fitlight-tech.com / <https://fitlight.en.alibaba.com>




Dongguan Fitlight Lighting Co.,Ltd.

Add: 10th floor, building C1, Songhu Zhigu building, No. 9, Yanhe South Road, Liaobu Town, Dongguan City, Guangdong Province, China.

Email : liu@fitlight-tech.com URL: www.fitlight-tech.com / <https://fitlight.en.alibaba.com>

Bridgelux High-Brightness LED Chip
Upgraded Light-Transmitting PMMA Diffuser Plate



Dongguan Fitlight Lighting Co.,Ltd.

Add: 10th floor, building C1, Songhu Zhigu building, No. 9, Yanhe South Road, Liaobu Town, Dongguan City, Guangdong Province, China.


Email : liu@fitlight-tech.com URL: www.fitlight-tech.com / <https://fitlight.en.alibaba.com>

Multiple Color Temperatures Meet Different Needs

Same Space - Different Color Temperatures - Different Effects,
Choose the Appropriate Light Color According to Needs



3000K



4000K



6000K

Dongguan Fitlight Lighting Co.,Ltd.

Add: 10th floor, building C1, Songhu Zhigu building, No. 9, Yanhe South Road, Liaobu Town, Dongguan City, Guangdong Province, China.

Email : liu@fitlight-tech.com URL: www.fitlight-tech.com / <https://fitlight.en.alibaba.com>

The height of the lamp body is only 4.3CM

Easily adapt to various ceiling heights and enhance the sense of home space



Ultra-Thin Anti-Glare Downlight

VS

Ordinary Traditional Downlight



Dongguan Fitlight Lighting Co.,Ltd.

Add: 10th floor, building C1, Songhu Zhigu building, No. 9, Yanhe South Road, Liaobu Town, Dongguan City, Guangdong Province, China.


Email : liu@fitlight-tech.com URL: www.fitlight-tech.com / <https://fitlight.en.alibaba.com>



Dongguan Fitlight Lighting Co.,Ltd.

Add: 10th floor, building C1, Songhu Zhigu building, No. 9, Yanhe South Road, Liaobu Town, Dongguan City, Guangdong Province, China.

Email : liu@fitlight-tech.com URL: www.fitlight-tech.com / <https://fitlight.en.alibaba.com>





Dongguan Fitlight Lighting Co.,Ltd.

Add: 10th floor, building C1, Songhu Zhigu building, No. 9, Yanhe South Road, Liaobu Town, Dongguan City, Guangdong Province, China.

Email : liu@fitlight-tech.com URL: www.fitlight-tech.com / <https://fitlight.en.alibaba.com>

Full Aluminum Lamp Body, Real Materials Die-Cast Aluminum




Dongguan Fitlight Lighting Co.,Ltd.

Add: 10th floor, building C1, Songhu Zhigu building, No. 9, Yanhe South Road, Liaobu Town, Dongguan City, Guangdong Province, China.

Email : liu@fitlight-tech.com URL: www.fitlight-tech.com / <https://fitlight.en.alibaba.com>

Die-Cast Aluminum with High Thermal Conductivity, Efficient Heat Dissipation System

The all-aluminum lamp body is integrally formed, with stronger thermal conductivity and faster heat dissipation speed, ensuring the service life of the chip even when the lamp is on for a long time



Dongguan Fitlight Lighting Co.,Ltd.

Add: 10th floor, building C1, Songhu Zhigu building, No. 9, Yanhe South Road, Liaobu Town, Dongguan City, Guangdong Province, China.

Email : liu@fitlight-tech.com URL: www.fitlight-tech.com / <https://fitlight.en.alibaba.com>

DIMMABLE

Single color dimmable



TRIAC



0-10V




DALI

2700-6000K tunable



2.4G



TUYA
(Bluetooth WiFi ZIGBEE)




DALI DT8

Dongguan Fitlight Lighting Co.,Ltd.

Add: 10th floor, building C1, Songhu Zhigu building, No. 9, Yanhe South Road, Liaobu Town, Dongguan City, Guangdong Province, China.

Email : liu@fitlight-tech.com URL: www.fitlight-tech.com / <https://fitlight.en.alibaba.com>

Color-Temperature Tunable



Dongguan Fitlight Lighting Co.,Ltd.

Add: 10th floor, building C1, Songhu Zhigu building, No. 9, Yanhe South Road, Liaobu Town, Dongguan City, Guangdong Province, China.

Email : liu@fitlight-tech.com URL: www.fitlight-tech.com / <https://fitlight.en.alibaba.com>



Smart Dimming Function



Dongguan Fitlight Lighting Co.,Ltd.

Add: 10th floor, building C1, Songhu Zhigu building, No. 9, Yanhe South Road, Liaobu Town, Dongguan City, Guangdong Province, China.

Email : liu@fitlight-tech.com URL: www.fitlight-tech.com / <https://fitlight.en.alibaba.com>



**LED chip
customization**



**Driver
customization**



Dongguan Fitlight Lighting Co.,Ltd.

Add: 10th floor, building C1, Songhu Zhigu building, No. 9, Yanhe South Road, Liaobu Town, Dongguan City, Guangdong Province, China.

Email : liu@fitlight-tech.com URL: www.fitlight-tech.com / <https://fitlight.en.alibaba.com>

High Color Rendering Index

Realistic presentation of native colors



CRI (Ra) ≥ 90
High CRI

96

(R9)
Saturated Red

90

(R12)
Saturated Blue



CRI > 90

Restore original colors



CRI < 90

Dull colors

Dongguan Fitlight Lighting Co.,Ltd.


Add: 10th floor, building C1, Songhu Zhigu building, No. 9, Yanhe South Road, Liaobu Town, Dongguan City, Guangdong Province, China.

Email : liu@fitlight-tech.com URL: www.fitlight-tech.com / <https://fitlight.en.alibaba.com>

LIGHTING MANUFACTURING SERVICE

Reliable OEM & ODM Manufacturer · More Than Lamp Supplier

- 1. Optimized Optics Design**
High-quality anti-glare optical solution
- 2. Factory Direct Supply**
Original manufacturer without middleman
- 3. Flexible Order Volume**
Support small-batch & bulk project orders
- 4. Ample Raw-material Stock**
Well-prepared components for quick production
- 5. Strict Anti-glare Test**
UGR inspection for commercial indoor lighting
- 6. Custom Packaging Solution**
Neutral / Private-label packing options



- Send floor plan / CAD
- Free lighting simulation 24-48h
- Sample 3-5 days
- Mass production 10-18 days
- Installation guidance



CUSTOM
CRI · Ra80/90/95



CUSTOM
BEAM · 120°



CUSTOM
CCT · 2700-6000K



CUSTOM
TRIM · White / Black / RAL



CUSTOM
LOGO · Laser / Print



CUSTOM
PACKAGING · Retail / Bulk


CE / EMC / LVD / RoHS · SAA · ISO9001 Certified Factory · 5-year Warranty · MOQ 10 pcs

Dongguan Fitlight Lighting Co.,Ltd.

Add: 10th floor, building C1, Songhu Zhigu building, No. 9, Yanhe South Road, Liaobu Town, Dongguan City, Guangdong Province, China.

Email : liu@fitlight-tech.com URL: www.fitlight-tech.com / <https://fitlight.en.alibaba.com>

Worry-Free Installation, Simple and Convenient



Dongguan Fitlight Lighting Co.,Ltd.

Add: 10th floor, building C1, Songhu Zhigu building, No. 9, Yanhe South Road, Liaobu Town, Dongguan City, Guangdong Province, China.

Email : liu@fitlight-tech.com URL: www.fitlight-tech.com / <https://fitlight.en.alibaba.com>



Dongguan Fitlight Lighting Co.,Ltd.

Add: 10th floor, building C1, Songhu Zhigu building, No. 9, Yanhe South Road, Liaobu Town, Dongguan City, Guangdong Province, China.

Email : liu@fitlight-tech.com URL: www.fitlight-tech.com / <https://fitlight.en.alibaba.com>



Dongguan Fitlight Lighting Co.,Ltd.

Add: 10th floor, building C1, Songhu Zhigu building, No. 9, Yanhe South Road, Liaobu Town, Dongguan City, Guangdong Province, China.

Email : liu@fitlight-tech.com URL: www.fitlight-tech.com / <https://fitlight.en.alibaba.com>

Dongguan Fitlight Lighting Co., Ltd.

LED Commercial Lighting Source Factory | 14+ Years | OEM/ODM | CE RoHS SAA EMC LVD ISO9001

3,000+ sqm
Factory

200+
Workers

4 Lines
Assembly

10,000 pcs/d
Capacity

5-Year
Warranty



Company Building




Reception



Production Line 1



Production Line 2



IES Test



Integrating Sphere



Finished Warehouse



Aging Test



Showroom

Certified LED Commercial Lighting Manufacturer | Export Compliance for Global Buyers



CE



RoHS



EMC



LVD



SAA



ISO9001

LED Track Lights | Recessed Downlights | Surface Downlights | Linear Lights | Magnetic Lighting | Grille Lights

Dongguan Fitlight Lighting Co.,Ltd.

Add: 10th floor, building C1, Songhu Zhigu building, No. 9, Yanhe South Road, Liaobu Town, Dongguan City, Guangdong Province, China.

Email : liu@fitlight-tech.com URL: www.fitlight-tech.com / <https://fitlight.en.alibaba.com>

Dongguan Fitlight Lighting Co., Ltd.

Certification & Test Report Trust Image for LED Commercial Lighting Buyers

CE

RoHS

EMC

LVD

SAA

ISO9001



CF EMC



CE LVD



RoHS



SAA



ISO9001

Full Export Compliance Coverage for LED Track Lights, Downlights, Linear Lights and Magnetic Lighting Systems

Certified documents and original test reports support import, distribution, project bidding and market access.

5-Year Warranty

100% Final Insp

Aging Test

Quality Management System

Manufacturer	Daewoo Cable Korea, Laidan Cable, Ganshang Cable, Ganshang Cable
Address	Daewoo Cable Laying Co., Ltd. Room 1004, Building 1, Dongcheng Industrial Building, No. 9, Laidan Yantai South Road, Laidan Town, Ganshang City, Ganshang Province
Product Name	USD Drought
Model No.	FTGLK0000Y FTGLK0000Y FTGLK0000Y FTGLK0000Y
Model No.	FTGLK0000Y
Test Category	Part 1: Partial discharge measurement Part 2: Partial discharge measurement 2: Harvested samples
Test project	IC-4



Insulation casting marking

Date of Receipt sample

Date of Test

Date of Result

Remarks

2024-05-13

2024-05-13 to 2024-05-15

2024-05-25

Pass

The test results presented in this report relate only to the object tested. This report shall not be reproduced, carried or led, without the written approval of the issuing testing laboratory. This report will be valid except under specific testing of test results and the production of test results and application.

Prepared by
Daewoo NTEK Testing Service Co., Ltd.
Address: Room 1004, Building 1, Yantai South Road, Laidan Town, High-Tech Industrial
Development Zone, Dongcheng, Ganshang, China
Testing location: The same as above

IC-4 Test

Download IC-4 insulation safety

Approved by (signature):	1
Daniel Wu	
Date of issue:	Jan. 12, 2008
Contents:	N/A
Testing Laboratory:	Wuzhishan Certification Testing Center (Shanghai) Co., Ltd
Address:	1011 Building B, Baifu Plaza, No.46 Gonghe Industrial Road, Dongxue, Xixiang Subdistrict, Baocun District, Shenzhen, Guangdong, China
Testing location:	1011 Building B, Baifu Plaza, No.46 Gonghe Industrial Road, Dongxue, Xixiang Subdistrict, Baocun District, Shenzhen, Guangdong, China
Applicant's name:	Dongguan Jinghui Lighting Co., Ltd
Address:	Room 1004 Building 1, Jingshihui Industrial Building, No. 8, Lixue Avenue South Road, Lixue Town, Dongguan City, Guangdong Province
Test specification:	
Standard:	IEC 60528 1998-01/1 1999-04/2013 IEC 60598-1:2000
Test procedure:	IP Code Report
Non-standard test method:	
Test item description:	LED Down Light
Model/Test reference:	PT-MDL06-50W, PT-MDL06-85, PT-MDL06-7W, PT-MDL06-10W, PT-MDL06-15W, PT-MDL06-18W, PT-MDL06-20W, PT-MDL06-25W, PT-MDL06-30W, PT-MDL06-35W, PT-MDL06-40W, PT-MDL06-45W, PT-MDL06-55W, PT-MDL06-60W, PT-MDL06-65W, PT-MDL06-70W, PT-MDL06-75W, PT-MDL06-80W, PT-MDL06-85W, PT-MDL06-90W, PT-MDL06-100W, PT-MDL06-110W, PT-MDL06-120W, PT-MDL06-130W, PT-MDL06-140W, PT-MDL06-150W, PT-MDL06-160W, PT-MDL06-170W, PT-MDL06-180W, PT-MDL06-190W, PT-MDL06-200W, PT-MDL06-210W, PT-MDL06-220W, PT-MDL06-230W, PT-MDL06-240W, PT-MDL06-250W, PT-MDL06-260W, PT-MDL06-270W, PT-MDL06-280W, PT-MDL06-290W, PT-MDL06-300W, PT-MDL06-310W, PT-MDL06-320W, PT-MDL06-330W, PT-MDL06-340W, PT-MDL06-350W, PT-MDL06-360W, PT-MDL06-370W, PT-MDL06-380W, PT-MDL06-390W, PT-MDL06-400W, PT-MDL06-410W, PT-MDL06-420W, PT-MDL06-430W, PT-MDL06-440W, PT-MDL06-450W, PT-MDL06-460W, PT-MDL06-470W, PT-MDL06-480W, PT-MDL06-490W, PT-MDL06-500W, PT-MDL06-510W, PT-MDL06-520W, PT-MDL06-530W, PT-MDL06-540W, PT-MDL06-550W, PT-MDL06-560W, PT-MDL06-570W, PT-MDL06-580W, PT-MDL06-590W, PT-MDL06-600W, PT-MDL06-610W, PT-MDL06-620W, PT-MDL06-630W, PT-MDL06-640W, PT-MDL06-650W, PT-MDL06-660W, PT-MDL06-670W, PT-MDL06-680W, PT-MDL06-690W, PT-MDL06-700W, PT-MDL06-710W, PT-MDL06-720W, PT-MDL06-730W, PT-MDL06-740W, PT-MDL06-750W, PT-MDL06-760W, PT-MDL06-770W, PT-MDL06-780W, PT-MDL06-790W, PT-MDL06-800W, PT-MDL06-810W, PT-MDL06-820W, PT-MDL06-830W, PT-MDL06-840W, PT-MDL06-850W, PT-MDL06-860W, PT-MDL06-870W, PT-MDL06-880W, PT-MDL06-890W, PT-MDL06-900W, PT-MDL06-910W, PT-MDL06-920W, PT-MDL06-930W, PT-MDL06-940W, PT-MDL06-950W, PT-MDL06-960W, PT-MDL06-970W, PT-MDL06-980W, PT-MDL06-990W, PT-MDL06-1000W, PT-MDL06-1010W, PT-MDL06-1020W, PT-MDL06-1030W, PT-MDL06-1040W, PT-MDL06-1050W, PT-MDL06-1060W, PT-MDL06-1070W, PT-MDL06-1080W, PT-MDL06-1090W, PT-MDL06-1100W, PT-MDL06-1110W, PT-MDL06-1120W, PT-MDL06-1130W, PT-MDL06-1140W, PT-MDL06-1150W, PT-MDL06-1160W, PT-MDL06-1170W, PT-MDL06-1180W, PT-MDL06-1190W, PT-MDL06-1200W, PT-MDL06-1210W, PT-MDL06-1220W, PT-MDL06-1230W, PT-MDL06-1240W, PT-MDL06-1250W, PT-MDL06-1260W, PT-MDL06-1270W, PT-MDL06-1280W, PT-MDL06-1290W, PT-MDL06-1300W, PT-MDL06-1310W, PT-MDL06-1320W, PT-MDL06-1330W, PT-MDL06-1340W, PT-MDL06-1350W, PT-MDL06-1360W, PT-MDL06-1370W, PT-MDL06-1380W, PT-MDL06-1390W, PT-MDL06-1400W, PT-MDL06-1410W, PT-MDL06-1420W, PT-MDL06-1430W, PT-MDL06-1440W, PT-MDL06-1450W, PT-MDL06-1460W, PT-MDL06-1470W, PT-MDL06-1480W, PT-MDL06-1490W, PT-MDL06-1500W, PT-MDL06-1510W, PT-MDL06-1520W, PT-MDL06-1530W, PT-MDL06-1540W, PT-MDL06-1550W, PT-MDL06-1560W, PT-MDL06-1570W, PT-MDL06-1580W, PT-MDL06-1590W, PT-MDL06-1600W, PT-MDL06-1610W, PT-MDL06-1620W, PT-MDL06-1630W, PT-MDL06-1640W, PT-MDL06-1650W, PT-MDL06-1660W, PT-MDL06-1670W, PT-MDL06-1680W, PT-MDL06-1690W, PT-MDL06-1700W, PT-MDL06-1710W, PT-MDL06-1720W, PT-MDL06-1730W, PT-MDL06-1740W, PT-MDL06-1750W, PT-MDL06-1760W, PT-MDL06-1770W, PT-MDL06-1780W, PT-MDL06-1790W, PT-MDL06-1800W, PT-MDL06-1810W, PT-MDL06-1820W, PT-MDL06-1830W, PT-MDL06-1840W, PT-MDL06-1850W, PT-MDL06-1860W, PT-MDL06-1870W, PT-MDL06-1880W, PT-MDL06-1890W, PT-MDL06-1900W, PT-MDL06-1910W, PT-MDL06-1920W, PT-MDL06-1930W, PT-MDL06-1940W, PT-MDL06-1950W, PT-MDL06-1960W, PT-MDL06-1970W, PT-MDL06-1980W, PT-MDL06-1990W, PT-MDL06-2000W, PT-MDL06-2010W, PT-MDL06-2020W, PT-MDL06-2030W, PT-MDL06-2040W, PT-MDL06-2050W, PT-MDL06-2060W, PT-MDL06-2070W, PT-MDL06-2080W, PT-MDL06-2090W, PT-MDL06-2100W, PT-MDL06-2110W, PT-MDL06-2120W, PT-MDL06-2130W, PT-MDL06-2140W, PT-MDL06-2150W, PT-MDL06-2160W, PT-MDL06-2170W, PT-MDL06-2180W, PT-MDL06-2190W, PT-MDL06-2200W, PT-MDL06-2210W, PT-MDL06-2220W, PT-MDL06-2230W, PT-MDL06-2240W, PT-MDL06-2250W, PT-MDL06-2260W, PT-MDL06-2270W, PT-MDL06-2280W, PT-MDL06-2290W, PT-MDL06-2300W, PT-MDL06-2310W, PT-MDL06-2320W, PT-MDL06-2330W, PT-MDL06-2340W, PT-MDL06-2350W, PT-MDL06-2360W, PT-MDL06-2370W, PT-MDL06-2380W, PT-MDL06-2390W, PT-MDL06-2400W, PT-MDL06-2410W, PT-MDL06-2420W, PT-MDL06-2430W, PT-MDL06-2440W, PT-MDL06-2450W, PT-MDL06-2460W, PT-MDL06-2470W, PT-MDL06-2480W, PT-MDL06-2490W, PT-MDL06-2500W, PT-MDL06-2510W, PT-MDL06-2520W, PT-MDL06-2530W, PT-MDL06-2540W, PT-MDL06-2550W, PT-MDL06-2560W, PT-MDL06-2570W, PT-MDL06-2580W, PT-MDL06-2590W, PT-MDL06-2600W, PT-MDL06-2610W, PT-MDL06-2620W, PT-MDL06-2630W, PT-MDL06-2640W, PT-MDL06-2650W, PT-MDL06-2660W, PT-MDL06-2670W, PT-MDL06-2680W, PT-MDL06-2690W, PT-MDL06-2700W, PT-MDL06-2710W, PT-MDL06-2720W, PT-MDL06-2730W, PT-MDL06-2740W, PT-MDL06-2750W, PT-MDL06-2760W, PT-MDL06-2770W, PT-MDL06-2780W, PT-MDL06-2790W, PT-MDL06-2800W, PT-MDL06-2810W, PT-MDL06-2820W, PT-MDL06-2830W, PT-MDL06-2840W, PT-MDL06-2850W, PT-MDL06-2860W, PT-MDL06-2870W, PT-MDL06-2880W, PT-MDL06-2890W, PT-MDL06-2900W, PT-MDL06-2910W, PT-MDL06-2920W, PT-MDL06-2930W, PT-MDL06-2940W, PT-MDL06-2950W, PT-MDL06-2960W, PT-MDL06-2970W, PT-MDL06-2

	South Road, Lianhe Town, Dongguan City, Guangdong Province
Manufacturer:	Dongguan Fihight Lighting Co., Ltd.
Address:	Room 1004, Building 1, Songshuhyue Industrial Building, No. 9, Lianhe Yacht South Road, Lianhe Town, Dongguan City, Guangdong Province
Factory:	Dongguan Fihight Lighting Co., Ltd.
Address:	Room 1004, Building 1, Songshuhyue Industrial Building, No. 9, Lianhe Yacht South Road, Lianhe Town, Dongguan City, Guangdong Province
Product Name:	LED Down Light
Model:	FTHL001
Name:	FT-HCS-009
FT-HCS-12W, FT-HCS-15W, FT-HCS-18W, FT-HCS-20W, FT-HCS-24W, FT-HCS-30W, FT-HCS-36W, FT-HCS-40W, FT-HCS-48W, FT-HCS-60W, FT-MDLX-009, FT-MDLX-15W, FT-MDLX-18W, FT-MDLX-20W, FT-MDLX-24W, FT-MDLX-30W, FT-MDLX-36W, FT-MDLX-40W, FT-MDLX-48W, FT-MDLX-60W, FT-H050X-009, FT-H050X-15W, FT-H050X-18W, FT-H050X-20W, FT-H050X-24W, FT-H050X-30W, FT-H050X-36W, FT-H050X-40W, FT-H050X-48W, FT-H050X-60W, FT-DLTX-009, FT-DLTX-15W, FT-DLTX-18W, FT-DLTX-20W, FT-DLTX-24W, FT-DLTX-30W, FT-DLTX-36W, FT-DLTX-40W, FT-DLTX-48W	
series models:	
Rating	UL94 V-0 UL94 V-0 UL94 V-0
Standard	UL 94 Tests for Flammability of Plastic Materials for Parts in Devices and Appliances, December 20, 2013 including revision through April 30, 2015

CE EMC LVD RoHS SAA ISO9001 | IC-4 Test | IP65 Test | Fire Resistance Test | LED Lighting Certification

Factory-direct LED commercial lighting with certified quality, export compliance and reliable long-term supply.

Dongguan Fitlight Lighting Co.,Ltd.

Add: 10th floor, building C1, Songhu Zhigu building, No. 9, Yanhe South Road, Liaobu Town, Dongguan City, Guangdong Province, China.

Email : liu@fitlight-tech.com URL: www.fitlight-tech.com / <https://fitlight.en.alibaba.com>