




扫一扫关注唯杰精益



扫一扫关注抖音

东莞总部

地址:广东省东莞市大岭山镇石大路大岭山段609号

电话:(86)0769-81882709

Dongguan Headquarter

No. 609, Dalingshan Section, Shida Road, Dalingshan Town, Dongguan

City, Guangdong Province, China

Tel: (86) 0769-81882709

E-mail: info@wj-lean.com

<http://www.wj-lean.com>

<http://www.diy-life.com.cn>

Lean Tube System

唯杰自动化设备科技(东莞市)有限公司

WJ-LEAN TECHNOLOGY COMPANY LIMITED



COMPANY INTRODUCTION

公司介绍

唯杰自动化由创始人吴军先生于2013年创立，是一家专注于自动化设备、精益工装与DIY存储解决方案的研发、设计与制造企业。我们致力于为客户提供高品质、低成本、高灵活性的产品与服务，覆盖工业生产与家庭生活两大场景。

● 核心产品与服务

公司主营产品包括：DIY置物架系统、工业铝型材机架、精益管作业台、物流周转设备（周转车、推车、皮带输送线）以及低成本自动化（LCIA）解决方案。我们既助力电子、汽车等工厂实现精益化生产与自动化升级，也满足家庭、商铺等场景的个性化收纳需求。

● 独特优势

作为源头工厂，我们实现从原材料到成品的全程自主生产，确保品质可控与交期可靠。坚持厂家直销模式，省去中间环节，为客户提供极具竞争力的价格和直接的技术支持，实现真正的高性价比合作。

● 应用领域

产品广泛应用于电子、汽车、家电等制造行业的精益改善与自动化改造，同时也服务于家庭储物、车库整理、商铺展示等民用领域。

● 公司愿景

我们以“为工厂与家庭创造优质的精益改善服务”为使命，持续提供智能、灵活、经济的解决方案，努力成为值得信赖的自动化与精益伙伴，与客户共同提升效率、优化空间、创造价值。

Founded by Mr. Wu Jun in 2013, WJ-LEAN is a company dedicated to the research, design and manufacture of automation equipment, lean tooling and DIY storage solutions. We are committed to providing our customers with high-quality, low-cost, and highly flexible products and services, covering both industrial production and home life scenarios.

● Core Products and Services

The company 's main products include: DIY shelving systems, industrial aluminum profile racks, lean pipe workbenches, logistics turnover equipment (turnover carts, trolleys, belt conveyor lines) and low-cost automation (LCIA) solutions. We help factories such as electronics and automotive achieve lean production and automation upgrades, and also meet personalized storage needs in scenarios such as homes and shops.

● Unique Advantage

As the source factory, we achieve full autonomy in production from raw materials to finished products, ensuring controllable quality and reliable delivery times. We adhere to the factory direct sales model, eliminating middlemen and providing customers with highly competitive prices and direct technical support to achieve truly high cost performance cooperation.

● Application fields

Products are widely used in lean improvement and automation transformation in manufacturing industries such as electronics, automobiles, and home appliances, and also serve civilian fields such as home storage, garage organization, and shop display.

● Company Vision

Our mission is to "create quality lean improvement services for factories and homes", and we continue to provide intelligent, flexible and economical solutions, striving to be a trusted partner in automation and lean, working with our customers to enhance efficiency, optimize space and create value.

CONTENTS

φ=28MM	4
PIPES 复合管	4
METAL JOINT 五金接头	9
φ=28.6MM	20
PIPES 复合管	21
METAL JOINT 五金接头	25
PLASTIC JOINTS 塑胶接头	29
ROLLER TRACKS 滑轨	34
STEEL ROLLER PLACON 铁滑轨	35
ALUMINUM ROLLER PLACON 铝滑轨	41
MOUNTING BRACKETS 滑轨接头	44
ACCESSORIES 配件	56
CASTER 脚轮	57
ADJUST 脚杯及其附件	60
BUSHING NUT 铜套螺母	62
PLASTIC STRIP 塑胶条	64
METAL ACCESSORIES 五金配件	67
PLASTIC FOOT COVER 塑料脚套	73
CAP 封盖	73
OTHER ACCESSORIES 其他附件	74
BOLT AND NUT 螺丝螺母	75
APPLICATION 应用案例	76
TECHNICAL SPECIFICATIONS 技术参数	79

精益材料的专业提供者 ▶
Lean material professional supplier



DETAILED DESCRIPTION OF COATED PIPE $\Phi=28\text{MM}$
28MM 复合管详细说明



STANDARD COLOR OF COATED PIPE
复合管标准颜色



	IV:Ivory
	WH:White
	SB:Sky Blue
	DB:Dark Blue
	RE:Red
	GR:Green
	YE:Yellow
	BE:Beige
	LG:Light Gray
	DG:Dark Gray
	BK:Black
	EBK: ESD Black
	ESD GRAY
	ESD IVORY

NAMED OF
PRODUCT
品名

CP-28T	normal coated pipe
CP-28T-ESD	ESD coated pipe
SP-28T	slide pipe
SPS-28T	stainless steel pipe
PCP-28T	Powder coated pipe
FT-28T	flat pipe

T=0.7mm 0.8mm 1.0mm 1.2mm 1.5mm 2.0mm

※T=THICKNESS 厚度

07=T0.7
08=T0.8
10=T1.0
12=T1.2
15=T1.5
20=T2.0

※LENGTH 长度

- customizable

※CUSTOMIZABLE 可定制的

- color we can do it according customer sample, The MOQ is 1000PCS




- means accept any quantity



COATED PIPE(28MM)
28mm 复合管

Part Number	Dimension	Weight	Capacity	MOQ	Classification	Standard Length	Color	Photo
	(mm)	(g/meter)	(kg/m)	(pcs)		(mm)		
CP-2807	Φ28*0.7	505	45	◎	Coated Pipe	4000	IV WH SB DB RE GR YE BE LG BK	
CP-2808	Φ28*0.8	680	70	◎				
CP-2810	Φ28*1.0	700	100	◎				
CP-2812	Φ28*1.2	800	120	500				
CP-2815	Φ28*1.5	1000	150	1000				
CP-2820	Φ28*2.0	1300	200	500				
CP-2807ESD	Φ28*0.7	505	45	◎	Coated Pipe	4000	IV (ESD) EBK ESD Gray	
CP-2810ESD	Φ28*1.0	700	100	◎				
CP-2812ESD	Φ28*1.2	800	120	500				
CP-2815ESD	Φ28*1.5	1000	150	1000				
CP-2820ESD	Φ28*2.0	1300	200	500				
SP-2810	Φ28*1.0	770	100	750	Slide Pipe	4000	IV	
PCP-2810	Φ28*1.0	600		◎	Powder Coated Pipe (PCP)	4000	Any colour	
PCP-2820	Φ28*2.0	1300		◎		4000		
FT-2810	Φ28*1.0	790		◎	Flat Pipe	4000	IV	
SPS-2807	Φ28*0.7	500	40	500	SUS439 SUS201 SUS304	4000	Sliver	
SPS-2810	Φ28*1.0	670	90	500				
SPS-2812	Φ28*1.2	780	110	750				
AL-2810	Φ28*1.0	550			Aluminum pipe	4000	Sliver	
AL-2820	Φ28*2.0	1200						


FEATURES OF D-COAT PIPE



- 1. Steel pipe is coated with ABS. Then, the surface is coated again with the new material of PA ABS.
- 2. Compared to the conventional ABS coating pipe, D-Coat Pipe is outstanding in oil resistance and chemical resistance. In particular, salinity, rust preventative oil or cutting oil does not cause cracks or discoloration of the pipe.
- 3. This product comes in a variety of colors for use in various items or per company's image.
- 4. With outstanding durability, this pipe is easily processed. Rustproof coating inside the pipe provides superior corrosion resistance.



- 1. Environmental
 - ECO-pipe is fully recyclable.
 - Powder painted steel pipe of internal and external surface
- 2. Economical
 - 20% less than coated pipe
 - 35% less than ESD coated pipe
 - 30% less than stainless steel pipe



- 3. Colorful
 - Wider selection of colors and textures.
- 4. Chemical resistant
 - High resistant to oil, UV light, and corrosion.
- 5. Non-flammable
 - No emission of toxic fumes in fire.
- 6. Electrolytic Corrosion Free
 - Free of Electrolytic Corrosion.






COATED PIPE 复合管

THE ADVANTAGES OF STAINLESS PIPE

1. Environmental
 - Stainless pipe which is 100% recycable
2. High Strength & Durability
 - Surface resistant to light abrasion or contact with metal tools
3. High Oil & Chemical Resistance
 - High resistance to oil, solvents, bleaches, etc.
4. Non-Flammable
 - Inherently non-flammable.
5. Conductive
 - Inherently conductive

Stainless Pipe



METAL JOINTS 金属接头



※COLOR 颜色

	Black	BK
	Zinc	ZN
	Chrome	CN
	Nickel	NI

※MATERIAL 材料

- SPCC、SUS 304

※THICKNESS 厚度

- 2.5mm

※PRODUCT DETAILS 产品细节

can be punched and fixed Innovated Joint with Assembly help line the side pressing line of the hardware



Two-wire pressure root non-slip

※CUSTOMIZABLE 可定制的




- The position where you can type logo



- Can be changed to:
1.non-slip treatment, three rows of fine dots
2.the non-slip dots


28MM TUBE JOINT 28MM 管接头

W-1 COLOR: ● BK ● ZN ● CN ● NI




Weight:0.07kg
Qty/box:250pcs

W-1A COLOR: ● BK ● ZN ● CN ● NI




Weight:0.068kg
Qty/box:300pcs

W-2 COLOR: ● BK ● ZN ● CN ● NI




Weight:0.091kg
Qty/box:200pcs

W-3 COLOR: ● BK ● ZN ● CN ● NI



Weight:0.125kg
Qty/box:80pcs


W-3H COLOR: ● BK ● ZN ● CN ● NI



* Can be fixed on the lean tube
(可以夹在精益管上不滑落)


Weight:0.125kg
Qty/box:80pcs

W-4 COLOR: ● BK ● ZN ● CN ● NI




Weight:0.11kg
Qty/box:160pcs

W-4A COLOR: ● BK ● ZN ● CN ● NI




Weight:0.106kg
Qty/box:150pcs

W-4B COLOR: ● BK ● ZN ● CN ● NI




Weight:0.102kg
Qty/box:150pcs

W-5 COLOR: ● BK ● ZN ● CN ● NI



Weight:0.055kg
Qty/box:300pcs


W-6 COLOR: ● BK ● ZN ● CN ● NI



Weight:0.065kg
Qty/box:300pcs


28MM TUBE JOINT 28MM 管接头

W-6A COLOR: ● BK ● ZN ● CN ● NI




Weight:0.05kg
Qty/box:300pcs

W-7 COLOR: ● BK ● ZN ● CN ● NI




Weight:0.05kg
Qty/box:200pcs

W-7A COLOR: ● BK ● ZN ● CN ● NI




Weight:0.045kg
Qty/box:200pcs

W-8-30 COLOR: ● BK ● ZN ● CN ● NI




Weight:0.071kg
Qty/box:300pcs

W-8-45 COLOR: ● BK ● ZN ● CN ● NI




Weight:0.1kg
Qty/box:200pcs

W-8-60 COLOR: ● BK ● ZN ● CN ● NI




Weight:0.077kg
Qty/box:150pcs

W-9 COLOR: ● BK ● ZN ● CN ● NI




Weight:0.07kg
Qty/box:150pcs

W-9A COLOR: ● BK ● ZN ● CN ● NI




Weight:0.08kg
Qty/box:150pcs

W-10A COLOR: ● BK ● ZN ● CN ● NI



Weight:0.072kg
Qty/box:230pcs


W-10B COLOR: ● BK ● ZN ● CN ● NI



Weight:0.072kg
Qty/box:230pcs

28MM TUBE JOINT 28MM 管接头

W-11-90 COLOR: ● BK ● ZN ● CN ● NI




Weight:0.11kg
Qty/box:200pcs

W-11-110 COLOR: ● BK ● ZN ● CN ● NI



Weight:0.11kg
Qty/box:150pcs

W-11-160 COLOR: ● BK ● ZN ● CN ● NI




Weight:0.11kg
Qty/box:150pcs

W-11-180 COLOR: ● BK ● ZN ● CN ● NI



Weight:0.11kg
Qty/box:200pcs

W-12 COLOR: ● BK ● ZN ● CN ● NI




Weight:0.07kg
Qty/box:200pcs

W-13 COLOR: ● BK ● ZN ● CN ● NI



Weight:0.055kg
Qty/box:240pcs

W-13A COLOR: ● BK ● ZN ● CN ● NI



Weight:0.05kg
Qty/box:300pcs

W-13B COLOR: ● BK ● ZN ● CN ● NI




Weight:0.089kg
Qty/box:200pcs

W-13C COLOR: ● BK ● ZN ● CN ● NI



Weight:0.089kg
Qty/box:200pcs


W-14 COLOR: ● BK ● ZN ● CN ● NI



Weight:0.065kg
Qty/box:200pcs

28MM TUBE JOINT 28MM 管接头

W-15A COLOR: ● BK ● ZN ● CN ● NI




weight:0.045kg
Qty/box:360pcs

W-15B COLOR: ● BK ● ZN ● CN ● NI




Weight:0.055kg
Qty/box:360pcs

W-15B-L COLOR: ● BK ● ZN ● CN ● NI




weight:0.122kg
Qty/box:100pcs

W-15B-R COLOR: ● BK ● ZN ● CN ● NI



weight:0.122kg
Qty/box:100pcs

W-15B-L1 COLOR: ● BK ● ZN ● CN ● NI




weight:0.129kg
Qty/box:100pcs

W-15B-R1 COLOR: ● BK ● ZN ● CN ● NI




weight:0.129kg
Qty/box:100pcs

W-16 COLOR: ● BK ● ZN ● CN ● NI




Weight:0.15kg
Qty/box:150pcs

W-17 COLOR: ● BK ● ZN ● CN ● NI



Weight:0.065kg
Qty/box:300pcs

W-17H COLOR: ● BK ● ZN ● CN ● NI



Weight:0.065kg
Qty/box:300pcs

W-17A COLOR: ● BK ● ZN ● CN ● NI




Weight:0.045kg
Qty/box:200pcs

Only assembly with WJP-06A
(只准与WJP-06A配套使用)


28MM TUBE JOINT 28MM 管接头

W-18A COLOR: ● BK ● ZN ● CN ● NI




Weight:0.06kg
Qty/box:320pcs

W-18B COLOR: ● BK ● ZN ● CN ● NI




Weight:0.067kg
Qty/box:200pcs

W-19 COLOR: ● BK ● ZN ● CN ● NI




Weight:0.07kg
Qty/box:200pcs

W-20 COLOR: ● BK ● ZN ● CN ● NI




Weight:0.14kg
Qty/box:100pcs

W-21 COLOR: ● BK ● ZN ● CN ● NI




Weight:0.082kg
Qty/box:200pcs

W-22A COLOR: ● BK ● ZN ● CN ● NI




Weight:0.0475kg
Qty/box:200pcs

W-22B COLOR: ● BK ● ZN ● CN ● NI




Weight:0.046kg
Qty/box:250pcs

W-23 COLOR: ● BK ● ZN ● CN ● NI




Weight:0.0395kg
Qty/box:300pcs

W-24 COLOR: ● BK ● ZN ● CN ● NI



Weight:0.02kg
Qty/box:300pcs


W-25 COLOR: ● BK ● ZN ● CN ● NI



Weight:0.0665kg
Qty/box:300pcs


28MM TUBE JOINT 28MM 管接头

W-26A COLOR: ● BK ● ZN ● CN ● NI




Weight:0.06kg
Qty/box:200pcs

W-26B COLOR: ● BK ● ZN ● CN ● NI





Weight:0.049kg
Qty/box:200pcs





28MM TUBE JOINT 28MM 管接头

WJ-1 COLOR: ● BK ● ZN ● CN ● NI




W-1:2 pcs
M6*25:1 set

WJ-1A COLOR: ● BK ● ZN ● CN ● NI



W-1A:2 pcs
M6*25:1 set

WJ-2 COLOR: ● BK ● ZN ● CN ● NI




W-2:1 pcs W-3:1 pcs
M6*25:2set

WJ-3 COLOR: ● BK ● ZN ● CN ● NI




W-2:2pcs W-4:1 pcs
M6*25:3set

WJ-4 COLOR: ● BK ● ZN ● CN ● NI




W-4:2 pcs
M6*25:2set

WJ-5 COLOR: ● BK ● ZN ● CN ● NI





W-2:4pcs
M6*25:4 set

WJ-6 COLOR: ● BK ● ZN ● CN ● NI




W-7:2 pcs
M6*25:1set

WJ-6A COLOR: ● BK ● ZN ● CN ● NI



W-7A:2pcs
M6*25:1set

WJ-7 COLOR: ● BK ● ZN ● CN ● NI



W-5:2pcs W-6:2pcs
M6*28:1set M6*25:1set


WJ-7A COLOR: ● BK ● ZN ● CN ● NI



W-6:2pcs W-6A:2pcs
M6*28:2set M6*25:1set


28MM TUBE JOINT 28MM 管接头

WJ-8 COLOR: ● BK ● ZN ● CN ● NI



W-9:2pcs WJP-6:2pcs
M6*25:1set

WJ-9 COLOR: ● BK ● ZN ● CN ● NI




W-10A:1pcs W-10B:1pcs
M6*25:1set

WJ-10 COLOR: ● BK ● ZN ● CN ● NI




W-12:2pcs WJP-6:1 pcs
M6*25:1set

WJ-11 COLOR: ● BK ● ZN ● CN ● NI




W-13:2pcs
M6*25:1set

WJ-11A COLOR: ● BK ● ZN ● CN ● NI



W-13A:2pcs
M6*25:1set

WJ-12 COLOR: ● BK ● ZN ● CN ● NI





W-6:4 pcs W-14:2pcs
M6*25:2set M6*28:2set

WJ-13 COLOR: ● BK ● ZN ● CN ● NI





W-15A:1pcs W-15B:1pcs
M6*12:1set

WJ-14-30 COLOR: ● BK ● ZN ● CN ● NI





W-8-30:2pcs
M6*25:1set

WJ-14-45 COLOR: ● BK ● ZN ● CN ● NI



W-8-45:2pcs
M6*25:1set


WJ-14-60 COLOR: ● BK ● ZN ● CN ● NI



W-8-60:2pcs
M6*25:1set


28MM TUBE JOINT 28MM 管接头

WJ-15 COLOR: ● BK ● ZN ● CN ● NI




W-18A:2pcs
M6*25:1set

WJ-15A COLOR: ● BK ● ZN ● CN ● NI




W-18A:1 pcs W-18B:1pcs
M6*25:1set

WJ-16-90 COLOR: ● BK ● ZN ● CN ● NI




W-11-90:2pcs
M6*25:2set

WJ-16-110 COLOR: ● BK ● ZN ● CN ● NI





W-11-110:2 pcs
M6*25:2set

WJ-16-160 COLOR: ● BK ● ZN ● CN ● NI




W-11-160:2pcs
M6*25:2set

WJ-16-180 COLOR: ● BK ● ZN ● CN ● NI




W-11-180:2pcs
M6*25:1set

WJ-17 COLOR: ● BK ● ZN ● CN ● NI




W-17:2pcs
M6*25:1set

WJ-18 COLOR: ● BK ● ZN ● CN ● NI




W-19:2pcs
M6*25:1set

WJ-18A COLOR: ● BK ● ZN ● CN ● NI



W-19:1pcs W-1:1pcs
M6*25:1set


WJ-19 COLOR: ● BK ● ZN ● CN ● NI



W-20:2pcs
M6*25:1set


28MM TUBE JOINT 28MM 管接头

WJ-20 COLOR: ● BK ● ZN ● CN ● NI




W-25:2pcs
M6*25:1set

WJ-21 COLOR: ● BK ● ZN ● CN ● NI




W-21:2pcs
M6*25:1set

WJ-22 COLOR: ● BK ● ZN ● CN ● NI




W-22A:1pcs W-22B:1pcs
M6*25:1set

WJ-23 COLOR: ● BK ● ZN ● CN ● NI





W-9A:2 pcs WJP-6:1pcs
M6*25:1

WJ-24 COLOR: ● BK ● ZN ● CN ● NI




W-4B:2pcs WJP-6:1pcs
M6*25:2set

WJ-25 COLOR: ● BK ● ZN ● CN ● NI




W-4A:2pcs
M6*25:2set

WJ-26 COLOR: ● BK ● ZN ● CN ● NI



W-13B:2set
M6*25:1set

WJ-27 COLOR: ● BK ● ZN ● CN ● NI



W-13C:2pcs
M6*25:1set



DETAILED DESCRIPTION OF COATED PIPE Φ=28.6MM
28.3&28.6MM 复合管详细说明

NAMED OF PRODUCT
品名

STANDARD COLOR OF COATED PIPE
复合管标准颜色



	IV:Ivory
	WH:White
	SB:Sky Blue
	DB:Dark Blue
	RE:Red
	GR:Green
	YE:Yellow
	BE:Beige
	LG:Light Gray
	DG:Dark Gray
	BK:Black
	EBK: ESD Black
	ESD GRAY
	ESD IVORY

※T=THICKNESS 厚度

- 07=T0.7
- 08=T0.8
- 10=T1.0
- 12=T1.2
- 15=T1.5
- 20=T2.0

※LENGTH 长度

- customizable

※CUSTOMIZABLE 可定制的

- color, we can do it according customer sample, The MOQ is 1000PCS

※

- means accept any quantity

COATED PIPE(28.3MM) 28.3mm 复合管

Part Number	Dimension	Weight	Capacity	MOQ	Classification	Standard Length	Color	Photo
	(mm)	(g/meter)	(kg/m)	(pcs)		(mm)		
CP-2907	Φ28.3*0.7	495	40	◎	Coated Pipe	4000	IV WH SB DB RE GR YE BE LG BK	
CP-2910	Φ28.3*1.0	680	85	◎				
CP-2912	Φ28.3*1.2	785	105	500				
CP-2920	Φ28.3*2.0	1200	185	500				
CP-2907ESD	Φ28.3*0.7	505	45	◎	Coated Pipe	4000	IV (ESD) EBK ESD Gray	
CP-2910ESD	Φ28.3*1.0	700	100	◎				
CP-2912ESD	Φ28.3*1.2	800	120	500				
CP-2920ESD	Φ28.3*2.0	1300	200	500				
PCP-2910	Φ28.3*1.0	600		◎	Powder Coated Pipe (PCP)	4000	Any colour	
PCP-2920	Φ28.3*2.0	1200		◎				
SPS-2907	Φ28.3*0.7	500	40	500	SUS439 SUS201 SUS304	4000	sliver	
SPS-2910	Φ28.3*1.0	670	90	500				
SPS-2912	Φ28.3*1.2	780	110	750				






COATED PIPE(28.6MM) 28.6mm 复合管

Part Number	Dimension	Weight	Capacity	MOQ	Classification	Standard Length	Color	Photo
	(mm)	(g/meter)	(kg/m)	(pcs)		(mm)		
CP-3007	Φ28.6*0.7	505	45	◎	Coated Pipe	4000	IV WH SB DB RE GR YE BE LG BK	
CP-3010	Φ28.6*1.0	700	100	◎				
CP-3012	Φ28.6*1.2	800	120	500				
CP-3020	Φ28.6*2.0	1300	200	500				
CP-3007ESD	Φ28.6*0.7	505	45	◎	Coated Pipe	4000	IV (ESD) EBK ESD Gray	
CP-3010ESD	Φ28.6*1.0	700	100	◎				
CP-3012ESD	Φ28.6*1.2	800	120	500				
CP-3020ESD	Φ28.6*2.0	1300	200	500				
PCP-3010	Φ28.6*1.0	600		◎	Powder Coated Pipe (PCP)	4000	Any colour	
PCP-3020	Φ28.6*2.0	1200		◎				
SPS-3007	Φ28.6*0.7	500	40	500	SUS439 SUS201 SUS304	4000	sliver	
SPS-3010	Φ28.6*1.0	670	90	500				
SPS-3012	Φ28.6*1.2	780	110	750				

FEATURES OF D-COAT PIPE



- 1. Steel pipe is coated with ABS. Then, the surface is coated again with the new material of PA ABS.
- 2. Compared to the conventional ABS coating pipe, D-Coat Pipe is outstanding in oil resistance and chemical resistance. In particular, salinity, rust preventative oil or cutting oil does not cause cracks or discoloration of the pipe.
- 3. This product comes in a variety of colors for use in various items or per company 's image.
- 4. With outstanding durability, this pipe is easily processed. Rustproof coating inside the pipe provides superior corrosion resistance.



- 1. Environmental
 - ECO-pipe is fully recyclable.
 - Powder painted steel pipe of internal and external surface
- 2. Economical
 - 20% less than coated pipe
 - 35% less than ESD coated pipe
 - 30% less than stainless steel pipe
- 3. Colorful
 - Wider selection of colors and textures.
- 4. Chemical resistant
 - High resistant to oil, UV light, and corrosion.
- 5. Non-flammable
 - No emission of toxic fumes in fire.
- 6. Electrolytic Corrosion Free
 - Free of Electrolytic Corrosion.







COATED PIPE 复合管

THE ADVANTAGES OF STAINLESS PIPE

1. **Environmental**
 - Stainless pipe which is 100% recycable
2. **High Strength & Durability**
 - Surface resistant to light abrasion or contact with metal tools
3. **High Oil & Chemical Resistance**
 - High resistance to oil, solvents, bleaches, etc.
4. **Non-Flammable**
 - Inherently non-flammable.
5. **Conductive**
 - Inherently conductive



METAL JOINTS 金属接头 28.6



※COLOR 颜色

	Black	BK
	Zinc	ZN
	Chrome	CN
	Nickel	NI

※MATERIAL 材料

- SPCC 、 SUS 304

※THICKNESS 厚度


- 2.5mm

※PRODUCT DETAILS 产品细节

can be punched and fixed



Innovated Joint with Assembly help line



the side pressing line of the hardware



Two-wire pressure root non-slip

※CUSTOMIZABLE 可定制的




- The position where you can type logo

28.6MM TUBE JOINT 28.6MM 管接头

MATERIAL:SPCC

L-1 COLOR: ● BK ● ZN ● CN ● NI


28.6



Weight:0.085kg
Qty/box:150pcs

L-2 COLOR: ● BK ● ZN ● CN ● NI


28.6



Weight:0.103kg
Qty/box:100pcs

L-3 COLOR: ● BK ● ZN ● CN ● NI


28.6



Weight:0.1405kg
Qty/box:50pcs

L-4 COLOR: ● BK ● ZN ● CN ● NI


28.6



Weight:0.1255kg
Qty/box:100pcs

S-1 COLOR: ● BK ● ZN ● CN ● NI


28.6



Weight:0.07kg
Qty/box:250pcs

S-2 COLOR: ● BK ● ZN ● CN ● NI


28.6



Weight:0.091kg
Qty/box:200pcs

S-3 COLOR: ● BK ● ZN ● CN ● NI


28.6



Weight:0.125kg
Qty/box:80pcs

S-4 COLOR: ● BK ● ZN ● CN ● NI


28.6



Weight:0.11kg
Qty/box:160pcs

S-5 COLOR: ● BK ● ZN ● CN ● NI


28.6



Weight:0.0465kg
Qty/box:250pcs

S-6 COLOR: ● BK ● ZN ● CN ● NI

28.6




Weight:0.062kg
Qty/box:250pcs

28.3&28.6MM TUBE JOINT 28.3&28.6MM 管接头 MATERIAL:SPCC

S-7 COLOR: ● BK ● ZN ● CN ● NI


28.6



Weight:0.0475kg
Qty/box:200pcs

S-8 COLOR: ● BK ● ZN ● CN ● NI


28.6



Weight:0.07kg
Qty/box:200pcs

S-9 COLOR: ● BK ● ZN ● CN ● NI


28.6



Weight:0.07kg
Qty/box:150pcs

S-10A COLOR: ● BK ● ZN ● CN ● NI


28.6



Weight:0.058kg
Qty/box:230pcs

S-10B COLOR: ● BK ● ZN ● CN ● NI


28.6



Weight:0.058kg
Qty/box:230pcs

S-11-90 COLOR: ● BK ● ZN ● CN ● NI


28.6



Weight:0.1kg
Qty/box:200pcs

L-13 COLOR: ● BK ● ZN ● CN ● NI


28.6



Weight:0.69kg
Qty/box:200pcs

S-14 COLOR: ● BK ● ZN ● CN ● NI


28.6



Weight:0.56kg
Qty/box:200pcs

S-15A COLOR: ● BK ● ZN ● CN ● NI


28.6



Weight:0.0385kg
Qty/box:360pcs

S-15B COLOR: ● BK ● ZN ● CN ● NI

28.6




Weight:0.0435kg
Qty/box:360pcs

S-17

COLOR: ● BK ● ZN ● CN ● NI

28.6






Weight:0.565kg
Qty/box:300pcs

S-21

COLOR: ● BK ● ZN ● CN ● NI

28.6






Weight:0.082kg
Qty/box:200pcs

S-17A

COLOR: ● BK ● ZN ● CN ● NI

28.6






Only assembly with WJP-06A
(只与WJP-06A搭配使用)













Weight:0.045kg
Qty/box:200pcs

PLASTIC JOINT 塑胶接头




COLOR
颜色

IV	Ivory
BK	Black
EBK	ESD Black



WJP-14

COLOR: ☒ WH



WJP-15

COLOR: ☒ BK



WJP-16

COLOR: ● BK



WJP-17

COLOR: ● BK ○ WH




WJP-18

COLOR: ● BK ○ WH




WJP-19

COLOR: ☐ WH



WJP-20

COLOR: ● EBK ○ IV ● BK




WJP-21

COLOR: ● EBK ○ IV ● BK



WJP-22

COLOR: ● EBK ○ IV ● BK




WJP-23

COLOR: ● EBK ○ IV ● BK




WJP-24A

COLOR: ● EBK ○ IV ● BK



WJP-24B

COLOR:  EBK  IV  BK



ROLLER TRACKS滑轨



SERIES 系列

- 35 series
- 40 series
- 60 series
- 72 series
- 80 series
- 85 series


※COLOR 颜色

	white	WH
	black	BK
	esd black	EBK
	yellow	YE
	gray	GR

※LENGTH 长度

4000mm
Other lengths can also be customized,
MOQ=1000pcs

※WHEEL TYPE 轮子种类



TAPER TYPE 鼓轮 FLAT TYPE 平轮 FLANGE TYPE 挡边轮

※MATERIAL 材质

steel 铁
aluminum 铝材质

STEEL ROLLER TRACKS铁滑轨


Series 系列	Item No. 产品名	Main frame material 主框架材料	High (mm) 总高	slot High (mm) 槽高	Groove width (mm) 槽宽	Roller Diameter (mm) 轮径	Wheel width (mm) 轮宽	wheels distance (mm) 轮距	Roller Pitch (mm) 销钉直径	weight kg/m 每米重量	standard length (m) 标准长度
35 Series	RTS-35A (BK/BKESD/WH)	steel	35	26.5	35	31	24	34	3	0.78	4
	RTS-37A (BK/BKESD/WH)	steel	38.6	25.6	35.5	34	24	48	3	0.85	4
40 series	RTS-40A (BK/BKESD/WH/YE)	steel	43	32	40	31	21.5	36	4	1.1	4
	RTS-40B (BK/BKESD/WH)	steel	43	32	40	31	21.5	36	4	1.07	4
	RTS-40C (BK/BKESD/WH)	steel	44	32	40	33.5	24	37	4	1.17	4
	RTS-40D (BK/BKESD)	steel	44	32	40	33.5	24	37	4	1.15	4
	RTS-47A (BK/BKESD/WH)	steel	52	32	40	49	25	50	4	1.1	4
	RTS-48A (BK/BKESD/WH)	steel	44.5	32	40	34	26.5	25	4	1.2	4
	RTS-48B	steel	49	32	40	43	24	50	4	4.5	4
	RTS-48C	steel	53	33	40	51	17	67	4	1.4	4
60 Series	RTS-60A (BK/BKESD/WH)	steel	27	25	60	15	42	17	4	1.2	4
	RTS-60B (BK/BKESD/WH)	steel	35	33	60	30	42	37	5	1.35	4
72 Series	RTS-72A (BK/BKESD/WH)	steel	32.5	30.5	73	18	54	20	5	1.17	4
	RTS-72B (BK/BKESD/WH)	steel	40	30.5	73	34	53	40	5	1.17	4
80 Series	RTS-80 (BK/BKESD/WH)	steel	60	32	80	35	60	40	5	1.97	4
85 Series	RTS-85A (BK/BKESD/WH)	steel	49	34	85	43	53	49	5	2.3	4
	RTS-85B (BK/BKESD/WH)	steel	44	33	85	34	68.5	25	5	3.3	4

ALUMINUM ROLLER TRACKS铝滑轨

Series 系列	Item No. 产品名	Main frame material 主框架材料	High (mm) 总高	slot High (mm) 槽高	Groove width (mm) 槽宽	Roller Diameter (mm) 轮径	Wheel width (mm) 轮宽	wheels distance (mm) 轮距	Roller Pitch (mm) 销钉直径	weight kg/m 每米重量	standard length(m) 标准长度
40 series	RTA-40A (BK/BKESD/WH)	Aluminum	42.5	35	40	33	20	41	4	0.7	4
	RTS-40A2 (BK/BKESD/WH)	Aluminum	38.5	35	40	28	28	45.5	4	0.75	4
	RTA-40C (BK/BKESD/WH)	Aluminum	51	35	40	33	20	41	4	0.8	4
	RTS-40C2 (BK/BKESD/WH)	Aluminum	38.5	35	40	28	28	45.5	4	0.75	4
	RTA-47A (BK/BKESD/WH)	Aluminum	42.5	35	40	33	20	41	4	0.8	4
60 series	RTA-60 (BK/BKESD/WH)	Aluminum	42	35	60	30	44	41	4	1.22	4
72 series	RTA-72 (BK/BKESD/WH)	Aluminum	42	35	72	34	54	45	5	1.25	4
85 series	RTA-85 (BK/BKESD/WH)	Aluminum	42	35	85	38	64	49	5	1.56	4


STEEL ROLLER PLACON 铁滑轨

RTS-35A-BK




L.W:4000mm.35mm
Qty/box:6pcs

RTS-35A-BKESD





L.W:4000mm.35mm
Qty/box:6pcs

RTS-35A-WH





L.W:4000mm.35mm
Qty/box:6pcs

RTS-37A-BK




L.W:4000mm.35.5mm
Qty/box:6pcs

RTS-37A-BKESD




L.W:4000mm.35.5mm
Qty/box:6pcs

RTS-37A-WH




L.W:4000mm.35.5mm
Qty/box:6pcs

RTS-40A-BK





L.W:4000mm.40mm
Qty/box:6pcs

RTS-40A-BKESD





L.W:4000mm.40mm
Qty/box:6pcs

RTS-40A-YE



L.W:4000mm.40mm
Qty/box:6pcs


RTS-40A-WH



L.W:4000mm.40mm
Qty/box:6pcs


STEEL ROLLER PLACON 铁滑轨

RTS-40B-BK




L.W:4000mm.40mm
Qty/box:6pcs

RTS-40B-BKESD




L.W:4000mm.40mm
Qty/box:6pcs

RTS-40B-WH




L.W:4000mm.40mm
Qty/box:6pcs

RTS-40C-BK




L.W:4000mm.40mm
Qty/box:6pcs

RTS-40C-BKESD




L.W:4000mm.40mm
Qty/box:6pcs

RTS-40C-WH




L.W:4000mm.40mm
Qty/box:6pcs

RTS-40D-BK




L.W:4000mm.40mm
Qty/box:6pcs

RTS-40D-BKESD




L.W:4000mm.40mm
Qty/box:6pcs

RTS-47A-BK



L.W:4000mm.40mm
Qty/box:6pcs


RTS-47A-BKESD



L.W:4000mm.40mm
Qty/box:6pcs


STEEL ROLLER PLACON 铁滑轨

RTS-47A-WH




L.W:4000mm.40mm
Qty/box:6pcs

RTS-48A-BK





L.W:4000mm.40mm
Qty/box:6pcs

RTS-48A-BKESD




L.W:4000mm.40mm
Qty/box:6pcs

RTS-48A-WH




L.W:4000mm.40mm
Qty/box:6pcs

RTS-48B




L.W:4000mm.35mm
Qty/box:6pcs

RTS-48C




L:1000mm
Qty/box:6pcs

RTS-60A-BK




L.W:4000mm.60mm
Qty/box:6pcs

RTS-60A-BKESD




L.W:4000mm.60mm
Qty/box:6pcs

RTS-60A-WH



L.W:4000mm.60mm
Qty/box:6pcs


RTS-60B-BK



L.W:4000mm.60mm
Qty/box:4pcs


STEEL ROLLER PLACON 铁滑轨

RTS-60B-BKESD




L.W:4000mm.60mm
Qty/box:4pcs

RTS-60B-WH




L.W:4000mm.60mm
Qty/box:4pcs

RTS-72A-BK




L.W:4000mm.73mm
Qty/box:4pcs

RTS-72A-BKESD




L.W:4000mm.73mm
Qty/box:4pcs

RTS-72A-WH




L.W:4000mm.73mm
Qty/box:4pcs

RTS-72B-BK




L.W:4000mm.73mm
Qty/box:4pcs

RTS-72B-BKESD




L.W:4000mm.73mm
Qty/box:4pcs

RTS-72B-WH




L.W:4000mm.73mm
Qty/box:4pcs

RTS-80A-BK



L.W:4000mm.80mm
Qty/box:4pcs


RTS-80A-BKESD



L.W:4000mm.80mm
Qty/box:4pcs


ALUMINUM ROLLER PLACON 铝滑轨

RTA-40C2-BKESD




L.W:4000mm.40mm
Qty/box:6pcs

RTA-40C2-WH




L.W:4000mm.40mm
Qty/box:6pcs

RTA-47A-BK




L.W:4000mm.40mm
Qty/box:6pcs

RTA-47A-BKESD




L.W:4000mm.40mm
Qty/box:6pcs

RTA-47A-WH




L.W:4000mm.40mm
Qty/box:6pcs

RTA-60A-BK




L.W:4000mm.60mm
Qty/box:4pcs

RTA-60A-BKESD




L.W:4000mm.60mm
Qty/box:4pcs

RTA-60A-WH




L.W:4000mm.60mm
Qty/box:4pcs

RTA-72A-BK



L.W:4000mm.72mm
Qty/box:3pcs


RTA-72A-BKESD



L.W:4000mm.72mm
Qty/box:3pcs


ALUMINUM ROLLER PLACON 铝滑轨

RTA-72A-WH




L.W:4000mm.72mm
Qty/box:3pcs

RTA-85A-BK




L.W:4000mm.85mm
Qty/box:3pcs

RTA-85A-BKESD




L.W:4000mm.85mm
Qty/box:3pcs

RTA-85A-WH



L.W:4000mm.85mm
Qty/box:3pcs

MOUNTING BRACKETS 滑轨接头



SERIES 系列

- 35 series
- 40 series
- 60 series
- 72 series
- 80 series
- 85 series

※ROLLER COLOR 颜色

	ZINC	ZN
	NICKEL	NI
	CHROME	CN

※PRODUCT STANDARDS 产品标准

- A.welding 焊接
- B.Perforated tapping 带孔带牙

※COLOUR 颜色 ● ZINC ● NICKEL ● CHROME



BRAKE PAD 刹车片

RT-B-40 COLOR: ● ZN

Weight:45g
Package:200pcs

RT-B-60 COLOR: ● ZN

Weight:65g
Package:200pcs

RT-B-72 COLOR: ● ZN

Weight:185g
Package:150pcs

RT-B-85 COLOR: ● ZN

Weight:115g
Package:100pcs

35 SERIES 用于 35 系列的铁滑轨

RTJ-2035C1 COLOR: ● ZN ● NI ● CN

Weight:0.13kg
Package:50pcs

RTJ-2035C2 COLOR: ● ZN ● NI ● CN

Weight:0.12kg
Package:50pcs

RTJ-2035D COLOR: ● ZN ● NI ● CN

Weight:0.15kg
Package:40pcs

RTJ-2035DW COLOR: ● ZN ● NI ● CN

Weight:0.14kg
Package:50pcs



RTJ-2035E COLOR: ● ZN ● NI ● CN

Weight:0.2kg
Package:40pcs

RTJ-2035P1 COLOR: ● ZN ● NI ● CN



Weight:0.14kg
Package:50pcs

RTJ-2035EE COLOR: ☒ ZN ☐ NI ☐ CN




Weight:0.21kg
Package:40pcs

RTJ-2035PEE COLOR: ☒ ZN ☐ NI ☐ CN





Weight:0.23kg
Package:40pcs

RTJ-2035CD COLOR: ☒ ZN ☐ NI ☐ CN





Weight:0.1925kg
Package:50pcs

RTJ-2035C1-33 COLOR: ☒ ZN ☐ NI ☐ CN




Weight:0.13kg
Package:50pcs

RTJ-2035D-33 COLOR: ☒ ZN ☐ NI ☐ CN





Weight:0.15kg
Package:40pcs

RTJ-2035DW-33 COLOR: ☒ ZN ☐ NI ☐ CN



Weight:0.14kg
Package:50pcs


RTJ-2035P-33 COLOR: ☒ ZN ☐ NI ☐ CN



Weight:0.14kg
Package:50pcs



FOR 40 SERIES STEEL PLACON 用于 40 系列的铁滑轨

RTJ-2040C COLOR: ☒ ZN ☐ NI ☐ CN




Weight:0.15kg
Package:150pcs

RTJ-2040D COLOR: ☒ ZN ☐ NI ☐ CN





Weight:0.16kg
Package:120pcs

RTJ-2040DW COLOR: ☒ ZN ☐ NI ☐ CN




Weight:0.16kg
Package:120pcs

RTJ-2040E COLOR: ☒ ZN ☐ NI ☐ CN




Weight:0.24kg
Package:60pcs

RTJ-2040P COLOR: ☒ ZN ☐ NI ☐ CN





Weight:0.14kg
Package:150pcs

RTJ-2040U COLOR: ☒ ZN ☐ NI ☐ CN





Weight:0.22kg
Package:100pcs

RTJ-2040EF COLOR: ☒ ZN ☐ NI ☐ CN





Weight:0.22kg
Package:80pcs

RTJ-2040EP COLOR: ☒ ZN ☐ NI ☐ CN




Weight:0.21kg
Package:80pcs

RTJ-2040EE COLOR: ☒ ZN ☐ NI ☐ CN



Weight:0.22kg
Package:60pcs

RTJ-2040CP COLOR: ☒ ZN ☐ NI ☐ CN




Weight:0.18kg
Package:150pcs

FOR 40 SERIES STEEL PLACON 用于 40 系列的铁滑轨



FOR 40 SERIES STEEL PLACON 用于 40 系列的铁滑轨

RTJ-2040CD COLOR: ☒ ZN ☐ NI ☐ CN





Weight:0.21kg
Package:90pcs

RTJ-2040DWR COLOR: ☒ ZN ☐ NI ☐ CN





Weight:0.18kg
Package:150pcs

RTJ-2040DW-40 COLOR: ☒ ZN ☐ NI ☐ CN





Weight:0.15kg
Package:100pcs

RTJ-2040C-45 COLOR: ☒ ZN ☐ NI ☐ CN




Weight:0.15kg
Package:100pcs

RTJ-2040CL COLOR: ☒ ZN ☐ NI ☐ CN





Weight:0.22kg
Package:100pcs

RTJ-2040C-33 COLOR: ☒ ZN ☐ NI ☐ CN





Weight:0.14kg
Package:150pcs

RTJ-2040D-45 COLOR: ☒ ZN ☐ NI ☐ CN




Weight:0.2kg
Package:100pcs

RTJ-2040DW-45 COLOR: ☒ ZN ☐ NI ☐ CN



Weight:0.2kg
Package:100pcs

RTJ-2040D-33 COLOR: ☒ ZN ☐ NI ☐ CN




Weight:0.17kg
Package:120pcs

RTJ-2040DW-33 COLOR: ☒ ZN ☐ NI ☐ CN




Weight:0.17kg
120 Package: pcs

RTJ-2040P-33 COLOR: ☒ ZN ☐ NI ☐ CN





Weight:0.14kg
Package:150pcs

RTJ-2040CP-33 COLOR: ☒ ZN ☐ NI ☐ CN





Weight:0.18kg
Package:150pcs

RTJ-2040C-40 COLOR: ☒ ZN ☐ NI ☐ CN





Weight:0.17kg
Package:100pcs

RTJ-2040D-40 COLOR: ☒ ZN ☐ NI ☐ CN





Weight:0.17kg
Package:100pcs

RTJ-2040C2 COLOR: ☒ ZN ☐ NI ☐ CN





Weight:0.2kg
Package:108pcs

RTJ-2040D2 COLOR: ☒ ZN ☐ NI ☐ CN





Weight:0.23kg
Package:84pcs

RTJ-2040DW2 COLOR: ☒ ZN ☐ NI ☐ CN




Weight:0.21kg
Package:90pcs

RTJ-2040E2 COLOR: ☒ ZN ☐ NI ☐ CN




Weight:0.33kg
Package:50pcs

RTJ-2040P2 COLOR: ☒ ZN ☐ NI ☐ CN





Weight:0.19kg
Package:90pcs





60 SERIES 用于 60 系列的铁滑轨

RTJ-2060C COLOR: ☒ ZN ☐ NI ☐ CN





Weight:0.15kg
Package:120pcs

RTJ-2060D COLOR: ☒ ZN ☐ NI ☐ CN





Weight:0.21kg
Package:80pcs

RTJ-2060DW COLOR: ☒ ZN ☐ NI ☐ CN





Weight:0.2kg
Package:100pcs

RTJ-2060E COLOR: ☒ ZN ☐ NI ☐ CN





Weight:0.27kg
Package:60pcs

RTJ-2060P COLOR: ☒ ZN ☐ NI ☐ CN





Weight:0.16kg
Package:50pcs

RTJ-2060U COLOR: ☒ ZN ☐ NI ☐ CN





Weight:0.1696kg
Package:80pcs

RTJ-2060C-33 COLOR: ☒ ZN ☐ NI ☐ CN





Weight:0.15kg
Package:120pcs

RTJ-2060D-33 COLOR: ☒ ZN ☐ NI ☐ CN





Weight:0.21kg
Package:80pcs

RTJ-2060DW-33 COLOR: ☒ ZN ☐ NI ☐ CN



Weight:0.2kg
Package:100pcs

RTJ-2060P-33 COLOR: ☒ ZN ☐ NI ☐ CN





Weight:160g
Package:50pcs

60 SERIES 用于 60 系列的铁滑轨

RTJ-2060C-40

COLOR: ☒ ZN ☐ NI ☐ CN




Weight:0.16kg
Package:50pcs

72 SERIES 72 系列

RTJ-2072C


COLOR: ☒ ZN ☐ NI ☐ CN



Weight:0.17kg
Package:50pcs

RTJ-2072D


COLOR: ☒ ZN ☐ NI ☐ CN



Weight:0.28kg
Package:50pcs

RTJ-2072DW



COLOR: ☒ ZN ☐ NI ☐ CN



Weight:0.19kg
Package:50pcs

RTJ-2072E



COLOR: ☒ ZN ☐ NI ☐ CN



Weight:0.29kg
Package:25pcs

RTJ-2072P

COLOR: ☒ ZN ☐ NI ☐ CN





Weight:0.17kg
Package:100pcs

80SERIES 80 系列

RTJ-2080C



COLOR: ☒ ZN ☐ NI ☐ CN



Weight:0.18kg
Package:50pcs

RTJ-2080D


COLOR: ☒ ZN ☐ NI ☐ CN



Weight:0.2kg
Package:50pcs

RTJ-2080DW



COLOR: ☒ ZN ☐ NI ☐ CN



Weight:0.19kg
Package:50pcs

RTJ-2080E



COLOR: ☒ ZN ☐ NI ☐ CN



Weight:0.3kg
Package:50pcs

RTJ-2080P

COLOR: ☒ ZN ☐ NI ☐ CN





Weight:0.16kg
Package:100pcs

85 SERIES 85 系列

RTJ-2085C



COLOR: ☒ ZN ☐ NI ☐ CN



Weight:0.18kg
Package:50pcs

RTJ-2085D


COLOR: ☒ ZN ☐ NI ☐ CN



Weight:0.2kg
Package:50pcs

RTJ-2085DW



COLOR: ☒ ZN ☐ NI ☐ CN



Weight:0.19kg
Package:50pcs

RTJ-2085E


COLOR: ☒ ZN ☐ NI ☐ CN



Weight:0.3kg
Package:50pcs

RTJ-2085P


COLOR: ☒ ZN ☐ NI ☐ CN



Weight:0.16kg
Package:50pcs


SLIDE PIPE BRACKET 滑动管接头

SLPJ-CF COLOR: ☒ ZN ☐ NI ☐ CN




Weight:0.13kg
Package:150pcs

SLPJ-DF COLOR: ☒ ZN ☐ NI ☐ CN




Weight:0.14kg
Package:105pcs

SLPJ-WF COLOR: ☒ ZN ☐ NI ☐ CN




Weight:0.16kg
Package:130pcs

SLPJ-EF COLOR: ☒ ZN ☐ NI ☐ CN




Weight:0.2kg
Package:80pcs

SLPJ-FF COLOR: ☒ ZN ☐ NI ☐ CN



Weight:140g
Package:150pcs


SLPJ-PF COLOR: ☒ ZN ☐ NI ☐ CN



Weight:0.12kg
Package:90pcs


SLIDE PIPE BRACKET FOR 28.6 滑动管接头 - 配 28.6 管

S-CF COLOR: ☒ ZN ☐ NI ☐ CN




Weight:0.13kg
Package:150pcs

S-DF COLOR: ☒ ZN ☐ NI ☐ CN




Weight:0.14kg
Package:105pcs

S-WF COLOR: ☒ ZN ☐ NI ☐ CN




Weight:0.16kg
Package:130pcs

S-EF COLOR: ☒ ZN ☐ NI ☐ CN




Weight:0.2kg
Package:80pcs

S-FF COLOR: ☒ ZN ☐ NI ☐ CN



Weight:140g
Package:150pcs

S-PF COLOR: ☒ ZN ☐ NI ☐ CN



Weight:0.12kg
Package:90pcs




ACCESSORIES 配件



CASTER 脚轮


01 FIXED SERIES 平板固定脚轮系列



Flat plate fixed Series 固定脚轮	Wheel Dia 轮径 (inch)	D 轮径 (mm)	A*B 底板尺寸	Material 轮子材质	Frame Material 支架材质	Offset DistancePIA 偏心距 (mm)	Loading 承重 (N)	H 高度 (mm)	Weight 单重 (g)	Package 每箱 (pcs)
WJ-301A	3"	75mm	70*60	TPR/PU/Rubber	steel	35	800	95	630	50
WJ-301A-ESD	3"	75mm	70*60	TPR/Rubber	steel	35	800	95	630	50
WJ-301B	3"	75mm	70*60	TPR/PU/Rubber	steel	35	800	95	730	50
WJ-301B-ESD	3"	75mm	70*60	TPR/Rubber	steel	35	800	95	730	50
WJ-301C	3"	75mm	70*60	TPR/PU/Rubber	steel	/	800	95	450	50
WJ-301C-ESD	3"	75mm	70*60	TPR/Rubber	steel	/	800	95	450	50
WJ-401A	4"	100mm	90*100	TPR/PU/Rubber	steel	32	1200	132	740	40
WJ-401A-ESD	4"	100mm	90*100	TPR/Rubber	steel	32	1200	132	740	40
WJ-401B	4"	100mm	90*100	TPR/PU/Rubber	steel	32	1200	132	910	40
WJ-401B-ESD	4"	100mm	90*100	TPR/Rubber	steel	32	1200	132	910	40
WJ-401C	4"	100mm	90*100	TPR/PU/Rubber	steel	/	1200	132	550	40
WJ-401C-ESD	4"	100mm	90*100	TPR/Rubber	steel	/	1200	132	550	40
WJ-501A	5"	125mm	120*110	TPR/PU/Rubber	steel	32	1600	190	900	30
WJ-501A-ESD	5"	125mm	120*110	TPR/Rubber	steel	32	1600	190	900	30
WJ-501B	5"	125mm	120*110	TPR/PU/Rubber	steel	32	1600	190	1050	30
WJ-501B-ESD	5"	125mm	120*110	TPR/PU/Rubber	steel	32	1600	190	1050	30
WJ-501C	5"	125mm	120*110	TPR/Rubber	steel	/	1600	190	750	30
WJ-501C-ESD	5"	125mm	120*110	TPR/PU/Rubber	steel	/	1600	190	750	30

CASTER 脚轮

03 BUSHING SERIES 螺杆插入式脚轮系列



Bushing Cater 螺杆插入式	Wheel Dia 轮径 (inch)	D 轮径 (mm)	T 丝杆外径	Material 轮子材质	Frame Material 支架材质	Offset DistancePIA 偏心距 (mm)	Loading 承重 (N)	H 高度 (mm)	Weight 单重 (g)	Package 每箱 (pcs)
WJ-203A	2"	50mm	M12*35	TPR/PU/Rubber	steel	22	300	67	280	100
WJ-203A-ESD	2"	50mm	M12*35	TPR/Rubber	steel	22	300	67	280	100
WJ-203B	2"	50mm	M12*35	TPR/PU/Rubber	steel	22	300	67	300	100
WJ-203B-ESD	2"	50mm	M12*35	TPR/Rubber	steel	22	300	67	300	100
WJ-203C	2"	50mm	M12*35	TPR/PU/Rubber	steel	/	300	67	280	100
WJ-203C-ESD	2"	50mm	M12*35	TPR/Rubber	steel	/	300	67	280	100
WJ-303A	3"	75mm	M12*35	TPR/PU/Rubber	steel	35	500	95	480	50
WJ-303A-ESD	3"	75mm	M12*35	TPR/Rubber	steel	35	500	95	480	50
WJ-303B	3"	75mm	M12*35	TPR/PU/Rubber	steel	35	500	95	580	50
WJ-303B-ESD	3"	75mm	M12*35	TPR/Rubber	steel	35	500	95	580	50
WJ-303C	3"	75mm	M12*35	TPR/PU/Rubber	steel	/	500	95	450	50
WJ-303C-ESD	3"	75mm	M12*35	TPR/Rubber	steel	/	500	95	450	50
WJ-403A	4"	100mm	M12*35	TPR/PU/Rubber	steel	32	600	132	630	40
WJ-403A-ESD	4"	100mm	M12*35	TPR/Rubber	steel	32	600	132	630	40
WJ-403B	4"	100mm	M12*35	TPR/PU/Rubber	steel	32	600	132	780	40
WJ-403B-ESD	4"	100mm	M12*35	TPR/Rubber	steel	32	600	132	780	40
WJ-403C	4"	100mm	M12*35	TPR/PU/Rubber	steel	/	600	132	620	40
WJ-403C-ESD	4"	100mm	M12*35	TPR/Rubber	steel	/	600	132	620	40

Adjust Accessory Type 脚杯附件类

28AD-8A



Item No 型号	specification 规格	Frame Material 支架材质	A*B 底板尺寸	H1高度 (mm)	H2 伸展后高度 (mm)	Loading 承重 (N)	weight 重量 (KG)
28AD-8A-3	3"	steel	62*91	96	120	80kg	1.4kg
28AD-8A-4	4"	steel	62*91	125	151	100kg	1.6kg
28AD-8A-5	5"	steel	62*91	154	180	120kg	1.8kg

28AD-8B



Item No 型号	specification 规格	Frame Material 支架材质	A*B 底板尺寸	H1高度 (mm)	H2 伸展后高度 (mm)	Loading 承重 (N)	weight 重量 (KG)
28AD-8B-5	5"	steel	120*120	154	180	150KG	1.8kg
28AD-8B-6	6"	steel	120*120	170	200	200KG	2.2kg

ADJUST 脚杯

Series 系列	Code 型号	D/ 直径 (mm)	Hight 高度 /L (mm)	Stem Diameter 丝杆外径 (t)	Picture 图片	Drawing 图纸
Small-Type 小型	SPB28E-10(SPB30E-10)	28(30)	/	M10		SPB28E = 28MMTUBE SPB30E = 28.6MMTUBE
	SPB28E-12(SPB30E-12)	28(30)	/	M12		
	SPB28E- 1/2(SPB30E-1/2)	28(30)	/	1/2"		
	SPB28E-3/8(SPB30E-3/8)	28(30)	/	3/8"		
Normal-Type 标准型	AD3-3860-10	38	60	M10		
	AD3-3860- 3/8	38	60	3/8"		
	AD3-3880-10	38	80	M10		
	AD3-3880- 3/8	38	80	3/8"		
	AD3-5060-10	60	50	M10		
	AD3-5060- 3/8	60	50	3/8"		
	AD3-50100-12	50	100	M12		
	AD3-50100- 1/2	50	100	1/2"		
	AD3-50100- 5/8	50	100	5/8"		
	AD3-3860-10-R	38	60	M10		
	AD3-3860-3/8-R	38	60	3/8"		
	AD3-3880-10-R	38	80	M10		
	AD3-3880-3/8-R	38	80	3/8"		
	AD3-5060-10-R	50	60	M10		
	AD3-5060-3/8-R	50	60	3/8"		
	AD3-50100-12-R	50	100	M12		
	AD3-50100-1/2-R	50	100	1/2"		
	AD3-50100-5/8-R	50	100	5/8"		
	AD4-3860-10	38	60	M10		
	AD4-3860- 3/8	38	60	3/8"		
	AD4-3880-10	38	80	M10		
	AD4-3880- 3/8	38	80	3/8"		
	AD4-5060-10	60	50	M10		
	AD4-5060- 3/8	60	50	3/8"		
	AD4-50100-12	50	100	M12		
	AD4-50100- 1/2	50	100	1/2"		
	AD4-50100- 5/8	50	100	5/8"		
Rubber-Type ESD BLACK 橡胶型 ESD 黑色	AD5-3850-10	43	50	M10		
	AD5-3880-10	43	80	M10		
	AD5-38100-10	43	100	M10		
	AD5-5080-10	54	80	M10		
	AD5-3880-12	43	100	M12		
Rubber Pad- Type ESD BLACK 橡胶垫型 ESD 黑色	AD6-3260-10	32	60	M10		
	AD6-3560-10	35	60	M10		
	AD6-5460-10	50	60	M10		
	AD6-5460-12	50	60	M12		
Adjust accessories 脚杯附件	WA-AD5-10	/	/	M10		
	WA-AD5-12	/	/	M12		
	WA-AD5- 1/2	/	/	1/2"		
	WA-AD5- 3/8	/	/	3/8"		











BUSHING NUT 铜套螺母

Part Number	Photo	Classification	Application	Diameter 孔径	QTY(pcs) 数量	Color 颜色
SPB2807-10 (SPB3007-10)		Stainless pipe	28*0.7 (28.6*0.7)	M10	250	ZINC
SPB2807-12 (SPB3007-12)			28*0.7(28.6*0.7)	M12	250	ZINC
SPB2807- 1/2 (SPB3007- 1/2)			28*0.7 (28.6*0.7)	1/2"	250	ZINC
SPB2807- 3/8 (SPB3007- 3/8)			28*0.7(28.6*0.7)	3/8"	250	ZINC
SPB2807- 5/8 (SPB3007- 5/8)			28*0.7 (28.6*0.7)	5/8"	250	ZINC
SPB2810- 10 (SPB3010-10)		Stainless pipe	28*1.0 (28.6*1.0)	M10	250	ZINC
SPB2810-12 (SPB3010-12)			28*1.0 (28.6*1.0)	M12	250	ZINC
SPB2810-1/2 (SPB3010- 1/2)			28*1.0 (28.6*1.0)	1/2"	250	ZINC
SPB2810- 3/8 (SPB3010- 3/8)			28*1.0 (28.6*1.0)	3/8"	250	ZINC
SPB2810- 5/8 (SPB3010- 5/8)			28*1.0 (28.6*1.0)	5/8"	250	ZINC
SPB2812- 10 (SPB3012-10)		Stainless pipe	28*1.2 (28.6*1.2)	M10	250	ZINC
SPB2812-12 (SPB3012-12)			28*1.2 (28.6*1.2)	M12	250	ZINC
SPB2812-1/2 (SPB3012- 1/2)			28*1.2 (28.6*1.2)	1/2"	250	ZINC
SPB2812- 3/8 (SPB3012- 3/8)			28*1.2 (28.6*1.2)	3/8"	250	ZINC
SPB2812- 5/8 (SPB3012- 5/8)			28*1.2 (28.6*1.2)	5/8"	250	ZINC








BUSHING NUT 铜套螺母

Part Number	Photo	Classification	Application	Diameter 孔径	QTY(pcs) 数量	Color 颜色
CPB2807-10 (CPB3007-10)		Coated pipe	28*0.7 (28.6*0.7)	M10	250	ZINC
CPB2807-12 (CPB3007-12)			28*0.7 (28.6*0.7)	M12	250	ZINC
CPB2807- 1/2 (CPB3007-1/2)			28*0.7 (28.6*0.7)	1/2"	250	ZINC
CPB2807- 3/8 (CPB3007-3/8)			28*0.7 (28.6*0.7)	3/8"	250	ZINC
CPB2807- 5/8 (CPB3007-5/8)			28*0.7 (28.6*0.7)	5/8"	250	ZINC
CPB2810-10 (CPB3010-10)		Coated pipe	28*1.0 (28.6*1.0)	M10	250	ZINC
CPB2810-12 (CPB3010-12)			28*1.0 (28.6*1.0)	M12	250	ZINC
CPB2810-1/2 (CPB3012-1/2)			28*1.0 (28.6*1.0)	1/2"	250	ZINC
CPB2810- 3/8 (CPB3010-3/8)			28*1.0 (28.6*1.0)	3/8"	250	ZINC
CPB2810- 5/8 (CPB3010-5/8)			28*1.0 (28.6*1.0)	5/8"	250	ZINC
CPB2812- 10 (CPB3012-10)		Coated pipe	28*1.2 (28.6*1.2)	M10	250	ZINC
CPB2812-12 (CPB3012-12)			28*1.2 (28.6*1.2)	M12	250	ZINC
CPB2812-1/2 (CPB3012-1/2)			28*1.2 (28.6*1.2)	1/2"	250	ZINC
CPB2812- 3/8 (CPB3012-3/8)			28*1.2 (28.6*1.2)	3/8"	250	ZINC
CPB2812- 5/8 (CPB3012-5/8)			28*1.2 (28.6*1.2)	5/8"	250	ZINC
CPB2815- 10 (CPB3015-10)		Coated pipe	28*1.5 (28.6*1.5)	M10	250	ZINC
CPB2815-12 (CPB3015-12)			28*1.5 (28.6*1.5)	M12	250	ZINC
CPB2815-1/2 (CPB3015-1/2)			28*1.5 (28.6*1.5)	1/2"	250	ZINC
CPB2815- 3/8 (CPB3015-3/8)			28*1.5 (28.6*1.5)	3/8"	250	ZINC
CPB2815- 5/8 (CPB3015-5/8)			28*1.5 (28.6*1.5)	5/8"	250	ZINC
CPB2820- 10 (CPB3020-10)		Coated pipe	28*2.0 (28.6*2.0)	M10	250	ZINC
CPB2820-12 (CPB3020-12)			28*2.0 (28.6*2.0)	M12	250	ZINC
CPB2820-1/2 (CPB3020-1/2)			28*2.0 (28.6*2.0)	1/2"	250	ZINC
CPB2820- 3/8 (CPB3020-3/8)			28*2.0 (28.6*2.0)	3/8"	250	ZINC
CPB2820- 5/8 (CPB3020-5/8)			28*2.0 (28.6*2.0)	5/8"	250	ZINC

PLASTIC STRIP 塑胶条










PLASTIC STRIP 塑胶条













PLASTIC STRIP 塑胶条

Series 系列	Code 型号	Hight 高度 / L (mm)	Width/ 宽度 W (mm)	Picture 图片	Drawing 图纸
L-type L 型	JP-L1	35	35		
	JP-L2	35	40		
	JP-L3	30	50		
	JP-L4	50	60		
	JP-L5	50	75		
	JP-L6	50	100		
	JP-L7	80	90		
T-type T 型	JP-T1	50	100		
	JP-T2	100	60		





METAL ACCESSORIES 五金配件



METAL ACCESSORIES 五金配件




METAL ACCESSORIES 五金配件




METAL ACCESSORIES 五金配件


WA-1012H




WA-1012I




WA-HK200



WA-HK300



WA-HK400




WA-AD1




WA-AD2




WA-AD3



WA-AD4




WA-AD5




METAL ACCESSORIES 五金配件

WA-AD6



WA-AD7



PLASTIC FOOT COVER 塑料脚套

ADP1(Rubber)

COLOR: ●BK ●EBK




ADP2(Plastic)

COLOR: ●BK ●EBK




ADP4



CAP 封盖

CAP-BK

COLOR: ●BK ●IV ○EBK ○GR



Coated pipe Only

CAP-IV


COLOR: ●BK ●IV ○EBK ○GR




Stainless steel pipe Only

BOLT AND NUT 螺丝螺母

ARG-60C-AL



ARG-35BN-AL



ARG-CAP1



WA-AD5-10&AD6-3260-10



SPB28E-10

AD3-3880-10

Ø 28.00

Ø 31.00

Ø 38.00



TYPE 类型	PART NO 型号	ITEM 名称	SPEC 规格	COLOR 颜色	USAGE 搭配使用
	TN06B	T-NUT	M6	BLACK	METAL JOINT
	TN06W		M6	ZINC	
	NN08W	NYLON NUT	M8	ZINC	M8 BOLT
	N08W	NUT	M8	ZINC	M8 BOLT
	PW08W	FLAT WASHER	M8	ZINC	M8 BOLT
	B0610B	M6X10	M6	BLACK	METAL JOINT
	B0610W	M6X10	M6	ZINC	
	B0625B	M6X25	M6	BLACK	
	B0625W	M6X25	M6	ZINC	
	B0628B	M6X28	M6	BLACK	
	B0628W	M6X28	M6	ZINC	
	BO630B	M6X30	M6	BLACK	
	BO630W	M6X30	M6	ZINC	
	B0835W	M8X35	M8	WHITE	CASTER
	B0840W	M8X40	M8	WHITE	
	B0850W	M8X50	M8	WHITE	
	BH0625B	M6X25	M6	BLACK	METAL JOINT
	BH0625W	M6X25	M6	ZINC	
	BH0628B	M6X28	M6	BLACK	
	BH0628W	M6X28	M6	ZINC	
	BHO630B	M6X30	M6	BLACK	
	BHO630W	M6X30	M6	ZINC	

APPLICATION 应用案例


APPLICATION 应用案例



001 不锈钢流利货架



002 移动式物料架



003 电子厂物料架



004 流水线物料架



005 电商打包台



006 移动式物料架



007 功能性物料架



008 收纳货架



009 防静电手推车



010 双层手推车



011 工作台



012 流水线工作台



013 移动式货架



014 标准工作台




015 标准工作台



016 面具货架

APPLICATION 应用案例



017 打包台货架



018 货架



019 工作台



020 物料架



021 物料架



022 物料架




023 物料架




024 精益管货架


BENDING STRENGTH FOR ROLLER TRACK




COMPRESSION STRENGTH OF WHEEL SUBASSEMBLY




ANGLE RECOMMENDED FOR CONSISTENT



BENDING STRENGTH FOR PIPE



HOLDING FORCE

 Test Condition 1. Test Speed : 5mm / min 2. Temperature : 23℃				
Classification	Coated Pipe		Stainless Steel Pipe	
	Ø28 x t0.7	Ø28 x t1.0	Ø28 x t0.7	Ø28 x t1.2
Direction : X	More Than 80kg	More Than 80kg	More Than 80 kg	More Than 80 kg
Direction : Y	More Than 80kg	More Than 80kg	More Than 80 kg	More Than 80 kg

DETERMINING STANDARD PIPE LENGTH


Metal Joint									
 $L = 1000 - (70+2) = 928(\text{mm})$	Case of Ø28mm <table><tr><td>1000mm</td><td>Center Measurement (L)</td></tr><tr><td>-70mm</td><td>Pipe Length Inside Joint (35mm x 2)</td></tr><tr><td>-2mm</td><td>Extra Measurement (2mm~5mm)</td></tr><tr><td>928mm</td><td>Pipe Length (ℓ)</td></tr></table>	1000mm	Center Measurement (L)	-70mm	Pipe Length Inside Joint (35mm x 2)	-2mm	Extra Measurement (2mm~5mm)	928mm	Pipe Length (ℓ)
1000mm	Center Measurement (L)								
-70mm	Pipe Length Inside Joint (35mm x 2)								
-2mm	Extra Measurement (2mm~5mm)								
928mm	Pipe Length (ℓ)								





Photo	Test photo	Screw torque test photo	NO	Standard Test Data			My company
				Length drawing (mm)	Drawing Speed (mm/min)	Screw strength (N.M)	Drawing strength (kgf)
			1	10	50	10	85.5
			2			15	126.3
			1			10	167.8
			2			15	243.8
			1	10	20	10	80.2
			2			15	98.0
			1			10	91.0
			2			15	114.0
			3			10	132.4
			4			15	167.7
			1	10	50	10	280.0
			2			15	364.0
			1			10	116.0
			2			15	134.0
			3			10	105.0
			4			15	135.0
			1	10	50	10	282.0
			2			15	310.0
			1			10	71.0
			2			15	110.0
			3			10	87.0
			4			15	95.0
			1	10	10	9	77.0
			2			9	57.0

Photo	Test photo	Screw torque test photo	NO	Standard Test Data			My company
				Length drawing (mm)	Drawing Speed (mm/min)	Screw strength (N.M)	Drawing strength (kgf)
			1	10	50	10	21.0
						15	56.0
			2			10	150.0
						15	108.0
			1	10	50	10	163.0
						15	136.0
			2			10	107.0
						15	107.0
			1	10	50	9	79.0
			1	10	50	10	37.0
						15	32.0
			2			10	29.0
						15	60.0

