

SAFETY DATA SHEET**Calcium Hypochlorite 70%**

Huanghua Kaifeng Chemical Co., Ltd.

- According to GHS (Eighth Revised Edition)

SDS**Section 1 Product and Company Identification****> Product Identifier****Product Name** Calcium Hypochlorite 70%**Synonyms** -**> Relevant Identified Uses of the Substance or Mixture and Uses Advised Against****Relevant Identified Uses** Please consult manufacturer.**Uses Advised Against** Please consult manufacturer.**> Details of the Supplier of the Safety Data Sheet**

Applicant Name Huanghua Kaifeng Chemical Co., Ltd.
Application Address Wang Daben Village, Lvqiao Town, Huanghua City, Cangzhou City, Hebei Province
Applicant Post Code 061100
Applicant Telephone +86-317-5881883
Applicant Fax +86-317-5881883
Applicant E-mail liufy@kfchem.com
Supplier Name Huanghua Kaifeng Chemical Co., Ltd.
Supplier Address Wang Daben Village, Lvqiao Town, Huanghua City, Cangzhou City, Hebei Province
Supplier Post Code 061100
Supplier Telephone +86-317-5881883
Supplier Fax +86-317-5881883
Supplier E-mail liufy@kfchem.com

> Emergency Phone Number**Emergency Phone Number** +86-22-23994188**Section 2 Hazards Identification****Hazard class and label elements of the product according to GHS (the eighth revised edition):****> GHS Hazard Class**

Oxidizing Solids Category 2
Acute Toxicity – Oral Category 4
Skin Corrosion/Irritation Category 1
Eye Damage/Irritation Category 1

**Hazardous To The
Aquatic Environment
– Short-Term (Acute)
Hazard**

Category 1

> GHS Label Elements

Pictogram



Signal Word

Danger

> Hazard Statements

H272	May intensify fire; oxidizer
H302	Harmful if swallowed
H314	Causes severe skin burns and eye damage
H318	Causes serious eye damage
H400	Very toxic to aquatic life

> Precautionary Statements**Prevention**

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P220	Keep away from clothing and other combustible materials.
P260	Do not breathe dust/fume/gas/mist/vapours/spray.
P264	Wash contact area thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

Response

P316	Get emergency medical help immediately.
P317	Get medical help.
P321	Specific treatment (see measures on this label).
P330	Rinse mouth.
P363	Wash contaminated clothing before reuse.
P391	Collect spillage.
P301+P317	IF SWALLOWED: Get medical help.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P370+P378	In case of fire: Use suitable extinguishing medium to extinguish.
P301+P330+P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P302+P361+P354	IF ON SKIN: Take off immediately all contaminated clothing. Immediately rinse with water for several minutes.
P305+P354+P338	IF IN EYES: Immediately rinse with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Storage

P405

Store locked up.

Disposal

P501

Dispose of contents/container in accordance with local/regional/national/international regulations.



Section 3 Composition/Information on Ingredients

Component	Concentration (weight percent, %)	CAS No.	EC No.
Calcium hypochlorite	70	7778-54-3	231-908-7
Water	5.5~16	7732-18-5	231-791-2
Sodium chloride	14.5	7647-14-5	231-598-3

Section 4 First Aid Measures**> Description of First Aid Measures**

General Advice	Immediate medical attention is required. Show this safety data sheet (SDS) to the doctor in attendance.
Eye Contact	Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician if feel uncomfortable.
Skin Contact	Take off contaminated clothing and shoes immediately. Wash off with plenty of water for at least 15 minutes and consult a physician if feel uncomfortable.
Ingestion	Do not induce vomiting. Never give anything by mouth to an unconscious person. Call a physician or Poison Control Center immediately.
Inhalation	Move victim into fresh air. If breathing is difficult, give oxygen. Do not use mouth to mouth resuscitation if victim ingested or inhaled the substance. If not breathing, give artificial respiration and consult a physician immediately.
Protecting of First-aiders	Ensure that medical personnel are aware of the substance involved. Take precautions to protect themselves and prevent spread of contamination.

> Most Important Symptoms and Effects, both Acute and Delayed

- 1 Substance accumulation, in the human body, may occur and may cause some concern following repeated or long-term occupational exposure.

> Indication of Any Immediate Medical Attention and Special Treatment Needed

- 1 Treat symptomatically.
- 2 Symptoms may be delayed.

Section 5 Fire Fighting Measures**> Extinguishing Media**

Suitable Extinguishing Media	Water.
Unsuitable Extinguishing Media	Dry chemical, carbon dioxide or foam.

> Specific Hazards Arising from the Substance or Mixture

- 1 Will not burn but increases intensity of fire.
- 2 Contact with combustibles such as wood, paper, oil or finely divided metal may produce spontaneous combustion or violent decomposition.
- 3 Has a fire-promoting effect due to release of oxygen.
- 4 The material may provide sufficient oxygen to make the fire fierce and self sustaining.
- 5 Smothering action may not be effective for established fire.
- 6 Containers may explode when heated.
- 7 Fire exposed containers may vent contents through pressure relief valves.



- 8 May expansion or decompose explosively when heated or involved in fire.

> Advice for Firefighters

- 1 As in any fire, wear self-contained breathing apparatus (MSHA/NIOSH approved or equivalent) and full protective gear.
- 2 Fight fire from a safe distance, with adequate cover.
- 3 Prevent fire extinguishing water from contaminating surface water or the ground water system.

Section 6 Accidental Release Measure**> Personal Precautions, Protective Equipment and Emergency Procedures**

- 1 Ensure adequate ventilation. Remove all sources of ignition.
- 2 Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.
- 3 Use personal protective equipment. Avoid breathing vapours, mist, gas or dust.

> Environmental Precautions

- 1 Prevent further leakage or spillage if safe to do so.
- 2 Discharge into the environment must be avoided.

> Methods and Materials for Containment and Cleaning Up

- 1 Absorb spilled material in dry sand or inert absorbent. In case of large amount of spillage, contain a spill by bunding.
- 2 Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations.
- 3 Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment.

Section 7 Handling and Storage**> Precautions for Handling**

- 1 Handling is performed in a well ventilated place.
- 2 Wear suitable protective equipment.
- 3 Avoid contact with skin and eyes.
- 4 Keep away from heat/sparks/open flames/ hot surfaces.
- 5 Take precautionary measures against static discharges.

> Precautions for Storage

- 1 Keep containers tightly closed.
- 2 Keep containers in a dry, cool and well-ventilated place.
- 3 Keep away from heat/sparks/open flames/ hot surfaces.
- 4 Store away from incompatible materials and foodstuff containers.

**Section 8 Exposure Controls/Personal Protection****> Control Parameters****Occupational Exposure Limit Values**

Component	Country/Region	Limit Value - Eight Hours	Limit Value - Short Term
-----------	----------------	---------------------------	--------------------------

		ppm	mg/m ³	ppm	mg/m ³
Sodium chloride 7647-14-5	Latvia	-	5	-	-

Biological Limit Values

No information available

Monitoring Methods

- 1 EN 14042 Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents.
- 2 GBZ/T 160 Determination of toxic substances in workplace air(Series effective standard)and GBZ/T 300 Determination of toxic substances in workplace air(Series standard).

> Engineering Controls

- 1 Ensure adequate ventilation, especially in confined areas.
- 2 Ensure that eyewash stations and safety showers are close to the workstation location.
- 3 Use explosion-proof electrical/ventilating/lighting/equipment.
- 4 Set up emergency exit and necessary risk-elimination area.

> Personal Protection Equipment

Eye Protection	Tightly fitting safety goggles (approved by EN 166(EU) or NIOSH (US).
Hand Protection	Wear protective gloves (such as butyl rubber) , passing the tests according to EN 374(EU),US F739 or AS/NZS 2161.1 standard.
Respiratory protection	If exposure limits are exceeded or if irritation or other symptoms are experienced, use a full-face respirator with multi-purpose combination (US) or type AXBEK (EN 14387) respirator cartridges.
Skin and Body Protection	Wear fire/flamm resistant/retardant clothing and antistatic boots.

Section 9 Physical and Chemical Properties

Appearance: White granules	Odor: No information available
Odor Threshold: No information available	pH: No information available
Melting Point/Freezing Point (°C): No information available	Initial Boiling Point and Boiling Range (°C): No information available
Flash Point (°C)(Closed Cup): Not applicable	Evaporation Rate: Not applicable
Flammability: No information available	Upper/lower explosive limits[% (v/v)]: Upper limit: No information available; Lower limit: No information available
Vapor Pressure (KPa): Not applicable	Relative Vapour Density(Air = 1): Not applicable
Relative Density(Water=1): No information available	Solubility: No information available
n-Octanol/Water Partition Coefficient: No information available	Auto-Ignition Temperature(°C): No information available
Decomposition Temperature (°C): No information available	Kinematic Viscosity (mm²/s): Not applicable
Particle characteristics: No information available	

Section 10 Stability and Reactivity

Reactivity	Contact with incompatible substances can cause decomposition or other chemical reactions.
Chemical Stability	Stable under proper operation and storage conditions.

**Possibility of
Hazardous Reactions**

Mixture with metal powders may explode if heated, impact or friction. In contact with active metals (alkali metals, Na, Ca etc.) causes a reaction and release hydrogen. In contact with organic peroxides cause a fire immediately.

Conditions to Avoid

Incompatible materials, heat, flame and spark.

Incompatible Materials

Metal powder, metal amino compounds, ammonia, ammonium salts, amine, amide, carboxylic acids, phenols, alcohols, carboxylic acid esters, nitriles, sulfuric acid, concentrated nitric acid and phosphoric acid. Alkali, sodium, calcium, and other active metal, halogen, metal oxide, nonmetal oxide, acyl halide and metal phosphide. Organic peroxides.

**Hazardous
Decomposition
products**

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11 Toxicological Information

> Acute Toxicity

Component	CAS No.	LD ₅₀ (Oral)	LD ₅₀ (Dermal)	LC ₅₀ (Inhalation, 4h)
Sodium chloride	7647-14-5	3000mg/kg(Rat)	> 10000mg/kg(Rabbit)	No information available
Calcium hypochlorite	7778-54-3	850mg/kg(Rat)	No information available	No information available

> Skin Corrosion/Irritation

Causes severe skin burns and eye damage(Category 1)

> Serious Eye Damage/Irritation

Causes serious eye damage(Category 1)

> Skin Sensitization

No information available

> Respiratory Sensitization

No information available

> Germ Cell Mutagenicity

No information available

> Carcinogenicity

ID	CAS No.	Component	IARC	NTP
1	7778-54-3	Calcium hypochlorite	Not Listed	Not Listed
2	7732-18-5	Water	Not Listed	Not Listed
3	7647-14-5	Sodium chloride	Not Listed	Not Listed

> Reproductive Toxicity

No information available



> Reproductive Toxicity (Additional)

No information available

> STOT-Single Exposure

No information available

> STOT-Repeated Exposure

No information available

> Aspiration Hazard

No information available

Section 12 Ecological Information**> Acute Aquatic Toxicity**

Component	CAS No.	Fish	Crustaceans	Algae
Sodium chloride	7647-14-5	LC ₅₀ : 7400mg/L (96h)(Fish)	EC ₅₀ : 2120mg/L (48h)	No information available
Calcium hypochlorite	7778-54-3	LC ₅₀ : 0.27mg/L (96h)(Fish)	EC ₅₀ : 0.09mg/L (48h)	No information available

> Chronic Aquatic Toxicity

No information available

> Others

Persistence and Degradability
Bioaccumulative Potential
Mobility in Soil

No information available

No information available

No information available

Results of PBT and vPvB Assessment

Calcium hypochlorite does not meet the criteria for PBT and vPvB according to Regulation (EC) No 1907/2006, annex XIII.

Water does not meet the criteria for PBT and vPvB according to Regulation (EC) No 1907/2006, annex XIII.

Sodium chloride does not meet the criteria for PBT and vPvB according to Regulation (EC) No 1907/2006, annex XIII.

Section 13 Disposal Considerations**Waste Chemicals**

Before disposal should refer to the relevant national and local laws and regulation. Recommend the use of incineration disposal.

Contaminated Packaging Disposal Recommendations

Containers may still present chemical hazard when empty. Keep away from hot and ignition source of fire. Return to supplier for recycling if possible. Refer to section 13.1 and 13.2.

Section 14 Transport Information

Transporting Label



Marine pollutant Yes

UN Number 2880

UN Proper Shipping Name CALCIUM HYPOCHLORITE, HYDRATED MIXTURE, with not less than 5.5% but not more than 16% water

Transport Hazard Class 5.1

Transport Subsidiary Hazard Class NONE

Packing Group II

Section 15 Regulatory Information

> International Chemical Inventory

Component	EINECS	TSCA	DSL	IECSC	NZIoC	PICCS	KECI	AICS	ENCS
Calcium hypochlorite	√	√	√	√	√	√	√	√	√
Water	√	√	√	√	√	√	√	√	√
Sodium chloride	√	√	√	√	√	√	√	√	√

【EINECS】 European Inventory of Existing Commercial Chemical Substances.

【TSCA】 United States Toxic Substances Control Act Inventory.

【DSL】 Canadian Domestic Substances List.

【IECSC】 China Inventory of Existing Chemical Substances.

【NZIoC】 New Zealand Inventory of Chemicals.

【PICCS】 Philippines Inventory of Chemicals and Chemical Substances.

【KECI】 Existing and Evaluated Chemical Substances.

【AICS】 Australia Inventory of Chemical Substances.

【ENCS】 Existing And New Chemical Substances.

Note

"√" Indicates that the substance included in the regulations

"x" That no data or included in the regulations

Section 16 Additional Information

Creation Date 2020/11/30

Revision Date 2020/11/30

Reason for Revision -



> Disclaimer

This Safety Data Sheet (SDS) was prepared according to UN GHS (the 8th revised edition). The data included was derived from international authoritative database and provided by the enterprise. Other information was based on the present state of our knowledge. We try to ensure the correctness of all information. However, due to the diversity of information sources and the limitations of our knowledge, this document is only for user's reference. Users should make their independent judgment of suitability of this information for their particular purposes. We do not assume responsibility for loss, damage or expense

arising out of or in any way connected with the handling, storage, use or disposal of the product.

