



In-Ground



Surface

Delon - IP65 Spike Light




※ Features:

- ◆ IP Rate: IP65;
- ◆ Working Temp: -20°C~+45°C;
- ◆ Lumens: Depends on the chip CRI, decorative cup color, etc..
- ◆ Lifetime: 50,000Hrs;
- ◆ Light source : CREE;
- ◆ Materials: Pure Aluminum+Glass+PC;
- ◆ With CE, RoHs;
- ◆ 5 years' warranty;
- ◆ Function: ON/OFF /DALI /Traic/ 0-10V...

※ Application:


With the installation characteristics of "being partially inserted into the ground and projecting light upward or sideways", as well as its flexible decorative and functional properties, ground-inserted lights are widely used in outdoor scenarios and can also be applied in specific indoor settings.

- ◆ Garden , Landscape, Green, space outdoor area of a homestay ;
- ◆ Courtyard , Park , Outer corridor, Passageway;
- ◆ Balconies, Villas entrances, Hotel exterior wall;




✂ Drawing


unit:mm




Z240110-5



Z240110-10



Z240110-20



Z240111-10

✂ Parameters

CCT: 3000K-4000K-5000K-6000K



COB


CRI
>80CRI
>90

Item No	Dimension (mm)	Power	Lumen $\pm 10\%$	Beam angle
Z240110-5	50×125×85×H210	5W	400lm	13/23/38°
Z240110-10	64×133×92×H210	10W	800lm	13/23/38/45/60°
Z240110-20	76×186×120×H265	20W	1600lm	13/23/38/45/60°
Z240111-10	64×133×112×H210	10W	800lm	15/23/38/45/60°

✂ Color Option

Body color:Sandy Black/Sandy White/Sandy Brown/
/Dark Sand Gray...

※ Usage Scenario



※ Package

Part No.	QTY/ Carton	Master Box(cm)	N.W.(KG)	G.W.(KG).
Z240110-5	20	56.5×45. 5×20	/	/
Z240110-10	20	56.5×45. 5×20	/	/
Z240110-20	10	66×30×20	/	/
Z240111-10	12	40×30.5×22	/	/

✧ installation information

Installation Instruction


Model: Z240110-5
Input: AC220-240V
Power: 1*5W




Safety Notice:

Please read this installation instruction before you install, and must install by professional. If do not follow installation instruction, maybe lead to damage, fire or body hurt.


1. When use product, please pay attention to voltage.
2. Please use our local standard identification cable, and must be higher than product voltage and constant current.
3. Please power off before wiring or any operation.
4. If need to replace parts or repair, please ensure use specified parts of supplier and changed by supplier or other professional. If not be handled properly, it will lead to electric shock or other harmful effects.
5. Cable connection parts of outdoor lighting fixture need to be ensured waterproof.




FLG-1





FLG-2



FLG-3



FLG-4



Installation Instruction


Model: Z240111-10
Input: AC220-240V
Power: 10W




Safety Notice:

Please read this installation instruction before you install, and must install by professional. If do not follow installation instruction, maybe lead to damage, fire or body hurt.


1. When use product, please pay attention to voltage.
2. Please use our local standard identification cable, and must be higher than product voltage and constant current.
3. Please power off before wiring or any operation.
4. If need to replace parts or repair, please ensure use specified parts of supplier and changed by supplier or other professional. If not be handled properly, it will lead to electric shock or other harmful effects.
5. Cable connection parts of outdoor lighting fixture need to be ensured waterproof.




FLG-1



FLG-2



FLG-3



FLG-4

