



Fivon - IP65 Adjustable LED Outdoor Landscape Spotlight



※ Features:

- ◆ IP Rate: IP65;
- ◆ Working Temp: -20°C~+45°C;
- ◆ Lumens: Depends on the chip CRI, decorative cup color, etc..
- ◆ Lifetime: 50,000Hrs;
- ◆ Light source : CREE;
- ◆ Materials: Aluminum+Glass;
- ◆ With CE, RoHs;
- ◆ 5 years' warranty;
- ◆ Function: ON/OFF /DALI /Traic/ 0-10V...


※ Application:

Replaceable Front Cover LED Spotlight,
Drain Hole Design, 360° Adjustable
Anti-Shake, Anti-Theft Screw, IP65
Waterproof for All Scenarios.

- ◆ Garden , Landscape, Green, space outdoor area of a homestay ;
- ◆ Courtyard , Park , Outer corridor, Passageway;
- ◆ Balconies, Villas entrances, Hotel exterior wall ;



※Drawing



※Parameters

CCT: 3000K-4000K-5000K-6000K



COB

CRI
>80CRI
>90

13°

23°


38°

Item No	Dimension (mm)	Power	Lumen ±10%
Z240113-5	φ47*132*120	5W	400lm

※Color Option

Body color:Sandy Black/Sandy White/Sandy Brown/
/Dark Sand Gray...




※Usage Scenario



※Package

Part No.	QTY/ Carton	Master Box(cm)	N.W.(KG)	G.W.(KG).
Z240113-5	10	/	5.9	7.1

※installation information

Installation Instruction		
Model: Z240113-5 Input: AC220-240V Power: 5W 	FLG-1 	FLG-2 
Safety Notice: Please read this installation instruction before you install, and must install by professional. If do not follow installation instruction, maybe lead to damage, fire or body hurt. 1. When use product, please pay attention to voltage. 2. Please use our local standard identification cable, and must be higher than product voltage and constant current. 3. Please power off before wiring or any operation. 4. If need to replace parts or repair, please ensure use specified parts of supplier and changed by supplier or other professional. If not be handled properly, it will lead to electric shock or other harmful effects. 5. Cable connection parts of outdoor lighting fixture need to be ensured waterproof.	FLG-3 	FLG-4 