



Shenzhen Landun Professional Monitors
Electronic Technology Co.,Ltd

43 inch Outdoor Portable Battery Digital Poster Screen



Product details



Shenzhen Landun Professional Monitors
Electronic Technology Co.,Ltd

Add:5th Floor, Building A2, Longma Technology Industrial City, Shixin Community, Shiyao Street, Baoan shenzhen



**43 INCH LCD OUTDOOR
BATTERY PORTABLE
POWER DISPLAY**

color is optional:     

IP65
WATERPROOF&DUSTPROOF

14H
LONG BATTERY PLAYTIME

700/1500NIT
HIGH BRIGHTNESS SCREEN

...•• IP65 Waterproof •••

The structure of the shell is designed with IP65 protection level, which means that it can block rainwater and all debris,dust and other particles in the air, and can be protected from any wet weather.Has expanded the usable environment range.



Snowing Gale Cloudy
Sandstorm Rain Sun

Protection from the weather

...•• Front Speaker •••

High quality speakers make the sound clearer, louder and more natural



...•• Long Life Battery •••

The lithium battery change the way you can use digital signage.It gives you over 14 hours running time without plugged.



14
HRS
BATTERY
PLAYTIME




No wirings
No need wall outlet

...•• Product Details •••



...•• Product Size •••



Product Parameters



Shenzhen Landun Professional Monitors
Electronic Technology Co.,Ltd

Add:5th Floor, Building A2, Longma Technology Industrial City, Shixin Community, Shiyao Street, Baoan shenzhen

	Features	43 Inch TFT-LCD	
Panel	Resolution	1920x1080(FHD)	
	Display Area(mm)	940.896(H)x529.254(V)	
	Proportion	16:9	
	Brightness(cd/m2)	700/1500	
	Display Color	16.7M	
	Viewing Angle	178°	
	Contrast Ratio	4000:1	
Main Engine	Multimedia Format	Video(MPG,AVI,MP4,RM,RMVB,TS),Audio(MP3,WMA),Image(JPG,GIF,BMP,PNG)	
	Input Resolution	1080x1920; (Backward Compatible)	
	CPU	RK3288,Quad-core, up to the main frequency 1.8GHZ,Android7.1.2	
	GPU	Mali-T764 GPU MP4 Quad-core GPUOpenGL is supported ES1.1/2.0,OpenVG1.1,OpenCL	
	RAM	DDR3,2GB	
	ROM	16GB	
	USB	USB2.0HOST(x2)	
	LAN	10/100MEthernet	
	Wi-Fi	802.11b/g/n	
	Operation System	Android7.1/Windows OS	
	Speakers	8Ω12Wx2	
Battery	Battery Technology	Ningde era ternary lithium battery blade battery	
	Charging Time	7hours	
	Battery life	15hours	
	Battery capacity	28000/48000mAh	
	Voltage	25.2V	
	Power	100W	
	Efficiency	1088.54Wh	
Outline Dimension	Product (WxHxDmm)	1235x586x250	
	Packing Size(WxHxDmm)	1335x700x300	
	Net Weight(kg)	38.16	
	Gross Weight(kg)	<45	
Using Environment	Operating Temperature	-20°Cto70°C	Maximum high temperature resistance105°
	Storage Temperature	-30°Cto80°C	
	Operating Humidity	10%to80%	
	Storage Humidity	5%to95%	
Special Function	Internal GPS+ wheels with lock	It prevent machine loss, accurate positioning and recording	
Accessories	Including	Remote control, instruction manual, charger and charging cable	

Application and Package

