


## 2 in 1 Hyperbaric Oxygen Supply System

Model: uMR O7



### Features:

- 1.Oxygen concentrator and Compressor combine in 1
- 2.Touch screen UI interface for index setting and display.
- 3.Support to connect with remote control panel.
2. Intelligent control, the pressure in the cabin can be adjusted on the UI interface
3. The oxygen generator uses air as the raw material and generates a certain concentration of oxygen (96%±3%) through the principle of molecular sieve pressure swing adsorption (PSA method).
4. The compressor is Oil-free compressor air delivery system
5. The oxygen system can provide chamber a maximum pressure of 50Kp (gauge pressure) or 1.5ATA, as well as high purity oxygen;
6. The oxygen system not only provides oxygen to the space, but also provides clean air.
- 7.Timing control: With a display screen, the timing function is easy to use and easy to operate.


8.Overheating protection: The pure oil-free compressor is equipped with an overheating protector, which will automatically stop working when the operating temperature of the compressor is too high, so as to better protect the compressor and the safety of the whole machine.

9.SOS alarm: Equipped with SOS one-key alarm function, which can provide danger warning and ensure safe use.

## Specification:

|                             |                                         |
|-----------------------------|-----------------------------------------|
| <b>Model</b>                | uMR 07                                  |
| <b>Size</b>                 | H767.7*L420*W400mm                      |
| <b>Control System</b>       | Touch screen control(7 inch)            |
| <b>Power Supply</b>         | AC 100V-240V 50/60Hz                    |
| <b>Power</b>                | 550W                                    |
| <b>Oxygen Pipe Diameter</b> | 8 mm                                    |
| <b>Air Pipe Diameter</b>    | 12 mm                                   |
| <b>Oxygen flow</b>          | 10L/min                                 |
| <b>Max airflow</b>          | 120 L/min                               |
| <b>Max Outlet pressure</b>  | 150KPA(1.5ATA)                          |
| <b>Oxygen Purity</b>        | 96%±3%                                  |
| <b>Oxygen system</b>        | air filter (PSA)                        |
| <b>Compressor</b>           | Oil-free compressor air delivery system |
| <b>Noise</b>                | ≤45db                                   |

## UI Interface:



Machine:



Remot control panel:



This oxygen supply system can be applied to most of the chamber on the market, we will configure different interfaces and air pipes for different types of chambers.



**DR.HUGO**

***Your Oxygen Therapy Expert***

POWER BY:



LANNX Bio&Med Co.,Ltd

Website: [www.lannx.net/hbot/](http://www.lannx.net/hbot/)

E-Mail: [sale@lannx.net](mailto:sale@lannx.net)

-Search our channel in YouTube to view operation video:

<https://www.youtube.com/@oxygensupplycenter>