www.ledespecial.com

Energia solar led S. L
calle Rio Tormes 13 Fuenlabrada 28947 Madrid Spain
Email: energiasolarled2008@gmail.com
0034 916426626

Model: **ESL-ALGD0616-GU10**

GU10 Insert-type Spotlight
Available as GU10 lighting cup

Design Concept

As a model of basic lighting, it is often favored by people for its simple but not simple shape in the field of lighting application. Famous and excellent lighting 0616gu10 series products are suitable in size and excellent in light efficiency. They are the first choice for home and business.

Range of application

Hotels, supermarkets, office space, home lighting, commercial chains, etc.








Basic parameter

Warranty	5 years
Wattage	/
Size	ϕ55×90mm
Cutout	/
Installation	Track
IPgrade	IP20
Beam Angle	/
Main Material	Aluminum
Finished Color	Sand White
	Sand Black
Working Temperature	-10°C~40°C
Product Standards	IEC(or EN)60598-1
Certification	/

Dimensions (mm)



LED parameter

LED Brand&Type	GU10
CCT	/

Packaging parameter

Quatity	50 pcs/ctn
N.W.	10.15 kg/ctn
G.W.	11.00 kg/ctn
Inner Box	L85×W60×H165mm
Outer Box	L45×W32.5×H35.5cm
Volume	0.051918m³/ctn
Weight	203g/pcs
Weight	167g/pcs

Tips: 0616 Series GU10 Track / Recessed / Surface-mount Spotlight

www.ledespecial.com

Energia solar led S. L
calle Rio Tormes 13 Fuenlabrada 28947 Madrid Spain
Email: energiasolarled2008@gmail.com
0034 916426626

Model: **ESL-ALTH0616-GU10**

GU10 Insert-type Spotlight

Available as GU10 lighting cup

Design Concept

As a model of basic lighting, it is often favored by people for its simple but not simple shape in the field of lighting application. Famous and excellent lighting 0616gu10 series products are suitable in size and excellent in light efficiency. They are the first choice for home and business.

Range of application

Hotels, supermarkets, office space, home lighting, commercial chains, etc.








Basic parameter

Warranty	5 years
Wattage	/
Size	ϕ55×90mm
Cutout	ϕ45
Installation	Embedded
IPgrade	IP20
Beam Angle	/
Main Material	Aluminum
Finished Color	Sand White Sand Black
Working Temperature	-10°C~40°C
Product Standards	IEC(or EN)60598-1
Certification	/

Dimensions (mm)



LED parameter

LED Brand&Type	GU10
CCT	/

Packaging parameter

Quatity	50 pcs/ctn
N.W.	12.3 kg/ctn
G.W.	12.96 kg/ctn
Inner Box	L80×W60×H150mm
Outer Box	L32.5×W32.5×H32cm
Volume	0.0338m³/ctn
Weight	246g/pcs
Weight	215g/pcs

Tips: 0616 Series GU10 Track / Recessed / Surface-mount Spotlight

www.ledespecial.com

Energia solar led S. L
calle Rio Tormes 13 Fuenlabrada 28947 Madrid Spain
Email: energiasolarled2008@gmail.com
0034 916426626

Model: **ESL-ALXS0616-GU10**

GU10 Insert-type Spotlight
Available as GU10 lighting cup

Design Concept

As a model of basic lighting, it is often favored by people for its simple but not simple shape in the field of lighting application. Famous and excellent lighting 0616gu10 series products are suitable in size and excellent in light efficiency. They are the first choice for home and business.

Range of application

Hotels, supermarkets, office space, home lighting, commercial chains, etc.








Basic parameter

Warranty	5 years
Wattage	/
Size	ϕ55×90mm
Cutout	ϕ45
Installation	Embedded
IPgrade	IP20
Beam Angle	/
Main Material	Aluminum
Finished Color	Sand White Sand Black
Working Temperature	-10°C~40°C
Product Standards	IEC(or EN)60598-1
Certification	/

Dimensions (mm)



LED parameter

LED Brand&Type	GU10
CCT	/

Packaging parameter

Quatity	50 pcs/ctn
N.W.	11.3 kg/ctn
G.W.	11.96 kg/ctn
Inner Box	L60×W60×H150mm
Outer Box	L32.5×W32.5×H32cm
Volume	0.0338m³/ctn
Weight	226g/pcs
Weight	195g/pcs

Tips: 0616 Series GU10 Track / Recessed / Surface-mount Spotlight

www.ledespecial.com

Energia solar led S. L
calle Rio Tormes 13 Fuenlabrada 28947 Madrid Spain
Email: energiasolarled2008@gmail.com
0034 916426626

Model: **ESL-ALXS0616B-GU10**

GU10 Insert-type Spotlight

Available as GU10 lighting cup

Design Concept

As a model of basic lighting, it is often favored by people for its simple but not simple shape in the field of lighting application. Famous and excellent lighting 0616gu10 series products are suitable in size and excellent in light efficiency. They are the first choice for home and business.

Range of application

Hotels, supermarkets, office space, home lighting, commercial chains, etc.








Basic parameter

Warranty	5 years
Wattage	/
Size	ϕ55×90mm
Cutout	ϕ45
Installation	Embedded
IPgrade	IP20
Beam Angle	/
Main Material	Aluminum
Finished Color	Sand White Sand Black
Working Temperature	-10°C~40°C
Product Standards	IEC(or EN)60598-1
Certification	/

Dimensions (mm)



LED parameter

LED Brand&Type	GU10
CCT	/

Packaging parameter

Quatity	100 pcs/ctn
N.W.	13.7 kg/ctn
G.W.	14.5 kg/ctn
Inner Box	L60×W60×H95mm
Outer Box	L63×W32.5×H21.5cm
Volume	0.04402125m³/ctn
Weight	137g/pcs
Weight	105g/pcs

Tips: 0616 Series GU10 Track / Recessed / Surface-mount Spotlight

www.ledespecial.com


Energia solar led S. L
calle Rio Tormes 13 Fuenlabrada 28947 Madrid Spain
Email: energiasolarled2008@gmail.com
0034 916426626

Model: **ESL-XXXX0616-GU10**

GU10 Insert-type Spotlight

Available as GU10 lighting cup

iN



Tips: 0616 Series GU10 Track / Recessed / Surface-mount Spotlight