

GALVANIZED & STAINLESS STEEL SERIES

HOT GALVANIZED PALLET TRUCK
FULL 304 STAINLESS PALLET TRUCK
304 STAINLESS SCISSOR LIFT PALLET TRUCKS
304 STAINLESS WEIGHING SCALE PALLET TRUCK
SEMI 304 STAINLESS LIFT TABLE



**MAKE YOUR JOB
EASIER**

HOT GALVANIZED PALLET TRUCK

The particularly compact and robust hand pallet trucks WH-25G are galvanized and are therefore suitable for cold and wet environments such as wholesale markets or fruit growing farms, resisting the effects of cold, condensation, and washing.

All the exposed parts of the truck are galvanized, including the hydraulic pump, fork frame, handle, and so on.

WH-25/30G



- Corrosion-resistant due to galvanized surfaces
- With pressure relief valve and overload valve
- Ergonomic handle
- Unique wheel fork design: Steady bolt
- Pump: AC Cast iron Pump
- Wheel: Nylon



2500/3000kg



75/85mm



540/685mm



1150/1220mm

FULL 304 STAINLESS STEEL PALLET TRUCK

WH-25/30S-H inox hand pallet trucks are the perfect support for all applications with particularly high hygiene requirements and high risk of corrosion. The stainless steel used is extremely acid- and corrosion-resistant, making the WH-25/30S-H perfectly suited for operations in the food, pharmaceutical, and chemical industries. Additionally, the rounded forks and the protected entrance rollers make the pallet pick-up fast and easy. For the fast and efficient transport of goods in demanding environments.



WH-25/30S-H



- All metal parts made completely stainless steel
- With pressure relief valve and overload valve
- Ergonomic handle
- Unique wheel fork design: Steady bolt
- Pump: BF Cast iron Pump
- Wheel: Nylon/PU(Nylon Core)



2500/3000kg



75/85mm



550/685mm



1150/1220mm

304 STAINLESS SCISSOR LIFT PALLET TRUCKS

SHLS/SEHLS scissor lift hand pallet trucks in the stainless steel version are the ideal vehicles for all applications in aggressive environments with highest hygiene requirements. The inox steel used for these models is extremely corrosion resistant against humidity, acids and salts, therefore the trucks are a perfect fit in the food industry as well as the pharmaceutical and chemical industry. The closed fork tips offer additional protection against slashes from the tyres. Naturally, this series also offers the flexibility of our scissor lift hand pallet trucks: as hand pallet truck, lift table or work bench.



SHLS



- Completely corrosion, salt and acid-resistant
- Single(quick lift) cylinder
- Ergonomic handle
- Wheel: Nylon/PU(Nylon Core)



1000/1500kg



85mm



800mm



540/680mm




1150/1500mm

SEHLS



- High-tensile strength steel frame
- Electro-hydraulic with 0.8 kW lift motor
- Battery: 12V/60Ah
- Built-in smart charger 12V/8A
- Ergonomic handle
- Wheel: Nylon/PU(Nylon Core)



1000/1500kg



85mm



800mm



540/680mm



1150/1500mm

Semi Stainless Lift Table

TFS



- Stainless 304 material on table, handle and base, other parts galvanized.
- Optional various table sizes & lift heights

Model	Capacity (kg)	Length of table (mm)	Width of table (mm)	Min.height (mm)	Max.height (mm)
TFD15S	100	700	445	250	1220
TF30S	250	815	500	290	890
TFD35S	350	910	500	355	1295
TF50S	450	815	500	290	890

304 STAINLESS WEIGHING SCALE PALLET TRUCK

STAXX stainless weighing scale pallet trucks are the perfect support for all applications with particularly high hygiene requirements and high risk of corrosion. Their high capacity makes them the perfect assistant for moving and weighing goods on one truck.

Heavy duty pallet truck with built-in scale 2500/3000kg capacity; 500g accuracy. Electronic indicator with 32mm high red LED display. Four load cells ensure accurate readings in kg or lb. Long life internal battery. Rechargeable 6V/4Ah battery, 40 hours operation.



WH-20/25SS



- High precision multi-function LED screen
- Rechargeable 6V/4Ah battery, 40 hours operation
- External charger
- 4 load cells inner weighing structure
- Integrated cast hydraulic pump
- Fork thickness 4mm
- Wheel: Nylon/PU(Nylon Core)



2000/2500kg



78mm



540/680mm



1150/1220/1500
/1800/2000/2400mm

WH-20/25SS-P



- High precision multi-function LED screen
- Rechargeable 6V/4Ah battery, 40 hours operation
- External charger
- 4 load cells inner weighing structure
- Built-in printer
- Fork thickness 4mm
- Integrated cast hydraulic pump
- Wheel: Nylon/PU(Nylon Core)

Accumulation data print out

REPORT	
1	0.200kg
2	0.175kg
3	0.347kg
4	0.375kg
Total: 1.097kg	

Count data print out

REPORT	
Gross:	0.547kg
Amount:	55
Weight data print out	
Gross:	45.0kg
Tare:	5.0kg
Net:	40.0kg



2000/2500kg



78mm



540/680mm



1150/1220/1500
/1800/2000/2400mm