

STAX 

ELECTRIC LIFT TABLE



**MAKE YOUR JOB
EASIER**

www.staxxmhe.com

SEMI ELECTRIC LIFT TABLE

DP150



- Safe, light and easy to use electric scissor lift table
- Operators can effortlessly raise the platform height at the touch of a button
- Polyurethane casters: 2 swivel with brake, 2 fixed



Indicator panel



Joystick

Model		DP150	DP300	DP500	DP800	DP1000
Load Capacity	kg	150	300	500	800	1000
Min.Height	mm	210	280	280	380	410
Max. Height	mm	700	900	900	1000	1000
Table Dimension	mm	750*500*50	950*500*50	950*500*50	1200*610*60	1200*610*80
Dia.of the wheel	mm	Φ125	Φ125	Φ125	Φ150	Φ150
Voltage	V	12	12	12	12	12
Power	kW	0.8	0.8	0.8	0.8	1.6
Storage Battery	Ah	60	60	60	80	100
Charger Input Voltage	V	220/110	220/110	220/110	220/110	220/110
Net Weight	kg	90	110	110	150	150

DPS150



- Safe, light and easy to use electric scissor lift table
- Operators can effortlessly raise the platform height at the touch of a button
- Polyurethane casters: 2 swivel with brake, 2 fixed



Indicator panel



Joystick

Model		DPS150	DPS350	DPS500	DPS800	DPS1000
Load Capacity	kg	150	350	500	800	1000
Min.Height	mm	360	360	360	450	500
Max. Height	mm	1500	1500	1500	1700	1700
Table Dimension	mm	750*500*50	905*500*50	905*500*50	1200*610*50	1200*610*50
Dia.of the wheel	mm	Φ125	Φ125	Φ125	Φ150	Φ150
Voltage	V	12	12	12	12	12
Power	kW	0.8	0.8	0.8	1.6	1.6
Storage Battery	Ah	60	60	60	80	120
Charger Input Voltage	V	220/110	220/110	220/110	220/110	220/110
Net Weight	kg	120	140	160	290	290

SEMI ELECTRIC LIFT TABLE

ETA30/50



- Electric lifting, manual driving, easy to move with loading
- Ideal lifting operations in different work environment
- Powerful battery and powerful hydraulic pump, low touch button, very stable
- Designed to prevent pinching
- The use of high-quality pump and drive wheels makes the cargo lift stable and powerful



Indicator panel



Joystick

Model		ETA30	ETA50
Load Capacity	kg	300	500
Min.Height	mm	450	450
Max. Height	mm	950	950
Table Dimension	mm	1010*520	1010*520
Dia.of the wheel	mm	Φ125	Φ125
Voltage	V	12	12
Power	kW	0.8	0.8
Storage Battery	Ah	60	60
Charger Input Voltage	V	220/110	220/110

ETAS30/50



- Electric lifting, manual driving, easy to move with loading
- Ideal lifting operations in different work environment
- Powerful battery and powerful hydraulic pump, low touch button, very stable
- Designed to prevent pinching
- The use of high-quality pump and drive wheels makes the cargo lift stable and powerful



Indicator panel



Joystick

Model		ETAS30	ETAS50
Load Capacity	kg	300	500
Min.Height	mm	500	500
Max. Height	mm	1600	1600
Table Dimension	mm	1010*520	1010*520
Dia.of the wheel	mm	Φ125	Φ125
Voltage	V	12	12
Power	kW	0.8	0.8
Storage Battery	Ah	60	60
Charger Input Voltage	V	220/110	220/110

SEMI ELECTRIC LIFT TABLE

EPT400



- Full electric walkie type lift table
- Electric Lifting and walking, easy operation
- Supplied with 24V/60Ah battery and charger
- Polyurethane casters: 2 swivel with brake, 2 fixed



Joystick



Indicator panel

Model		EPT400	EPT400S
Driving mode		Walk	Walk
Load Capacity	kg	400	400
Min.Height	mm	390	460
Max. Height	mm	950	1500
Table Dimension	mm	1100*600	1100*600
Dia.of the wheel	mm	Φ200	Φ200
Voltage	V	24	24
Battery	V	60	60
Power		24V400W	24V400W

EMT1000S



- Full electric walkie type lift table
- Electric Lifting and walking, easy operation
- With ramp brake, ramp speed control and other functions
- Sturdy structure, high quality hydraulic cylinder, long service life



Joystick



Indicator panel

Model		EMT1000S	EMT1500	EMT2000
Driving mode		Walk	Walk	Walk
Load Capacity	kg	1000	1500	2000
Min.Height	mm	460	400	450
Max. Height	mm	1500	1000	1000
Table Dimension	mm	1000*600*60	1200*800*80	1500*800*80
Dia.of the wheel	mm	Φ210	Φ250	Φ250
Voltage	V	24	24	24
Battery	V	60	80	80
Power		24V 750W	AC24V 1500W	AC24V 1500W

CUSTOMIZABLE



Manual platform with dust cover



Stationary electric lift table with dust cover



Fully electric lift table with dust cover



Ball roller table



Stationary electric lift table with guardrail